

TTB 160P G ML /70°/L50

44,0350,5452

SCREWABLE

GAS	TTP 80P G ML
	44,0350,5466
	44,0350,5466,630
	44,0350,0525
	44,0350,0525,630
	44,0350,5467
	44,0350,5467,630
TTP 120P G ML	44,0350,5468

TTP 160P G ML
44,0350,5452
44,0350,5452,630
44,0350,4407
44,0350,4407,630
44,0350,5453,630
44,0350,5454,630
44,0350,5455
44,0350,5455,630
44,0350,5456,630

TTP 200P G ML
44,0350,5461
44,0350,5461,630
44,0350,4409
44,0350,4409,630
44,0350,5462,630
44,0350,5463,630
44,0350,5464
44,0350,5464,630

TTP 260P G ML
44,0350,5465

SCREWABLE

WATER	TTP 180P W ML
	44,0350,5469
	44,0350,5469,630
	44,0350,0526
	44,0350,0526,630
	44,0350,5470
	44,0350,5470,630

TTB 160 P S G ML
44,0350,5489

TTP 300P W ML
44,0350,5475
44,0350,4412
44,0350,4412,630
44,0350,5476,630
44,0350,5477,630
44,0350,5478
44,0350,5478,630
44,0350,5479,630

TTP 400P W ML
44,0350,5484
44,0350,4414
44,0350,4414,630
44,0350,5485,630
44,0350,5486,630
44,0350,5487
44,0350,5487,630

TTP 500P W ML
44,0350,4416
44,0350,4416,630

PLUGABLE

GAS	TTP 160A G ML
	44,0350,5448
	44,0350,5448,630
	44,0350,4406
	44,0350,4406,630
	44,0350,5449,630
	44,0350,5450,630
	44,0350,5451
	44,0350,5451,630

TTP 220A G ML
44,0350,5457
44,0350,5457,630
44,0350,4408
44,0350,4408,630
44,0350,5458,630
44,0350,5459,630
44,0350,5460
44,0350,5460,630

TTP 260A G ML
44,0350,4410
44,0350,4410,630

PLUGABLE

WATER	TTP 300A W ML
	44,0350,5471
	44,0350,4411
	44,0350,4411,630
	44,0350,5472,630
	44,0350,5473,630
	44,0350,5474
	44,0350,5474,630

TTP 400A W ML
44,0350,5480
44,0350,5480,630
44,0350,4413
44,0350,4413,630
44,0350,5481,630
44,0350,5482,630
44,0350,5483
44,0350,5483,630


TTP 500A W ML
44,0350,4415
44,0350,4415,630

TTB 160P G ML /70°/L50 (44,0350,5452)

**TTB 160P G
STANDARD**

TAB electrode


Ømm	Øinch	Part No. electrode WC20	Part No. electrode WP	Part No. electrode WS2	Part No. electrode GP
1,0	.039	42,0411,4012			41,0010,0247
1,6	.063	42,0411,4001	42,0411,4008	42,0411,0161	41,0010,0246
2,0	.078	42,0411,4004	42,0411,0214	42,0411,0215	41,0010,0059
2,4	.094	42,0411,4002 x)	42,0411,4005	42,0411,0162	41,0010,0245
3,2	.126	42,0411,4003	42,0411,4006	42,0411,0163	41,0010,0244
4,0	.157				41,0010,0243



TTB 160P G
S + F

TAB electrode



Ømm	Øinch	Part No. electrode WC20	Part No. electrode WP	Part No. electrode WS2	Part No. electrode GP
1,0	.039	42,0411,4012			41,0010,0247
1,6	.063	42,0411,4001	42,0411,4008	42,0411,0161	41,0010,0246
2,0	.078	42,0411,4004	42,0411,0214	42,0411,0215	41,0010,0059
2,4	.094	42,0411,4002 x)	42,0411,4005	42,0411,0162	41,0010,0245
3,2	.126	42,0411,4003	42,0411,4006	42,0411,0163	41,0010,0244
4,0	.157				41,0010,0243



TAB electrode

STANDARD
CHAMPAGNE
GLAS


3 9 LARGE



TTB 160P G
F 0°



TAB electrode

Ømm	Øinch	Part No. electrode WC20	Part No. electrode WP	Part No. electrode WS2	Part No. electrode GP
1,0	.039	42,0411,4012			41,0010,0247
1,6	.063	42,0411,4001	42,0411,4008	42,0411,0161	41,0010,0246
2,0	.078	42,0411,4004	42,0411,0214	42,0411,0215	41,0010,0059
2,4	.094	42,0411,4002 x)	42,0411,4005	42,0411,0162	41,0010,0245
3,2	.126	42,0411,4003	42,0411,4006	42,0411,0163	41,0010,0244
4,0	.157				41,0010,0243



**TTB 160P G
TFC**
TAB electrode

Ømm	Øinch	Part No. electrode WC20	Part No. electrode WP	Part No. electrode WS2	Part No. electrode GP
1,0	.039	42,0411,4012			41,0010,0247
1,6	.063	42,0411,4001	42,0411,4008	42,0411,0161	41,0010,0246
2,0	.078	42,0411,4004	42,0411,0214	42,0411,0215	41,0010,0059
2,4	.094	42,0411,4002 x)	42,0411,4005	42,0411,0162	41,0010,0245
3,2	.126	42,0411,4003	42,0411,4006	42,0411,0163	41,0010,0244
4,0	.157				41,0010,0243



OPTION STANDARD 3/8 "

x) standard equipment

1		Electrode Ø		Part No.
		Ømm	Øinch	
		1,0	.039	
		1,6	.063	
		2,0	.078	
		2,4	.094	
		3,2	.126	

2	HEAD SHIELD	Part No.
		
		42,0100,0391 x)

3		Electrode Ø		Part No.
		Ømm	Øinch	
		1,0	.039	
		1,6	.063	
		2,0	.078	
		2,4	.094	
		3,2	.126	

4

GAS NOZZLE CERAMIC SCREWABLE 3/8" - 24UNF

L=29,4mm / 1.156inch

d3

mm

inch

d4

mm

inch

Part No.

6,4

.252

14,3

.563

42,0300,0105

7,9

.311

14,3

.563

42,0300,0106

L=29,4mm / 1.156inch

d3

mm

inch

d4

mm

inch

Part No.

9,5

.374

14,3

.563

42,0300,0107 x)

11,1

.437

17,5

.689

42,0300,0108

12,7

.500

17,5

.689

42,0300,0109

15,9

.626

20,6

.811

42,0300,0110

OPTION 9/16 "

5

GAS LENSE	Electrode Ø		Part No.
	Ømm	Øinch	
	1,0	.039	42,0001,1343
	1,6	.063	42,0001,1344
	2,0	.078	42,0001,1135
	2,4	.094	42,0001,1345
	3,2	.126	42,0001,1346


2

HEAD SHIELD	Part No.
	42,0100,0391 x)

3

COLLET	Electrode Ø		Part No.
	Ømm	Øinch	
	1,0	.039	42,0001,1129
	1,6	.063	42,0001,1130
	2,0	.078	42,0001,1131
	2,4	.094	42,0001,1132 x)
	3,2	.126	42,0001,1133

6


GAS NOZZLE CERAMIC SCREWABLE 9/16" - 18UNF					
L=25,4mm / 1.0inch					
	d3		d4		Part No.
	mm	inch	mm	inch	
	6,4	.252	20,6	.811	42,0300,0982
	7,9	.311	20,6	.811	42,0300,0983
	9,5	.374	20,6	.811	42,0300,0984
	11,1	.437	20,6	.811	42,0300,2007
	12,7	.500	19	.748	42,0300,2008

OPTION LARGE

7 	GAS LENSE		Electrode Ø		Part No.
			Ømm	Øinch	
			1,0	.039	42,0001,3010
			1,6	.063	42,0001,3011
			2,0	.078	42,0001,0571
			2,4	.094	42,0001,3012
			3,2	.126	42,0001,3013

8 	HEAD SHIELD	Part No.
		42,0100,0407 x)

9 	COLLET		Electrode Ø		Part No.
			Ømm	Øinch	
			1,0	.039	42,0001,2826
			1,6	.063	42,0001,3001
			2,0	.078	42,0001,0570
			2,4	.094	42,0001,3008
			3,2	.126	42,0001,3009


10 GAS NOZZLE CERAMIC SCREWABLE 1"-16G					
L=47,6mm / 1.875inch					
	d3		d4		Part No.
	mm	inch	mm	inch	
	9,5	.374	30,2	1,189	42,0300,2247
	12,7	.500	30,2	1,189	42,0300,2248
	15,9	.626	30,2	1,189	42,0300,2249
	19,0	.75	30,2	1,189	42,0300,2250

OPTION SMALL

11 	GAS LENSE		Electrode Ø		Part No.
	Ømm	Øinch			
	1,0	.039			44,0350,1489
	1,6	.063			44,0350,1490
	2,0	.078			44,0350,0939
	2,4	.094			44,0350,1491

12 	HEAD SHIELD	Part No.
		42,0100,0388 long
		42,0100,0387 x)

13 	COLLET		Electrode Ø		Part No.
	Ømm	Øinch			
	1,0	.039			42,0001,3002
	1,6	.063			42,0001,3003
	2,0	.078			42,0001,0681
	2,4	.094			42,0001,3004

14 	GAS NOZZLE CERAMIC SCREWABLE 7/16"-20 UNF				
	L=15,9mm / 0.625inch				
	d3		d4		Part No.
	mm	inch	mm	inch	
	6,4	.252	15,9	1,189	42,0300,2244
	7,9	.311	15,9	1,189	42,0300,2245
	9,5	.374	15,9	1,189	42,0300,2246

OPTION CHAMPAGNE


2		
	HEAD SHIELD	Part No.
		42,0100,0391 x)

3			
	COLLET	Electrode Ø	Part No.
		Ømm	Øinch
		1,0	.039
		1,6	.063
		2,0	.078
		2,4	.094
		3,2	.126
			42,0001,1129
			42,0001,1130
			42,0001,1131
			42,0001,1132 x)
			42,0001,1133

18	
	POSITIONING MANDREL
	
	42,1100,0141

5			
	GAS LENSE	Electrode Ø	Part No.
		Ømm	Øinch
		1,0	.039
		1,6	.063
		2,0	.078
		2,4	.094
		3,2	.126
			42,0001,1343
			42,0001,1344
			42,0001,1135
			42,0001,1345
			42,0001,1346

15			
	SCREEN	Electrode Ø	Part No.
		Ømm	Øinch
		1,0	.039
		1,6	.063
		2,0	.078
		2,4	.094
		3,2	.126
			44,0350,1464
			44,0350,1477
			44,0350,1478
			44,0350,1391
			44,0350,1479

16					
	GAS NOZZLE CERAMIC SCREWABLE CHAMPAGNE				
	L=29mm / 1.14inch				
	d3		d4		Part No.
	mm	inch	mm	inch	
	15	0.59	25,2	1.0	42,1600,0050
					

OPTION GLAS

2	
HEAD SHIELD	Part No.
	42,0100,0394


3			
COLLET	Electrode Ø		Part No.
	Ømm	Øinch	
	1,0	.039	42,0001,1129
	1,6	.063	42,0001,1130
	2,0	.078	42,0001,1131
	2,4	.094	42,0001,1132
	3,2	.126	42,0001,1133


58	
POSITIONING MANDREL	
	
	42,1100,0149

5			
GAS LENSE	Electrode Ø		Part No.
	Ømm	Øinch	
	1,0	.039	42,0001,1343
	1,6	.063	42,0001,1344
	2,0	.078	42,0001,1135
	2,4	.094	42,0001,1345
	3,2	.126	42,0001,1346

64			
SCREEN	Electrode Ø		Part No.
	Ømm	Øinch	
	1,0	.039	44,0350,1480
	1,6	.063	44,0350,1488
	2,0	.078	44,0350,1504
	2,4	.094	44,0350,1505
	3,2	.126	44,0350,1506


19	
GAS HOSE	Part No.
	44,0350,1448

20					
GAS NOZZLE GLAS CHAMPAGNE	d3		d4		Part No.
	mm	inch	mm	inch	
L=34mm / 1.34inch	18,5	0.72	28,5	1.1	42,1600,0064
					

21					
GAS NOZZLE GLAS STANDARD	d3		d4		Part No.
	mm	inch	mm	inch	
L=26mm / 1.14inch	12	0.72	22	1.1	42,1600,0066
					

TFC 1

65


COLLET	Electrode Ø		Part No.
	Ømm	Øinch	
	1,0	.039	42,0001,1242
	1,6	.063	42,0001,1253
	2,0	.078	42,0001,1256
	2,4	.094	42,0001,1257

66

GAS LENSE

44,0350,1851

67


GAS NOZZLE CERAMIC SCREWABLE TFC Ø9,5					
L=25,5mm / 1.654inch					
	d3		d4		Part No.
	mm	inch	mm	inch	
	6,5	.256	20	.965	42,0300,0982
	8,0	.315	20	.965	42,0300,0983
	9,5	.374	20	.965	42,0300,0984
	11,0	.433	20	.965	42,0300,2007
	12,5	.492	19	.965	42,0300,2008

TFC 2


65

COLLET	Electrode Ø		Part No.
	Ømm	Øinch	
	1,0	.039	42,0001,1242
	1,6	.063	42,0001,1253
	2,0	.078	42,0001,1256
	2,4	.094	42,0001,1257


68

GAS LENSE

42,1000,0749

69


GAS NOZZLE CERAMIC SCREWABLE TFC Ø9,5					
L=30mm / 1.654inch					
	d3		d4		Part No.
	mm	inch	mm	inch	
	6,5	.256	14	.965	42,0300,0105
	8,0	.315	14	.965	42,0300,0106
	9,5	.374	14	.965	42,0300,0107
	11,0	.433	15	.965	42,0300,0108

TFC CHAMPAGNE

65 	Electrode Ø		Part No.
	Ømm	Øinch	
	1,0	.039	42,0001,1242
	1,6	.063	42,0001,1253
	2,0	.078	42,0001,1256
	2,4	.094	42,0001,1257

66 GAS LENSE 
44,0350,1851

15 	Electrode Ø		Part No.
	Ømm	Øinch	
	1,0	.039	44,0350,1464
	1,6	.063	44,0350,1477
	2,0	.078	44,0350,1478
	2,4	.094	44,0350,1391
	3,2	.126	44,0350,1479


16 GAS NOZZLE CERAMIC SCREWABLE CHAMPAGNE					
L=29mm / 1.14inch					
	d3		d4		Part No.
	mm	inch	mm	inch	
	15	0.59	25,2	1.0	42,1600,0050

17 	Electrode Ø		Part No.
	Ømm	Øinch	
	1,0	.039	44,0350,1681
	1,6	.063	44,0350,1682
	2,0	.078	44,0350,1683
	2,4	.094	44,0350,1690
	3,2	.126	44,0350,1684

18 POSITIONING MANDREL 
42,1100,0141

TFC GLAS

65

COLLET	Electrode Ø		Part No.
	Ømm	Øinch	
	1,0	.039	42,0001,1242
	1,6	.063	42,0001,1253
	2,0	.078	42,0001,1256
	2,4	.094	42,0001,1257

66

GAS LENSE


44,0350,1851

19


GAS HOSE

44,0350,1448

20

GAS NOZZLE GLAS CHAMPAGNE	d3		d4		Part No.
	mm	inch	mm	inch	
L=34mm / 1.34inch	18,5	0.72	28,5	1.1	42,1600,0064
					

70

SET GLAS CHAMPAGNE	Electrode Ø		Part No.
	Ømm	Øinch	
	1,0	.039	44,0350,1779
	1,6	.063	44,0350,1780
	2,0	.078	44,0350,1781
	2,4	.094	44,0350,1509
	3,2	.126	44,0350,1791

64

SCREEN GLAS	Electrode Ø		Part No.
	Ømm	Øinch	
	1,0	.039	44,0350,1480
	1,6	.063	44,0350,1488
	2,0	.078	44,0350,1504
	2,4	.094	44,0350,1505
	3,2	.126	44,0350,1506

58

POSITIONING MANDREL 3/4

42,1100,0149

TTB 160P G ML /70°/L50 (44,0350,5452)

Artikelnr.	Bezeichnung	Menge	Einheit
42,0300,3206	Abdeckkappe 12,5x20-rot	1	Stk
44,0350,0865	Brennerhals TTB 160 S / 220 S	1	Stk
44,0350,1761	Brennerkappe kurz L11 P	1	Stk
44,0350,1495	Brennerkappe lang L153 P	1	Stk
44,0350,1496	Brennerkappe mittel L64 P	1	Stk
42,1500,0400	Druckfeder Ø14,8x25 d=2,0	1	Stk
42,0300,0105	Gasdüse ker Ø6,5/Ø14x30	1	Stk
42,0300,2244	Gasdüse ker Ø6,5/Ø16x16	1	Stk
42,0300,0982	Gasdüse ker Ø6,5/Ø20x25,5	1	Stk
42,0300,0106	Gasdüse ker Ø8/Ø14x30	1	Stk
42,0300,2245	Gasdüse ker Ø8/Ø16x16	1	Stk
42,0300,0983	Gasdüse ker Ø8/Ø20x25,5	1	Stk
42,0300,0107	Gasdüse ker Ø9,5/Ø14x30	1	Stk
42,0300,2246	Gasdüse ker Ø9,5/Ø16x16	1	Stk
42,0300,0984	Gasdüse ker Ø9,5/Ø20x25,5	1	Stk
42,0300,2247	Gasdüse ker Ø9,5/Ø30,5x48	1	Stk
42,0300,0108	Gasdüse ker Ø11/Ø15x30	1	Stk
42,0300,2007	Gasdüse ker Ø11/Ø20x25,5	1	Stk
42,0300,0109	Gasdüse ker Ø12,5/Ø17,5x30	1	Stk
42,0300,2248	Gasdüse ker Ø12,5/Ø30,5x48	1	Stk
42,0300,0110	Gasdüse ker Ø16/Ø21x30	1	Stk
42,0300,2249	Gasdüse ker Ø16/Ø30,5x48	1	Stk
42,0300,2250	Gasdüse ker Ø19/Ø30,5x48	1	Stk
42,0300,2008	Gasdüse ker ø12,5/ø19x25,5	1	Stk
44,0350,1489	Gaslinse 1,0/Ø11,5x15	1	Stk
42,0001,1343	Gaslinse 1,0/Ø14x22,5	1	Stk
44,0350,1490	Gaslinse 1,6/Ø11,5x15	1	Stk
42,0001,1344	Gaslinse 1,6/Ø14x22,5	1	Stk
44,0350,0939	Gaslinse 2,0/ø11,5x15	1	Stk
42,0001,1135	Gaslinse 2,0/ø14,1x22	1	Stk
44,0350,1491	Gaslinse 2,4/Ø11,5x15	1	Stk
42,0001,1345	Gaslinse 2,4/Ø14x22,5	1	Stk
42,0001,1346	Gaslinse 3,2/Ø14x22,5	1	Stk
42,0001,3010	Gaslinse groß 1,0/Ø25,4x41	1	Stk

TTB 160P G ML /70°/L50 (44,0350,5452)

Artikelnr.	Bezeichnung	Menge	Einheit
42,0001,3011	Gaslinse groß 1,6/Ø25,4x41	1	Stk
42,0001,0571	Gaslinse groß 2,0/Ø25,4x41	1	Stk
42,0001,3012	Gaslinse groß 2,4/Ø25,4x41	1	Stk
42,0001,3013	Gaslinse groß 3,2/Ø25,4x41	1	Stk
42,1200,0640	Gleitscheibe Knickgelenk-Bren.	1	Stk
42,0100,0407	Kopfschild groß Ø12,8/Ø30x14	1	Stk
42,0100,0388	Kopfschild klein Ø10,1/Ø23x16	1	Stk
42,0100,0387	Kopfschild klein Ø12/Ø20x6	1	Stk
42,0100,0391	Kopfschild Stand. Ø10,1/Ø20x7	1	Stk
42,1200,0499	Multitool TFC	1	Stk
42,0402,0348	Normatec-FKM-NT-80,7/75_9x2mm	1	Stk
42,0201,2368	Schlüssel Brennerkappe/SW6	1	Stk
44,0350,1480	Sieb f. Gasdüse kpl. ø25,5/1,0	1	Stk
44,0350,1488	Sieb f. Gasdüse kpl. ø25,5/1,6	1	Stk
44,0350,1504	Sieb f. Gasdüse kpl. ø25,5/2,0	1	Stk
44,0350,1505	Sieb f. Gasdüse kpl. ø25,5/2,4	1	Stk
44,0350,1506	Sieb f. Gasdüse kpl. ø25,5/3,2	1	Stk
42,0001,3002	Spannhülse 1,0/Ø3,2x14	1	Stk
42,0001,3003	Spannhülse 1,6/Ø3,2x14	1	Stk
42,0001,0681	Spannhülse 2,0/Ø3,2x14	1	Stk
42,0001,3004	Spannhülse 2,4/Ø4,0x13,5	1	Stk
42,0001,2826	Spannhülse groß 1,0/Ø5,3x40,2	1	Stk
42,0001,3001	Spannhülse groß 1,6/Ø5,3x40,2	1	Stk
42,0001,0570	Spannhülse groß 2,0/Ø5x40	1	Stk
42,0001,3008	Spannhülse groß 2,4/Ø5,3x40,2	1	Stk
42,0001,3009	Spannhülse groß 3,2/Ø5,3x40,2	1	Stk
42,0001,1129	Spannhülse MS 1,0/Ø4,5x25	1	Stk
42,0001,1130	Spannhülse MS 1,6/Ø4,5x25	1	Stk
42,0001,1131	Spannhülse MS 2,0/Ø4,5x25	1	Stk
42,0001,1132	Spannhülse MS 2,4/Ø4,5x25	1	Stk
42,0001,1133	Spannhülse MS 3,2/Ø4,5x25	1	Stk
42,0001,2827	Spannhülsegeh. 1,0/Ø9,5x20,6	1	Stk
42,0001,0260	Spannhülsegeh. 1,6/Ø9,5x20,6	1	Stk
42,0001,0647	Spannhülsegeh. 2,0/Ø9,5x20,6	1	Stk

TTB 160P G ML /70°/L50 (44,0350,5452)

Artikelnr.	Bezeichnung	Menge	Einheit
42,0001,0261	Spannhülsegeh. 2,4/Ø9,5x20,6	1	Stk
42,0001,0262	Spannhülsegeh. 3,2/Ø9,5x20,6	1	Stk
44,0350,5466	TTB 80P G ML/70°/L50	1	Stk
44,0350,0525	TTB 80P G ML /70°/L65	1	Stk
44,0350,5467	TTB 80P G ML/70°/L150	1	Stk
44,0350,5466,630	TTB 80P G ML OVT/70°/L50	1	Stk
44,0350,0525,630	TTB 80P G ML OVT/70°/L65	1	Stk
44,0350,5467,630	TTB 80P G ML OVT/70°/L150	1	Stk
44,0350,5451	TTB 160A G F ML /70°/L65	1	Stk
44,0350,5451,630	TTB 160A G F ML OVT /70°/L65	1	Stk
44,0350,5448	TTB 160A G ML /70°/L50	1	Stk
44,0350,4406	TTB 160A G ML/70°/L65	1	Stk
44,0350,5448,630	TTB 160A G ML OVT/70°/L50	1	Stk
44,0350,4406,630	TTB 160A G ML OVT/70°/L65	1	Stk
44,0350,5449,630	TTB 160A G ML OVT/70°/L150	1	Stk
44,0350,5450,630	TTB 160A G ML OVT/70°/L300	1	Stk
44,0350,5455	TTB 160P G F ML /70°/L65	1	Stk
44,0350,5455,630	TTB 160P G F ML OVT/70°/L65	1	Stk
44,0350,5452	TTB 160P G ML /70°/L50	1	Stk
44,0350,4407	TTB 160P G ML/70°/L65	1	Stk
44,0350,4407,630	TTB 160P G ML OVT/70°/L65	1	Stk
44,0350,5453,630	TTB 160P G ML OVT/70°/L150	1	Stk
44,0350,5454,630	TTB 160P G ML OVT/70°/L300	1	Stk
44,0350,5489	TTB 160P S G ML/45°/L65	1	Stk
44,0350,5469	TTB 180P W ML /70°/L50	1	Stk
44,0350,0526	TTB 180P W ML /70°/L65	1	Stk
44,0350,5470	TTB 180P W ML /70°/L150	1	Stk
44,0350,0526,630	TTB 180P W ML OVT/70°/L65	1	Stk
44,0350,5460	TTB 220A G F ML /70°/L65	1	Stk
44,0350,5460,630	TTB 220A G F ML OVT/70°/L65	1	Stk
44,0350,5457	TTB 220A G ML /70°/L50	1	Stk
44,0350,4408	TTB 220A G ML/70°/L65	1	Stk
44,0350,4408,630	TTB 220A G ML OVT/70°/L65	1	Stk
44,0350,5458,630	TTB 220A G ML OVT/70°/L150	1	Stk

TTB 160P G ML /70°/L50 (44,0350,5452)

Artikelnr.	Bezeichnung	Menge	Einheit
44,0350,5459,630	TTB 220A G ML OVT/70°/L300	1	Stk
44,0350,5464	TTB 220P G F ML /70°/L65	1	Stk
44,0350,5464,630	TTB 220P G F ML OVT/70°/L65	1	Stk
44,0350,5461	TTB 220P G ML /70°/L50	1	Stk
44,0350,4409	TTB 220P G ML/70°/L65	1	Stk
44,0350,4409,630	TTB 220P G ML OVT/70°/L65	1	Stk
44,0350,5462,630	TTB 220P G ML OVT/70°/L150	1	Stk
44,0350,5463,630	TTB 220P G ML OVT/70°/L300	1	Stk
44,0350,4410	TTB 260A G ML/70°/L65	1	Stk
44,0350,4410,630	TTB 260A G ML OVT/70°/L65	1	Stk
44,0350,5465	TTB 260P G ML /70°/L65	1	Stk
44,0350,5474	TTB 300A F W ML /70°/L65	1	Stk
44,0350,5474,630	TTB 300A F W ML OVT/70°/L65	1	Stk
44,0350,5471	TTB 300A W ML /70°/L50	1	Stk
44,0350,4411,630	TTB 300A W ML OVT/70°/L65	1	Stk
44,0350,5472,630	TTB 300A W ML OVT/70°/L150	1	Stk
44,0350,5473,630	TTB 300A W ML OVT/70°/L300	1	Stk
44,0350,5478	TTB 300P F W ML /70°/L65	1	Stk
44,0350,5478,630	TTB 300P F W ML OVT/70°/L65	1	Stk
44,0350,5475	TTB 300P W ML /70°/L50	1	Stk
44,0350,4412	TTB 300P W ML/70°/L65	1	Stk
44,0350,4412,630	TTB 300P W ML OVT/70°/L65	1	Stk
44,0350,5476,630	TTB 300P W ML OVT/70°/L150	1	Stk
44,0350,5477,630	TTB 300P W ML OVT/70°/L300	1	Stk
44,0350,5483	TTB 400A F W ML /70°/L65	1	Stk
44,0350,5483,630	TTB 400A F W ML OVT/70°/L65	1	Stk
44,0350,5480	TTB 400A W ML /70°/L50	1	Stk
44,0350,4413	TTB 400A W ML/70°/L65	1	Stk
44,0350,4413,630	TTB 400A W ML OVT/70°/L65	1	Stk
44,0350,5481,630	TTB 400A W ML OVT/70°/L150	1	Stk
44,0350,5482,630	TTB 400A W ML OVT/70°/L300	1	Stk
44,0350,5487	TTB 400P F W ML /70°/L65	1	Stk
44,0350,5487,630	TTB 400P F W ML OVT/70°/L65	1	Stk
44,0350,5484	TTB 400P W ML /70°/L50	1	Stk

TTB 160P G ML /70°/L50 (44,0350,5452)

Artikelnr.	Bezeichnung	Menge	Einheit
44,0350,4414	TTB 400P W ML/70°/L65	1	Stk
44,0350,4414,630	TTB 400P W ML OVT/70°/L65	1	Stk
44,0350,5485,630	TTB 400P W ML OVT/70°/L150	1	Stk
44,0350,5486,630	TTB 400P W ML OVT/70°/L300	1	Stk
44,0350,4415	TTB 500A W ML/70°/L65	1	Stk
44,0350,4415,630	TTB 500A W ML OVT/70°/L65	1	Stk
44,0350,4416	TTB 500P W ML/70°/L65	1	Stk
44,0350,4416,630	TTB 500P W ML OVT/70°/L65	1	Stk
42,0411,4004	Wolframel. WC20/ø2,0*175	1	Stk
42,0411,0214	Wolframel. WP/ø2,0x175	1	Stk
42,0411,0215	Wolframel. WS2-2,0x175mm	1	Stk
42,0411,4008	Wolframelektrode W/ø1,6x175	1	Stk
42,0411,4005	Wolframelektrode W/ø2,4x175	1	Stk
42,0411,4006	Wolframelektrode W/ø3,2x175	1	Stk
42,0411,4012	Wolframelektrode WC20/ø1,0x175	1	Stk
42,0411,4001	Wolframelektrode WC20/ø1,6x175	1	Stk
42,0411,4002	Wolframelektrode WC20/ø2,4x175	1	Stk
42,0411,4003	Wolframelektrode WC20/ø3,2x175	1	Stk
42,0411,0161	Wolframelektrode WS2-1,6x175mm	1	Stk
42,0411,0162	Wolframelektrode WS2-2,4x175mm	1	Stk
42,0411,0163	Wolframelektrode WS2-3,2x175mm	1	Stk