

TTB 220P G ML/70°/L65

44,0350,4409

SCREWABLE
GAS
TTP 80P G ML

44,0350,5466
44,0350,5466,630
44,0350,0525
44,0350,0525,630
44,0350,5467
44,0350,5467,630

TTP 160P G ML

44,0350,5452
44,0350,5452,630
44,0350,4407
44,0350,4407,630
44,0350,5453,630
44,0350,5454,630
44,0350,5455
44,0350,5455,630

TTP 220P G ML

44,0350,5461
44,0350,5461,630
44,0350,4409
44,0350,4409,630
44,0350,5462,630
44,0350,5463,630
44,0350,5464
44,0350,5464,630

TTP 260P G ML

44,0350,5465

TTB 160 P S G ML

44,0350,5489

TTB 220 P S G ML

44,0350,5491

SCREWABLE
WATER
TTP 180P W ML

44,0350,5469
44,0350,5469,630
44,0350,0526
44,0350,0526,630
44,0350,5470
44,0350,5470,630

TTP 300P W ML

44,0350,5475
44,0350,4412
44,0350,4412,630
44,0350,5476,630
44,0350,5477,630
44,0350,5478
44,0350,5478,630

TTP 400P W ML

44,0350,5484
44,0350,4414
44,0350,4414,630
44,0350,5485,630
44,0350,5486,630
44,0350,5487
44,0350,5487,630

TTP 500P W ML

44,0350,4416
44,0350,4416,630

PLUGABLE
GAS
TTP 160A G ML

44,0350,5448
44,0350,5448,630
44,0350,4406
44,0350,4406,630
44,0350,5449,630
44,0350,5450,630
44,0350,5451
44,0350,5451,630

TTP 220A G ML

44,0350,5457
44,0350,5457,630
44,0350,4408
44,0350,4408,630
44,0350,5458,630
44,0350,5459,630
44,0350,5460
44,0350,5460,630

TTP 260A G ML

44,0350,4410
44,0350,4410,630

PLUGABLE
WATER
TTP 300A W ML

44,0350,5471
44,0350,4411
44,0350,4411,630
44,0350,5472,630
44,0350,5473,630
44,0350,5474
44,0350,5474,630

TTP 400A W ML


44,0350,5480
44,0350,5480,630
44,0350,4413
44,0350,4413,630
44,0350,5481,630
44,0350,5482,630
44,0350,5483
44,0350,5483,630

TTP 500A W ML

44,0350,4415
44,0350,4415,630

**TTB 220P G
STANDARD**

TAB electrode					
		Part No. electrode WC20	Part No. electrode WP	Part No. electrode WS2	Part No. electrode GP
Ømm	Øinch				
1,0	.039	42,0411,4012			41,0010,0247
1,6	.063	42,0411,4001	42,0411,4008	42,0411,0161	41,0010,0246
2,0	.078	42,0411,4004	42,0411,0214	42,0411,0215	41,0010,0059
2,4	.094	42,0411,4002 x)	42,0411,4005	42,0411,0162	41,0010,0245
3,2	.126	42,0411,4003	42,0411,4006	42,0411,0163	41,0010,0244
4,0	.157				41,0010,0243



TTB 220P G ML/70°/L65 (44,0350,4409)

TTB 220P G
S + F

TAB electrode

44,0350,1597 x)

TAB electrode

Ømm	Øinch	Part No. electrode WC20	Part No. electrode WP	Part No. electrode WS2	Part No. electrode GP
1,0	.039	42,0411,4012			41,0010,0247
1,6	.063	42,0411,4001	42,0411,4008	42,0411,0161	41,0010,0246
2,0	.078	42,0411,4004	42,0411,0214	42,0411,0215	41,0010,0059
2,4	.094	42,0411,4002 x)	42,0411,4005	42,0411,0162	41,0010,0245
3,2	.126	42,0411,4003	42,0411,4006	42,0411,0163	41,0010,0244
4,0	.157				41,0010,0243

44,0350,1596

42,0300,3206

25

42,0402,0348

44,0350,0865

42,1500,0400

42,1200,0640

44,0350,0846

44,0350,5464,630

44,0350,5491,630

24

STANDARD
13-32 "

3/4"

LARGE

X- LARGE

CHAMPAGNE

GLAS

23

28

27

26

30

29

30

31

32

10

27

26

56

57

58

80

26

61

60

62

63



TTB 220P G ML/70°/L65 (44,0350,4409)

TTB 220P G
TFC

TAB electrode

Ømm	Øinch	Part No. electrode WC20	Part No. electrode WP	Part No. electrode WS2	Part No. electrode GP
1,0	.039	42,0411,4012			41,0010,0247
1,6	.063	42,0411,4001	42,0411,4008	42,0411,0161	41,0010,0246
2,0	.078	42,0411,4004	42,0411,0214	42,0411,0215	41,0010,0059
2,4	.094	42,0411,4002 x)	42,0411,4005	42,0411,0162	41,0010,0245
3,2	.126	42,0411,4003	42,0411,4006	42,0411,0163	41,0010,0244

TAB electrode



OPTION STANDARD 13/32" - 16UNF




x) standard equipment

COLLET BODY	Electrode Ø		Part No.
	Ømm	Øinch	
	1,0	.039	42,0001,3032
	1,6	.063	42,0001,3033
	2,0	.078	42,0001,0644
	2,4	.094	42,0001,3034 x)
	3,2	.126	42,0001,3035
	4,0	.157	42,0001,3036

HEAD SHIELD

42,0100,0408 x)

COLLET	Electrode Ø		Part No.
	Ømm	Øinch	
	1,0	.039	42,0001,1057
	1,6	.063	42,0001,1058
	2,0	.078	42,0001,0682
	2,4	.094	42,0001,1071 x)
	3,2	.126	42,0001,1127
	4,0	.157	42,0001,1128

GAS NOZZLE CERAMIC SCREWABLE 13/32" - 16UNF					
L=47mm / 1.850inch					
	d3		d4		Part No.
	mm	inch	mm	inch	
	6,5	.256	18,0	.709	42,0300,2276
	8,0	.315	18,0	.709	42,0300,2277
	9,5	.374	18,0	.709	42,0300,2278 x)
	11,0	.433	18,0	.709	42,0300,2279
	12,5	.492	18,0	.709	42,0300,2280
	16	.630	21,0	.827	42,0300,2281
L=50mm / 1.969inch					
	d3		d4		Part No.
	mm	inch	mm	inch	
	19,5	.768	23,5	.925	42,0300,2282
L=76mm / 2.992inch					
	d3		d4		Part No.
	mm	inch	mm	inch	
	8,0	.315	18,0	.709	42,0300,2283
	9,5	.374	18,0	.709	42,0300,2284
	11,0	.433	18,0	.709	42,0300,2285

OPTION 3/4" - 16UNF

x) standard equipment

24

HEAD
SHIELD

42,0100,0408 x)

25

COLLET

Electrode Ø

Ømm

Øinch

Part No.

1,0

.039

42,0001,1057

1,6

.063

42,0001,1058

2,0

.078

42,0001,0682

2,4

.094

42,0001,1071 x)

3,2

.126

42,0001,1127

4,0

.157

42,0001,1128

26

GAS LENSE

Electrode Ø

Ømm

Øinch

Part No.

1,0

.039

44,0350,1595

1,6

.063

44,0350,1362

2,0

.078

42,0001,0645

2,4

.094

44,0350,1363

3,2

.126

44,0350,1364

4,0




.157

44,0350,1365

27

INSULATION
RING

42,0100,0401

30 GAS NOZZLE CERAMIC SCREWABLE 3/4" - 16UNF																																						
L=42mm / 1.654inch 	<table> <tr> <th colspan="2">d3</th><th colspan="2">d4</th><th rowspan="2">Part No.</th></tr> <tr> <th>mm</th><th>inch</th><th>mm</th><th>inch</th></tr> <tr> <td>6,5</td><td>.256</td><td>24,5</td><td>.965</td><td>42,0300,2009</td></tr> <tr> <td>8,0</td><td>.315</td><td>24,5</td><td>.965</td><td>42,0300,2010</td></tr> <tr> <td>9,5</td><td>.374</td><td>24,5</td><td>.965</td><td>42,0300,2011</td></tr> <tr> <td>11,0</td><td>.433</td><td>24,5</td><td>.965</td><td>42,0300,2012</td></tr> <tr> <td>12,5</td><td>.492</td><td>24,5</td><td>.965</td><td>42,0300,2013</td></tr> </table>				d3		d4		Part No.	mm	inch	mm	inch	6,5	.256	24,5	.965	42,0300,2009	8,0	.315	24,5	.965	42,0300,2010	9,5	.374	24,5	.965	42,0300,2011	11,0	.433	24,5	.965	42,0300,2012	12,5	.492	24,5	.965	42,0300,2013
d3		d4		Part No.																																		
mm	inch	mm	inch																																			
6,5	.256	24,5	.965	42,0300,2009																																		
8,0	.315	24,5	.965	42,0300,2010																																		
9,5	.374	24,5	.965	42,0300,2011																																		
11,0	.433	24,5	.965	42,0300,2012																																		
12,5	.492	24,5	.965	42,0300,2013																																		
L=76mm / 2.992inch 	<table> <tr> <th colspan="2">d3</th><th colspan="2">d4</th><th rowspan="2">Part No.</th></tr> <tr> <th>mm</th><th>inch</th><th>mm</th><th>inch</th></tr> <tr> <td>8,0</td><td>.315</td><td>24,0</td><td>.945</td><td>42,0300,2273</td></tr> <tr> <td>9,5</td><td>.374</td><td>24,0</td><td>.945</td><td>42,0300,2274</td></tr> <tr> <td>11,0</td><td>.433</td><td>24,0</td><td>.945</td><td>42,0300,2275</td></tr> </table>				d3		d4		Part No.	mm	inch	mm	inch	8,0	.315	24,0	.945	42,0300,2273	9,5	.374	24,0	.945	42,0300,2274	11,0	.433	24,0	.945	42,0300,2275										
d3		d4		Part No.																																		
mm	inch	mm	inch																																			
8,0	.315	24,0	.945	42,0300,2273																																		
9,5	.374	24,0	.945	42,0300,2274																																		
11,0	.433	24,0	.945	42,0300,2275																																		
L=59,1mm / 2.327inch 	<table> <tr> <th colspan="2">d3</th><th colspan="2">d4</th><th rowspan="2">Part No.</th></tr> <tr> <th>mm</th><th>inch</th><th>mm</th><th>inch</th></tr> <tr> <td>9,5</td><td>.374</td><td>24,0</td><td>.945</td><td>42,0300,2826</td></tr> </table>				d3		d4		Part No.	mm	inch	mm	inch	9,5	.374	24,0	.945	42,0300,2826																				
d3		d4		Part No.																																		
mm	inch	mm	inch																																			
9,5	.374	24,0	.945	42,0300,2826																																		

OPTION LARGE

x) standard equipment

24
HEAD SHIELD

42,0100,0408 x)

25				
	COLLET	Electrode Ø		
		Ømm	Øinch	
			Part No.	
		1,0	.039	42,0001,1057
		1,6	.063	42,0001,1058
		2,0	.078	42,0001,0682
		2,4	.094	42,0001,1071 x)
		3,2	.126	42,0001,1127
		4,0	.157	42,0001,1128

29			
COLLET BODY			
	Electrode Ø		
	Ømm	Øinch	Part No.
	2,0	.078	42,0001,0560
	2,4	.094	42,0001,2862
	3,2	.126	42,0001,2863
	4,0	.157	42,0001,2864

30

GAS NOZZLE CERAMIC SCREWABLE **3/4" - 16UNF**

L=42mm / 1.654inch

Isometric view of a gas nozzle. The nozzle has a cylindrical body with a threaded section at the front. Dimension lines indicate the following: d3 is the outer diameter of the front thread; d4 is the outer diameter of the main body; 42mm is the length of the main body; and 1.654 inch is the total length of the nozzle.

d3		d4		Part No.
mm	inch	mm	inch	
6,5	.256	24,5	.965	42,0300,2009
8,0	.315	24,5	.965	42,0300,2010
9,5	.374	24,5	.965	42,0300,2011
11,0	.433	24,5	.965	42,0300,2012
12,5	.492	24,5	.965	42,0300,2013

L=76mm / 2.992inch

Isometric view of a gas nozzle. The nozzle has a cylindrical body with a threaded section at the front. Dimension lines indicate the following: d3 is the outer diameter of the front thread; d4 is the outer diameter of the main body; 76mm is the length of the main body; and 2.992 inch is the total length of the nozzle.

d3		d4		Part No.
mm	inch	mm	inch	
8,0	.315	24,0	.945	42,0300,2273
9,5	.374	24,0	.945	42,0300,2274
11,0	.433	24,0	.945	42,0300,2275

L=59,1mm / 2.327inch

Isometric view of a gas nozzle. The nozzle has a cylindrical body with a threaded section at the front. Dimension lines indicate the following: d3 is the outer diameter of the front thread; d4 is the outer diameter of the main body; 59,1mm is the length of the main body; and 2.327 inch is the total length of the nozzle.

d3		d4		Part No.
mm	inch	mm	inch	
9,5	.374	24,0	.945	42,0300,2826

31
INSULATION RING

42,0100,0402

OPTION X-LARGE

x) standard equipment



25

COLLET	Electrode Ø		Part No.
	Ømm	Øinch	
	1,0	.039	42,0001,1057
	1,6	.063	42,0001,1058
	2,0	.078	42,0001,0682
	2,4	.094	42,0001,1071 x)
	3,2	.126	42,0001,1127
	4,0	.157	42,0001,1128



32


GAS LENSE	Electrode Ø		Part No.
	Ømm	Øinch	
	1,0	.039	42,0001,3027
	1,6	.063	42,0001,3028
	2,0	.078	42,0001,0646
	2,4	.094	42,0001,3029
	3,2	.126	42,0001,3030
	4,0	.157	42,0001,3031

10

GAS NOZZLE CERAMIC SCREWABLE 1"-16G				
L=47,6mm / 1.875inch				
	d3		d4	
	mm	inch	mm	inch
	9,5	.374	30,2	1,189
	12,7	.500	30,2	1,189
	15,9	.626	30,2	1,189
	19,0	.75	30,2	1,189
Part No.				
42,0300,2247				
42,0300,2248				
42,0300,2249				
42,0300,2250				

OPTION CHAMPAGNE


26

GAS LENSE	Electrode Ø		Part No.
	Ømm	Øinch	
	1,0	.039	44,0350,1595
	1,6	.063	44,0350,1362
	2,0	.078	42,0001,0645
	2,4	.094	44,0350,1363
	3,2	.126	44,0350,1364
	4,0	.157	44,0350,1365

56

GAS NOZZLE CERAMIC SCREWABLE
CHAMPAGNE 3/4"

L=42mm / 1.65inch



d3		d4		Part No.
mm	inch	mm	inch	
22	0.86	29,7	1.17	42,1600,0051

57

SCREEN 3/4"	Electrode Ø		Part No.
	Ømm	Øinch	
	1,0	.039	44,0350,1480
	1,6	.063	44,0350,1488
	2,0	.078	44,0350,1504
	2,4	.094	44,0350,1505
	3,2	.126	44,0350,1506
	4,0	.157	44,0350,1507

58

POSITIONING MANDREL 3/4"

42,1100,0149

27


INSULATION RING


42,0100,0401

55

CHAMPAGNE SET 3/4"	Electrode Ø		Part No.
	Ømm	Øinch	
	1,0	.039	44,0350,1685
	1,6	.063	44,0350,1686
	2,0	.078	44,0350,1687
	2,4	.094	44,0350,1508
	3,2	.126	44,0350,1688
	4,0	.157	44,0350,1689

OPTION CHAMPAGNE

26 	Electrode Ø Ømm Øinch		Part No.
	1,0	.039	
	1,6	.063	
	2,0	.078	
	2,4	.094	
	3,2	.126	
	4,0	.157	

GAS NOZZLE CERAMIC SCREWABLE CHAMPAGNE 3/4"				
L=42mm / 1.65inch				
	d3 mm inch		d4 mm inch	
	22	0.86	29,7	1.17
Part No.				42,1600,0051

57 	Electrode Ø Ømm Øinch		Part No.
	1,0	.039	
	1,6	.063	
	2,0	.078	
	2,4	.094	
	3,2	.126	
	4,0	.157	




58 POSITIONING MANDREL 3/4"  42,1100,0149

27 INSULATION RING  42,0100,0401
--

55 	Electrode Ø Ømm Øinch		Part No.
	1,0	.039	
	1,6	.063	
	2,0	.078	
	2,4	.094	
	3,2	.126	
	4,0	.157	

OPTION TFC 13/32"

28

GAS NOZZLE CERAMIC SCREWABLE 13/32" - 16UNF					
L=47mm / 1.850inch					
	d3		d4		Part No.
	mm	inch	mm	inch	
	6,5	.256	18,0	.709	42,0300,2276
	8,0	.315	18,0	.709	42,0300,2277
	9,5	.374	18,0	.709	42,0300,2278 x)
	11,0	.433	18,0	.709	42,0300,2279
	12,5	.492	18,0	.709	42,0300,2280
	16	.630	21,0	.827	42,0300,2281
L=50mm / 1.969inch					
	d3		d4		Part No.
	mm	inch	mm	inch	
	19,5	.768	23,5	.925	42,0300,2282
L=76mm / 2.992inch					
	d3		d4		Part No.
	mm	inch	mm	inch	
	8,0	.315	18,0	.709	42,0300,2283
	9,5	.374	18,0	.709	42,0300,2284
	11,0	.433	18,0	.709	42,0300,2285

74

COLLET	Electrode Ø		Part No.
	Ømm	Øinch	
	1,0	.039	42,0001,1038
	1,6	.063	42,0001,1025
	2,0	.078	42,0001,1023
	2,4	.094	42,0001,1009
	3,2	.126	42,0001,1022

75




COLLET BODY
Ø1,0-3,2mm Ø0,039-0.126inch

42,1000,0577


OPTION TFC 3/4"

30

GAS NOZZLE CERAMIC SCREWABLE
3/4" - 16UNF

L=42mm / 1.654inch					
	d3		d4		Part No.
	mm	inch	mm	inch	
	6,5	.256	24,5	.965	42,0300,2009
	8,0	.315	24,5	.965	42,0300,2010
	9,5	.374	24,5	.965	42,0300,2011
	11,0	.433	24,5	.965	42,0300,2012
	12,5	.492	24,5	.965	42,0300,2013
L=76mm / 2.992inch					
	d3		d4		Part No.
	mm	inch	mm	inch	
	8,0	.315	24,0	.945	42,0300,2273
	9,5	.374	24,0	.945	42,0300,2274
	11,0	.433	24,0	.945	42,0300,2275
L=59,1mm / 2.327inch					
	d3		d4		Part No.
	mm	inch	mm	inch	
	9,5	.374	24,0	.945	42,0300,2826

74

COLLET 	Electrode Ø		Part No.
	Ømm	Øinch	
	1,0	.039	42,0001,1038
	1,6	.063	42,0001,1025
	2,0	.078	42,0001,1023
	2,4	.094	42,0001,1009
	3,2	.126	42,0001,1022

76

GAS LENSE INSULATOR	Part No.
	42,1100,0126

77

GAS LENSE
SMALL TFC


44,0350,1343

OPTION TFC 1"

10

**GAS NOZZLE CERAMIC SCREWABLE
1"-16G**

L=47,6mm / 1.875inch



d3		d4		Part No.
mm	inch	mm	inch	
9,5	.374	30,2	1,189	42,0300,2247
12,7	.500	30,2	1,189	42,0300,2248
15,9	.626	30,2	1,189	42,0300,2249
19,0	.75	30,2	1,189	42,0300,2250

74


COLLET

Electrode Ø

Ømm

Øinch

Part No.



1,0	.039	42,0001,1038
1,6	.063	42,0001,1025
2,0	.078	42,0001,1023
2,4	.094	42,0001,1009
3,2	.126	42,0001,1022

78

**INSULATION
RING**

Part No.



42,1100,0127

79

GAS LENSE

LARGE TFC



44,0350,1344


OPTION TFC CHAMPAGNE

24
HEAD SHIELD

42,0100,0408 x)

25
COLLET

Electrode Ø
Ømm Øinch
1,0 .039
1,6 .063
2,0 .078
2,4 .094
3,2 .126
4,0 .157
Part No.
42,0001,1057
42,0001,1058
42,0001,0682
42,0001,1071 x)
42,0001,1127
42,0001,1128

56
GAS NOZZLE CERAMIC SCREWABLE CHAMPAGNE 3/4"
L=42mm / 1.65inch

d3
mm inch
22 0.86
d4
mm inch
29,7 1.17
Part No.
42,1600,0051

58
POSITIONING MANDREL 3/4"


42,1100,0149

64
SCREEN GLAS

Electrode Ø
Ømm Øinch
1,0 .039
1,6 .063
2,0 .078
2,4 .094
3,2 .126
Part No.
44,0350,1480
44,0350,1488
44,0350,1504
44,0350,1505
44,0350,1506


55
CHAMPAGNE SET 3/4"

Electrode Ø
Ømm Øinch
1,0 .039
1,6 .063
2,0 .078
2,4 .094
3,2 .126
Part No.
44,0350,1685
44,0350,1686
44,0350,1687
44,0350,1508
44,0350,1688

74
COLLET

Electrode Ø
Ømm Øinch
1,0 .039
1,6 .063
2,0 .078
2,4 .094
3,2 .126
Part No.
42,0001,1038
42,0001,1025
42,0001,1023
42,0001,1009
42,0001,1022

76
INSULATION RING

Part No.
42,1100,0126

77
GAS LENSE
SMALL TFC

44,0350,1343


OPTION TFC GLAS



25

COLLET	Electrode Ø		Part No.
	Ømm	Øinch	
	1,0	.039	42,0001,1057
	1,6	.063	42,0001,1058
	2,0	.078	42,0001,0682
	2,4	.094	42,0001,1071 x)
	3,2	.126	42,0001,1127
	4,0	.157	42,0001,1128

60

GAS NOZZLE GLAS CHAMPAGNE 3/4"				
L=40mm / 1.57inch				
	d3		d4	
	mm	inch	mm	inch
	24	0.94	35	1.37
			Part No.	
			42,1600,0065	



59


SET GLAS CHAMPAGNE	Electrode Ø		Part No.
	Ømm	Øinch	
	1,0	.039	44,0350,1796
	1,6	.063	44,0350,1799
	2,0	.078	44,0350,1808
	2,4	.094	44,0350,1510
	3,2	.126	44,0350,1810



62

SCREEN GLAS	Electrode Ø		Part No.
	Ømm	Øinch	
	1,0	.039	44,0350,1513
	1,6	.063	44,0350,1514
	2,0	.078	44,0350,1515
	2,4	.094	44,0350,1516
	3,2	.126	44,0350,1518



74

COLLET	Electrode Ø		Part No.
	Ømm	Øinch	
	1,0	.039	42,0001,1038
	1,6	.063	42,0001,1025
	2,0	.078	42,0001,1023
	2,4	.094	42,0001,1009
	3,2	.126	42,0001,1022



TTB 220P G ML/70°/L65 (44,0350,4409)

Artikelnr.	Bezeichnung	Menge	Einheit
42,0300,3206	Abdeckkappe 12,5x20-rot	1	Stk
44,0350,0865	Brennerhals TTB 160 S / 220 S	1	Stk
44,0350,1596	Brennerkappe kurz L28 P	1	Stk
44,0350,1597	Brennerkappe lang L118,3 P	1	Stk
44,0350,0846	Brennerkörper TTB 220P S G	1	Stk
42,1500,0400	Druckfeder Ø14,8x25 d=2,0	1	Stk
44,0350,1796	Gasd. Glas Champ 3/4 ø1,0 kpl	1	Stk
44,0350,1799	Gasd. Glas Champ 3/4 ø1,6 kpl	1	Stk
44,0350,1808	Gasd. Glas Champ 3/4 ø2,0 kpl	1	Stk
44,0350,1510	Gasd. Glas Champ 3/4 ø2,4 kpl	1	Stk
44,0350,1810	Gasd. Glas Champ 3/4 ø3,2 kpl	1	Stk
44,0350,1685	Gasd. ker.. Champ 3/4 ø1,0 kpl	1	Stk
44,0350,1686	Gasd. ker. Champ. 3/4 ø1,6 kpl	1	Stk
44,0350,1687	Gasd. ker. Champ. 3/4 ø2,0 kpl	1	Stk
44,0350,1688	Gasd. ker. Champ. 3/4 ø3,2 kpl	1	Stk
44,0350,1689	Gasd. ker. Champ. 3/4 ø4,0 kpl	1	Stk
42,1600,0051	Gasd. ker. Champ. ø29,7/ø22x42	1	Stk
44,0350,1508	Gasd.ker. Champ 3/4" ø2,4 kpl	1	Stk
42,1600,0065	Gasdüse Glas Champ ø31/24x40	1	Stk
42,0300,2276	Gasdüse ker Ø6,5/Ø18x47	1	Stk
42,0300,2009	Gasdüse ker Ø6,5/Ø24x41	1	Stk
42,0300,2283	Gasdüse ker Ø8/Ø17,6x76,5	1	Stk
42,0300,2277	Gasdüse ker Ø8/Ø18x47	1	Stk
42,0300,2010	Gasdüse ker Ø8/Ø24x42	1	Stk
42,0300,2273	Gasdüse ker Ø8/Ø24x76	1	Stk
42,0300,2284	Gasdüse ker Ø9,5/Ø17,6x76,5	1	Stk
42,0300,2278	Gasdüse ker Ø9,5/Ø18x47	1	Stk
42,0300,2011	Gasdüse ker Ø9,5/Ø24x42	1	Stk
42,0300,2826	Gasdüse ker Ø9,5/Ø24x59,1mm	1	Stk
42,0300,2274	Gasdüse ker Ø9,5/Ø24x76	1	Stk
42,0300,2247	Gasdüse ker Ø9,5/Ø30,5x48	1	Stk
42,0300,2285	Gasdüse ker Ø11/Ø17,6x76,5	1	Stk
42,0300,2279	Gasdüse ker Ø11/Ø18x47	1	Stk
42,0300,2012	Gasdüse ker Ø11/Ø24x42	1	Stk

TTB 220P G ML/70°/L65 (44,0350,4409)

Artikelnr.	Bezeichnung	Menge	Einheit
42,0300,2275	Gasdüse ker Ø11/Ø24x76	1	Stk
42,0300,2280	Gasdüse ker Ø12,5/Ø18x47	1	Stk
42,0300,2248	Gasdüse ker Ø12,5/Ø30,5x48	1	Stk
42,0300,2013	Gasdüse ker Ø12,5/Ø24x42	1	Stk
42,0300,2281	Gasdüse ker Ø16/Ø21x47	1	Stk
42,0300,2249	Gasdüse ker Ø16/Ø30,5x48	1	Stk
42,0300,2282	Gasdüse ker Ø19/Ø23,5x47	1	Stk
42,0300,2250	Gasdüse ker Ø19/Ø30,5x48	1	Stk
44,0350,1437	Gasdüsenhalter 3/4-16G kpl.	1	Stk
44,0350,1595	Gaslinse 1,0/Ø19x50	1	Stk
44,0350,1362	Gaslinse 1,6/Ø19x50	1	Stk
42,0001,0645	Gaslinse 2,0/Ø19x50	1	Stk
44,0350,1363	Gaslinse 2,4/Ø19x50	1	Stk
44,0350,1364	Gaslinse 3,2/Ø19x50	1	Stk
44,0350,1365	Gaslinse 4,0/Ø19x50	1	Stk
42,0001,3027	Gaslinse groß 1,0/Ø25,4x50	1	Stk
42,0001,3028	Gaslinse groß 1,6/Ø25,4x50	1	Stk
42,0001,0646	Gaslinse groß 2,0/Ø25,4x50,5	1	Stk
42,0001,3029	Gaslinse groß 2,4/Ø25,4x50	1	Stk
42,0001,3030	Gaslinse groß 3,2/Ø25,4x50	1	Stk
42,0001,3031	Gaslinse groß 4,0/Ø25,4x50	1	Stk
44,0350,1344	Gaslinse groß TTP220/400P TFC	1	Stk
44,0350,1343	Gaslinse klein TTB220/400P TFC	1	Stk
42,1200,0640	Gleitscheibe Knickgelenk-Bren.	1	Stk
42,0100,0401	Isolierring Ø12,3/Ø23x13,6	1	Stk
42,0100,0402	Isolierring Ø12,3/Ø30x15,8	1	Stk
42,1100,0172	Isolierring Ø12,3/Ø27,5x10,75	1	Stk
42,1100,0126	Isolierring Ø14,3/Ø23x9,5 TFC	1	Stk
42,1100,0127	Isolierring Ø14,3/Ø30x15,8	1	Stk
42,0100,0408	Kopfschild Stand. Ø15/Ø22x10	1	Stk
42,1200,0499	Multitool TFC	1	Stk
42,0402,0348	Normatec-FKM-NT-80,7/75_9x2mm	1	Stk
42,1500,0631	Schutzkappe Ø5,9-6,4 KST	1	Stk
44,0350,1480	Sieb f. Gasdüse kpl. Ø25,5/1,0	1	Stk

TTB 220P G ML/70°/L65 (44,0350,4409)

Artikelnr.	Bezeichnung	Menge	Einheit
44,0350,1488	Sieb f. Gasdüse kpl. ø25,5/1,6	1	Stk
44,0350,1504	Sieb f. Gasdüse kpl. ø25,5/2,0	1	Stk
44,0350,1505	Sieb f. Gasdüse kpl. ø25,5/2,4	1	Stk
44,0350,1506	Sieb f. Gasdüse kpl. ø25,5/3,2	1	Stk
44,0350,1507	Sieb f. Gasdüse kpl. ø25,5/4,0	1	Stk
44,0350,1513	Sieb f. Gasdüse kpl. ø32/ø1,0	1	Stk
44,0350,1514	Sieb f. Gasdüse kpl. ø32/ø1,6	1	Stk
44,0350,1515	Sieb f. Gasdüse kpl. ø32/ø2,0	1	Stk
44,0350,1516	Sieb f. Gasdüse kpl. ø32/ø2,4	1	Stk
44,0350,1518	Sieb f. Gasdüse kpl. ø32/ø3,2	1	Stk
44,0350,1282	Spanneinheit TTB220/400 P TFC	1	Stk
42,0001,1057	Spannhülse MS 1,0/ø6,35x52	1	Stk
42,0001,1058	Spannhülse MS 1,6/ø6,35x52	1	Stk
42,0001,0682	Spannhülse MS 2,0/ø6,35x52	1	Stk
42,0001,1071	Spannhülse MS 2,4/ø6,35x52	1	Stk
42,0001,1127	Spannhülse MS 3,2/ø6,35x52	1	Stk
42,0001,1128	Spannhülse MS 4,0/ø6,35x52	1	Stk
42,0001,3032	Spannhülsengeh. 1,0/Ø11,1x46,8	1	Stk
42,0001,3033	Spannhülsengeh. 1,6/Ø11,1x46,8	1	Stk
42,0001,0644	Spannhülsengeh. 2,0/ø11,1x46,8	1	Stk
42,0001,0560	Spannhülsengeh. 2,0/ø19x38	1	Stk
42,0001,3034	Spannhülsengeh. 2,4/Ø11,1x46,8	1	Stk
42,0001,2862	Spannhülsengeh. 2,4/Ø19x33	1	Stk
42,0001,3035	Spannhülsengeh. 3,2/Ø11,1x46,8	1	Stk
42,0001,2863	Spannhülsengeh. 3,2/Ø19x33	1	Stk
42,0001,3036	Spannhülsengeh. 4,0/Ø11,1x46,8	1	Stk
42,0001,2864	Spannhülsengeh. 4,0/Ø19x33	1	Stk
42,1000,0577	Spannzangengehäuse 1,0-3,2 TFC	1	Stk
42,0001,1038	Spannzange ø1,0 M6x0,75 TFC	1	Stk
42,0001,1025	Spannzange ø1,6 M6x0,75 TFC	1	Stk
42,0001,1023	Spannzange ø2,0 M6x0,75 TFC	1	Stk
42,0001,1009	Spannzange ø2,4 M6x0,75 TFC	1	Stk
42,0001,1022	Spannzange ø3,2 M6x0,75 TFC	1	Stk
44,0350,5466	TTB 80P G ML/70°/L50	1	Stk

TTB 220P G ML/70°/L65 (44,0350,4409)

Artikelnr.	Bezeichnung	Menge	Einheit
44,0350,0525	TTB 80P G ML /70°/L65	1	Stk
44,0350,5467	TTB 80P G ML/70°/L150	1	Stk
44,0350,5466,630	TTB 80P G ML OVT/70°/L50	1	Stk
44,0350,0525,630	TTB 80P G ML OVT/70°/L65	1	Stk
44,0350,5467,630	TTB 80P G ML OVT/70°/L150	1	Stk
44,0350,5451	TTB 160A G F ML /70°/L65	1	Stk
44,0350,5451,630	TTB 160A G F ML OVT /70°/L65	1	Stk
44,0350,5448	TTB 160A G ML /70°/L50	1	Stk
44,0350,4406	TTB 160A G ML/70°/L65	1	Stk
44,0350,5448,630	TTB 160A G ML OVT/70°/L50	1	Stk
44,0350,4406,630	TTB 160A G ML OVT/70°/L65	1	Stk
44,0350,5449,630	TTB 160A G ML OVT/70°/L150	1	Stk
44,0350,5450,630	TTB 160A G ML OVT/70°/L300	1	Stk
44,0350,5455	TTB 160P G F ML /70°/L65	1	Stk
44,0350,5455,630	TTB 160P G F ML OVT/70°/L65	1	Stk
44,0350,5452	TTB 160P G ML /70°/L50	1	Stk
44,0350,4407	TTB 160P G ML/70°/L65	1	Stk
44,0350,4407,630	TTB 160P G ML OVT/70°/L65	1	Stk
44,0350,5453,630	TTB 160P G ML OVT/70°/L150	1	Stk
44,0350,5454,630	TTB 160P G ML OVT/70°/L300	1	Stk
44,0350,5489	TTB 160P S G ML/45°/L65	1	Stk
44,0350,5469	TTB 180P W ML /70°/L50	1	Stk
44,0350,0526	TTB 180P W ML /70°/L65	1	Stk
44,0350,5470	TTB 180P W ML /70°/L150	1	Stk
44,0350,0526,630	TTB 180P W ML OVT/70°/L65	1	Stk
44,0350,5460	TTB 220A G F ML /70°/L65	1	Stk
44,0350,5460,630	TTB 220A G F ML OVT/70°/L65	1	Stk
44,0350,5457	TTB 220A G ML /70°/L50	1	Stk
44,0350,4408	TTB 220A G ML/70°/L65	1	Stk
44,0350,4408,630	TTB 220A G ML OVT/70°/L65	1	Stk
44,0350,5458,630	TTB 220A G ML OVT/70°/L150	1	Stk
44,0350,5459,630	TTB 220A G ML OVT/70°/L300	1	Stk
44,0350,5464	TTB 220P G F ML /70°/L65	1	Stk
44,0350,5464,630	TTB 220P G F ML OVT/70°/L65	1	Stk

TTB 220P G ML/70°/L65 (44,0350,4409)

Artikelnr.	Bezeichnung	Menge	Einheit
44,0350,5461	TTB 220P G ML /70°/L50	1	Stk
44,0350,4409	TTB 220P G ML/70°/L65	1	Stk
44,0350,4409,630	TTB 220P G ML OVT/70°/L65	1	Stk
44,0350,5462,630	TTB 220P G ML OVT/70°/L150	1	Stk
44,0350,5463,630	TTB 220P G ML OVT/70°/L300	1	Stk
44,0350,5491	TTB 220P S G ML/45°/L65	1	Stk
44,0350,5491,630	TTB 220P S G ML OVT/45°/L60	1	Stk
44,0350,4410	TTB 260A G ML/70°/L65	1	Stk
44,0350,4410,630	TTB 260A G ML OVT/70°/L65	1	Stk
44,0350,5465	TTB 260P G ML /70°/L65	1	Stk
44,0350,5474	TTB 300A F W ML /70°/L65	1	Stk
44,0350,5474,630	TTB 300A F W ML OVT/70°/L65	1	Stk
44,0350,5471	TTB 300A W ML /70°/L50	1	Stk
44,0350,4411,630	TTB 300A W ML OVT/70°/L65	1	Stk
44,0350,5472,630	TTB 300A W ML OVT/70°/L150	1	Stk
44,0350,5473,630	TTB 300A W ML OVT/70°/L300	1	Stk
44,0350,5478	TTB 300P F W ML /70°/L65	1	Stk
44,0350,5478,630	TTB 300P F W ML OVT/70°/L65	1	Stk
44,0350,5475	TTB 300P W ML /70°/L50	1	Stk
44,0350,4412	TTB 300P W ML/70°/L65	1	Stk
44,0350,4412,630	TTB 300P W ML OVT/70°/L65	1	Stk
44,0350,5476,630	TTB 300P W ML OVT/70°/L150	1	Stk
44,0350,5477,630	TTB 300P W ML OVT/70°/L300	1	Stk
44,0350,5483	TTB 400A F W ML /70°/L65	1	Stk
44,0350,5483,630	TTB 400A F W ML OVT/70°/L65	1	Stk
44,0350,5480	TTB 400A W ML /70°/L50	1	Stk
44,0350,4413	TTB 400A W ML/70°/L65	1	Stk
44,0350,4413,630	TTB 400A W ML OVT/70°/L65	1	Stk
44,0350,5481,630	TTB 400A W ML OVT/70°/L150	1	Stk
44,0350,5482,630	TTB 400A W ML OVT/70°/L300	1	Stk
44,0350,5487	TTB 400P F W ML /70°/L65	1	Stk
44,0350,5487,630	TTB 400P F W ML OVT/70°/L65	1	Stk
44,0350,5484	TTB 400P W ML /70°/L50	1	Stk
44,0350,4414	TTB 400P W ML/70°/L65	1	Stk

TTB 220P G ML/70°/L65 (44,0350,4409)

Artikelnr.	Bezeichnung	Menge	Einheit
44,0350,4414,630	TTB 400P W ML OVT/70°/L65	1	Stk
44,0350,5485,630	TTB 400P W ML OVT/70°/L150	1	Stk
44,0350,5486,630	TTB 400P W ML OVT/70°/L300	1	Stk
44,0350,4415	TTB 500A W ML/70°/L65	1	Stk
44,0350,4415,630	TTB 500A W ML OVT/70°/L65	1	Stk
44,0350,4416	TTB 500P W ML/70°/L65	1	Stk
44,0350,4416,630	TTB 500P W ML OVT/70°/L65	1	Stk
42,0411,4004	Wolframel. WC20/ø2,0*175	1	Stk
42,0411,0214	Wolframel. WP/ø2,0x175	1	Stk
42,0411,0215	Wolframel. WS2-2,0x175mm	1	Stk
42,0411,4008	Wolframelektrode W/ø1,6x175	1	Stk
42,0411,4005	Wolframelektrode W/ø2,4x175	1	Stk
42,0411,4006	Wolframelektrode W/ø3,2x175	1	Stk
42,0411,4012	Wolframelektrode WC20/ø1,0x175	1	Stk
42,0411,4001	Wolframelektrode WC20/ø1,6x175	1	Stk
42,0411,4002	Wolframelektrode WC20/ø2,4x175	1	Stk
42,0411,4003	Wolframelektrode WC20/ø3,2x175	1	Stk
42,0411,0161	Wolframelektrode WS2-1,6x175mm	1	Stk
42,0411,0162	Wolframelektrode WS2-2,4x175mm	1	Stk
42,0411,0163	Wolframelektrode WS2-3,2x175mm	1	Stk