



MTW 400i /FSC/UD/3,5m/45°/LED

4,035,952




DETAIL IF

UP/DOWN LED




OPT/i T-Handle for Push


44,0350,5298




OPT/i Button Extension Kit




Torch Trigger




MTW 400i /FSC/UD/3,5m/45°/LED (4,035,952)





TAB. 1 contact tip


M6	CuCrZr	Ø mm	Ø inch	Part No.
		0,6	0,023	42,0001,4928,10
		0,7	0,027	42,0001,6524,10
		0,8	0,030	42,0001,4461,10
		0,9	0,035	42,0001,4462,10
		1,0	0,040	42,0001,4463,10
		1,1	0,043	42,0001,6527,10
		1,2	0,045	42,0001,4464,10
		1,3	0,051	42,0001,6529,10
		1,4	0,052	42,0001,4465,10
		1,5	0,059	42,0001,6522,10
		1,6	0,062	42,0001,4466,10


TAB. 1 contact tip

M8x1,5	CuCrZr	Ø mm	Ø inch	Part No.
		0,7	0,027	42,0001,6482,10
		0,8	0,030	42,0001,6464,10
		0,9	0,035	42,0001,6465,10
		1,0	0,040	42,0001,6466,10
		1,1	0,043	42,0001,6483,10
		1,2	0,045	42,0001,6467,10
		1,3	0,051	42,0001,6484,10
		1,4	0,052	42,0001,6468,10
		1,5	0,059	42,0001,6485,10
		1,6	0,062	42,0001,6469,10
		1,8	0,071	42,0001,6470,10
		2,0	0,078	42,0001,6471,10
		2,4	0,095	42,0001,6472,10
		2,8	0,110	42,0001,4642,10


M6	CuCrZr	Ø mm	Ø inch	Part No.
	Al	0,8	0,030	42,0001,6525,10
		1,0	0,040	42,0001,6526,10
		1,2	0,045	42,0001,6528,10
		1,6	0,062	42,0001,6523,10
				

M8x1,5	CuCrZr	Ø mm	Ø inch	Part No.
	Al	0,8	0,030	42,0001,6537,10
		1,0	0,040	42,0001,4750,10
		1,2	0,045	42,0001,4751,10
		1,6	0,062	42,0001,4752,10
				

M6	E-Cu	Ø mm	Ø inch	Part No.
		0,9	0,035	42,0001,7025,10
		1,0	0,040	42,0001,7026,10
		1,2	0,045	42,0001,7027,10


M8x1,5	E-Cu	Ø mm	Ø inch	Part No.
		0,9	0,035	42,0001,7028,10
		1,0	0,040	42,0001,7029,10
		1,2	0,045	42,0001,7030,10

TAB. 2 gas nozzle




d1		d2		d3		L		Part No.	
mm	inch	mm	inch	mm	inch	mm	inch		
13	0.51	25	0.98	16,4	0.64	59	2.32	42,0001,4085	
15	0.59	25	0.98	18,6	0.73	59	2.32	42,0001,4048	
13	0.51	25	0.98	16,4	0.64	61	2.40	42,0001,4086	
15	0.59	25	0.98	18,1	0.71	61	2.40	42,0001,4474	
15	0.59	27	1.06	20,2	0.80	61	2.40	42,0001,4789	
17	0.71	25	0.98	20,8	0.82	61	2.40	42,0001,4476	
13	0.51	25	0.98	16,4	0.64	63	2.48	42,0001,4497	AI
13	0.51	25	0.98	16,4	0.64	63	2.48	42,0001,4080	
15	0.59	25	0.98	18,6	0.73	61	2.40	42,0001,4496	AI
15	0.59	25	0.98	18,6	0.73	63	2.48	42,0001,4051	
17	0.71	25	0.98	20,8	0.82	61	2.40	42,0001,4494	AI
17	0.71	25	0.98	20,8	0.82	63	2.48	42,0001,4050	
17	0.71	27	1.06	20,8	0.82	63	2.48	42,0001,4216	
21	0.82	25	0.98	25,0	0.98	63	2.48	42,0001,4054	
15	0.59	25	0.98	18,6	0.73	68	2.68	42,0001,4052	
17	0.71	25	0.98	20,8	0.82	68	2.68	42,0001,4049	

TAB. 11 gas nozzle




d1		d2		d3		L		Part No.	
mm	inch	mm	inch	mm	inch	mm	inch		
13	0.51	ø25	0.98	16	0.63	62,5	2.46	42,0001,4917	
10	0.39	ø25	0.98	16	0.63	68,0	2.68	42,0001,6715	
13	0.51	ø25	0.98	16	0.63	68,0	2.68	42,0001,6716	


TAB. 12 gas nozzle



d1		d2		d3		L		Part No.	
mm	inch	mm	inch	mm	inch	mm	inch		
15	0.59	ø25	0.98	18,6	0.73	61	2.40	44,0350,3935	
17	0.66	ø25	0.98	20,8	0.82	61	2.40	44,0350,3936	

Tab. 3






material			d1		d2		Part No. L		Part No. L		Part No. L	
	Ø mm	Ø inch	mm	inch	mm	inch	5m 16.4feet	15m 49.2feet	50m 160feet			
Steel liner	0,8	.030	1,4	.055	4,4	.176	40,0002,0040,005	40,0002,0040,015	40,0002,0040,050			
Steel liner	0,9-1,0	.035/.040	1,6	.062	4,8	.189	40,0002,0041,005	40,0002,0041,015	40,0002,0041,050			
Steel liner	1,2	.045	1,9	.074	4,9	.192	40,0002,0042,005	40,0002,0042,015	40,0002,0042,050			
Steel liner	1,4-1,6	.052/.062	2,5	.098	4,9	.192	40,0002,0043,005	40,0002,0043,015	40,0002,0043,050			
CrNi liner	0,8	.030	1,4	.055	4,4	.176	40,0002,0044,005	40,0002,0044,015	40,0002,0044,050			
CrNi liner	0,9-1,0	.035/.040	1,6	.062	4,8	.189	40,0002,0045,005	40,0002,0045,015	40,0002,0045,050			
CrNi liner	1,2	.045	1,9	.074	4,9	.192	40,0002,0046,005	40,0002,0046,015	40,0002,0046,050			
CrNi liner	1,4-1,6	.052/.062	2,5	.098	4,9	.192	40,0002,0047,005	40,0002,0047,015	40,0002,0047,050			
Steel liner coated	0,8	.030	1,4	.055	4,4	.176	40,0002,0052,005	40,0002,0052,015	40,0002,0052,050			
Steel liner coated	0,9-1,0	.035/.040	1,6	.062	4,8	.189	40,0002,0053,005	40,0002,0053,015	40,0002,0053,050			
Steel liner coated	1,2	.045	1,9	.074	4,9	.192	40,0002,0054,005	40,0002,0054,015	40,0002,0054,050			
Steel liner coated	1,4-1,6	.052/.062	2,5	.098	4,9	.192	40,0002,0055,005	40,0002,0055,015	40,0002,0055,050			

Tab. 3

combi liner W AL



combi liner G AL

combi inner liner G




		L		d1		d2		combi liner W AL	combi liner G AL	combi inner liner G
Ø mm	Ø inch	m	feet	mm	inch	mm	inch	Part No.	Part No.	Part No.
0,8	.030	2,0	6.5	1,2	.059	4,7	.185	44,0350,3388	44,0350,3400	44,0350,5550
0,8	.030	3,8	12.4	1,2	.059	4,7	.185	44,0350,3392	44,0350,3404	44,0350,5513
0,8	.030	4,8	15.7	1,2	.059	4,7	.185	44,0350,3396	44,0350,3408	44,0350,5518
0,9-1,0	.035/.040	2,0	6.5	1,5	.062	4,7	.185	44,0350,3389	44,0350,3401	44,0350,5551
0,9-1,0	.035/.040	3,8	12.4	1,5	.062	4,7	.185	44,0350,3393	44,0350,3405	44,0350,5514
0,9-1,0	.035/.040	4,8	15.7	1,5	.062	4,7	.185	44,0350,3397	44,0350,3409	44,0350,5519
1,2	.045	2,0	6.5	1,8	0.74	4,7	.185	44,0350,3390	44,0350,3402	44,0350,5552
1,2	.045	3,8	12.4	1,8	0.74	4,7	.185	44,0350,3394	44,0350,3406	44,0350,5515
1,2	.045	4,8	15.7	1,8	0.74	4,7	.185	44,0350,3398	44,0350,3410	44,0350,5520
1,4-1,6	.052/.062	2,0	6.5	2,4	.098	4,7	.185	44,0350,3391	44,0350,3403	44,0350,5553
1,4-1,6	.052/.062	3,8	12.4	2,4	.098	4,7	.185	44,0350,3395	44,0350,3407	44,0350,5516
1,4-1,6	.052/.062	4,8	15.7	2,4	.098	4,7	.185	44,0350,3399	44,0350,3411	44,0350,5521
2,0	.045	2,0	6.5	1,2	.059	4,7	.185	44,0350,3615	44,0350,3618	44,0350,5554
2,0	.045	3,8	12.4	3,0	.118	4,7	.185	44,0350,3616	44,0350,3619	44,0350,5517
2,0	.045	4,8	15.7	3,0	.118	4,7	.185	44,0350,3617	44,0350,3620	44,0350,5522

TAB. 4 clamping piece


 Ø mm Ø inch		Fe / CrNi	Alu / CuSi	colour	
0,8	.031		44,0350,3314	grey	
0,8	.031	44,0350,3315		grey	
0,9-1,0	.039	44,0350,3317		blue	
1,2	.047	44,0350,3318		red	
1,4-1,6	.062	44,0350,3320		black	
2,0	.078		44,0350,3321	green	
2,4	.095		44,0350,4245	brown	
2,0	.078	42,0001,4589			 only stuck
2,4	.095				
2,8	.110				

basic kits


	Ø mm	Ø inch	m	feet	Fe MTG / MTW Part No.	CrNi MTG / MTW Part No.	Alu MTW Part No.	CuSi MTW Part No.	Alu/CuSi MTG Part No.
	0,6	.023	5,0	11.5	44,0350,5296	X	X	X	
	0,8	.030	5,0	11.5	44,0350,5117	44,0350,5158	44,0350,5135	44,0350,5144	
	0,9	.035	5,0	14.8	44,0350,5118	44,0350,5159	44,0350,5136	44,0350,5145	
	1,0	.040	5,0	11.5	44,0350,5119	44,0350,5160	44,0350,5137	44,0350,5146	
	1,2	.047	5,0	14.8	44,0350,5120	44,0350,5161	44,0350,5138	44,0350,5147	
	1,4	.052	5,0	11.5	44,0350,5121	44,0350,5162	44,0350,5139	44,0350,5148	
	1,6	.062	5,0	14.8	44,0350,5122	44,0350,5163	44,0350,5140	44,0350,5149	
	2,0	.078	5,0	14.8	X	X	44,0350,5141	X	

TOOLS


contact tip + nozzle stock



nozzle stock

nozzle stock	socket	torque wrench 5-25 Nm	
42,0001,4037 	42,0435,0236	 42,0435,0090	
44,0350,3426 	42,0435,0236		
42,0001,4919 	42,0435,0233		
42,0001,4651 	42,0435,0233		

contact tip

contact tip	torque wrench	torque driver	
M6 	42,0001,6774	 42,0411,0013	
M8x1,5 	42,0001,6775		

MTW 400i /FSC/UD/3,5m/45°/LED (4,035,952)

Artikelnr.	Bezeichnung	Menge	Einheit
42,0100,1369	Auslaufstück zu Seele MAG02	1	Stk
44,0450,1436	Ausziehwerkz. CPC +35mm verläng.	1	Stk
44,0350,5144	BK Al ø0,8 /G CuSi ø0,8 G/W/5m	1	Stk
44,0350,5135	BK Al ø0,8 /W/5m	1	Stk
44,0350,5145	BK Al ø0,9 /G CuSi ø0,9 G/W/5m	1	Stk
44,0350,5136	BK Al ø0,9 /W/5m	1	Stk
44,0350,5146	BK Al ø1,0 /G CuSi ø1,0 G/W/5m	1	Stk
44,0350,5137	BK Al ø1,0 /W/5m	1	Stk
44,0350,5147	BK Al ø1,2 /G CuSi ø1,2 G/W/5m	1	Stk
44,0350,5138	BK Al ø1,2 /W/5m	1	Stk
44,0350,5148	BK Al ø1,4 /G CuSi ø1,4 G/W/5m	1	Stk
44,0350,5139	BK Al ø1,4 /W/5m	1	Stk
44,0350,5149	BK Al ø1,6 /G CuSi ø1,6 G/W/5m	1	Stk
44,0350,5140	BK Al ø1,6 /W/5m	1	Stk
44,0350,5141	BK Al ø2,0 /W/5m	1	Stk
44,0350,5158	BK CrNi ø0,8 /G/W/5m	1	Stk
44,0350,5159	BK CrNi ø0,9 /G/W/5m	1	Stk
44,0350,5160	BK CrNi ø1,0 /G/W/5m	1	Stk
44,0350,5161	BK CrNi ø1,2 /G/W/5m	1	Stk
44,0350,5162	BK CrNi ø1,4 /G/W/5m	1	Stk
44,0350,5163	BK CrNi ø1,6 /G/W/5m	1	Stk
44,0350,5296	BK Fe ø0,6 /G/W/5m	1	Stk
44,0350,5117	BK Fe ø0,8 /G/W/5m	1	Stk
44,0350,5118	BK Fe ø0,9 /G/W/5m	1	Stk
44,0350,5119	BK Fe ø1,0 /G/W/5m	1	Stk
44,0350,5120	BK Fe ø1,2 /G/W/5m	1	Stk
44,0350,5121	BK Fe ø1,4 /G/W/5m	1	Stk
44,0350,5122	BK Fe ø1,6 /G/W/5m	1	Stk
42,0405,0655	Brennergehäuse int. DFS Feder	1	ve
42,0405,0663	Brennertaster W6 TPV oben U/D	1	Stk
42,0404,0192	Bronzeseele 1,6/0,32m	1	Stk
42,0404,0453	Bronzeseele 2,7x1,0x40mm	1	Stk
42,0001,3912,10	Contec-Shell 10pcs MD	1	ve
42,0001,3912,100	Contec-Shell 100pcs MD	1	ve

MTW 400i /FSC/UD/3,5m/45°/LED (4,035,952)

Artikelnr.	Bezeichnung	Menge	Einheit
40,0002,0044,005	CrNi-Seele blank 0,8 / 5m	1	Stk
40,0002,0044,015	CrNi-Seele blank 0,8 / 15m	1	Stk
40,0002,0044,050	CrNi-Seele blank 0,8 / 50m	1	Stk
40,0002,0045,005	CrNi-Seele blank 1,0 / 5m	1	Stk
40,0002,0045,015	CrNi-Seele blank 1,0 / 15m	1	Stk
40,0002,0045,050	CrNi-Seele blank 1,0 / 50m	1	Stk
40,0002,0046,005	CrNi-Seele blank 1,2 / 5m	1	Stk
40,0002,0046,015	CrNi-Seele blank 1,2 / 15m	1	Stk
40,0002,0046,050	CrNi-Seele blank 1,2 / 50m	1	Stk
40,0002,0047,005	CrNi-Seele blank 1,6 / 5m	1	Stk
40,0002,0047,015	CrNi-Seele blank 1,6 / 15m	1	Stk
40,0002,0047,050	CrNi-Seele blank 1,6 / 50m	1	Stk
42,0001,4174	DFS-Anschluss drehbar	2	Stk
44,0350,3440	Drahtf.Schl. 5,7x1,15 3,25m	1	Stk
42,0435,0090	Drehmomentschlüssel 5-25 NM	1	Stk
44,0350,3426	Düsenstock Contec MD MTW500i	1	Stk
42,0001,4919	Düsenstock M6/SW10x30 CU	1	Stk
42,0001,4651	Düsenstock M8x1,5/SW10x26,5 CU	1	Stk
42,0001,4037	Düsenstock M8x1,5/SW13x26,5 CU	1	Stk
42,0404,0350	FEDERDRUCK 5,0/3,8 16 0,6	1	Stk
40,0009,0044	Fett O-Ring transparent	1	Stk
42,0401,0886	Furchschr KST 3x12 DeltaPT	3	Stk
42,0001,6715	Gasdüse Engspalt Ø10/Ø25x68 CT	1	Stk
42,0001,4917	Gasdüse Engspalt Ø13/Ø25x62,5	1	Stk
42,0001,6716	Gasdüse Engspalt Ø13/Ø25x68 CT	1	Stk
42,0001,4054	Gasdüse zyl ø21,1/ø25x63 CT	1	Stk
44,0350,3935	Gasdüse Ø15/Ø25x61 CT/H	1	Stk
44,0350,3936	Gasdüse Ø17/Ø25x61 CT/H	1	Stk
42,0001,4216	Gasdüse Ø17/Ø27x63 CT HD	1	Stk
42,0001,4085	Gasdüse ø13/ø25x59 CT	1	Stk
42,0001,4086	Gasdüse ø13/ø25x61 CT	1	Stk
42,0001,4497	Gasdüse ø13/ø25x61 CT/C	1	Stk
42,0001,4080	Gasdüse ø13/ø25x63 CT	1	Stk
42,0001,4048	Gasdüse ø15/ø25x59 CT	1	Stk

MTW 400i /FSC/UD/3,5m/45°/LED (4,035,952)

Artikelnr.	Bezeichnung	Menge	Einheit
42,0001,4474	Gasdüse ø15/ø25x61 CT	1	Stk
42,0001,4496	Gasdüse ø15/ø25x61 CT/C	1	Stk
42,0001,4051	Gasdüse ø15/ø25x63 CT	1	Stk
42,0001,4052	Gasdüse ø15/ø25x68 CT	1	Stk
42,0001,4789	Gasdüse ø15/ø27x61 CT HD	1	Stk
42,0001,4476	Gasdüse ø17/ø25x61 CT	1	Stk
42,0001,4494	Gasdüse ø17/ø25x61 CT/C	1	Stk
42,0001,4050	Gasdüse ø17/ø25x63 CT	1	Stk
42,0001,4049	Gasdüse ø17/ø25x68 CT	1	Stk
42,0001,6208	Gaszapfen FSC-W	1	Stk
42,0405,1318	Gleitring Griffsch. W6	1	Stk
42,0405,0660	Griffschale W6 PA6/TPU	1	Stk
42,0411,0013	Hand-Drehmomentschrauber	1	Stk
42,1100,0003	Heavy-duty Zugentl. Griffsch.	1	Stk
42,0405,0753	Hitzeschutzschild PA6 ø18mm	1	Stk
42,0100,1329	Isolerring W ø20,8/14*7,3	1	Stk
42,0100,1371	Isolerring Ø20,8/Ø14x8,5	1	Stk
42,0100,1497	Isolerring ø20,7/ø14x15	1	Stk
43,0004,4062	Kabelbaum MTG UD	1	Stk
42,0407,0100	KABELBINDER 150	1	Stk
42,0407,0101	Kabelbinder PA6.6 200mm	1	Stk
42,0407,0245	Klemme 1Ohr 7,0/ø5,8-7,9	1	Stk
42,0407,0284	Klemme 1Ohr 9,0/ø7,3-9,0	3	Stk
42,0404,0387	Knickschutzfeder Ø41/45x140	1	Stk
44,0350,3798	Knickschutz W6 kpl. w	1	Stk
44,0350,5550	Kombiseele G /0,8/2,0m	1	Stk
44,0350,5513	Kombiseele G /0,8/3,8m	1	Stk
44,0350,5518	Kombiseele G /0,8/4,8m	1	Stk
44,0350,5551	Kombiseele G /1,0/2,0m	1	Stk
44,0350,5514	Kombiseele G /1,0/3,8m	1	Stk
44,0350,5519	Kombiseele G /1,0/4,8m	1	Stk
44,0350,5552	Kombiseele G /1,2/2,0m	1	Stk
44,0350,5515	Kombiseele G /1,2/3,8m	1	Stk
44,0350,5520	Kombiseele G /1,2/4,8m	1	Stk

MTW 400i /FSC/UD/3,5m/45°/LED (4,035,952)

Artikelnr.	Bezeichnung	Menge	Einheit
44,0350,5553	Kombiseele G /1,6/2,0m	1	Stk
44,0350,5516	Kombiseele G /1,6/3,8m	1	Stk
44,0350,5521	Kombiseele G /1,6/4,8m	1	Stk
44,0350,5554	Kombiseele G /2,0/2,0m	1	Stk
44,0350,5517	Kombiseele G /2,0/3,8m	1	Stk
44,0350,5522	Kombiseele G /2,0/4,8m	1	Stk
44,0350,3400	Kombiseele G Al /0,8/2,0m	1	Stk
44,0350,3404	Kombiseele G Al /0,8/3,8m	1	Stk
44,0350,3408	Kombiseele G Al /0,8/4,8m	1	Stk
44,0350,3401	Kombiseele G Al /1,0/2,0m	1	Stk
44,0350,3405	Kombiseele G Al /1,0/3,8m	1	Stk
44,0350,3409	Kombiseele G Al /1,0/4,8m	1	Stk
44,0350,3402	Kombiseele G Al /1,2/2,0m	1	Stk
44,0350,3406	Kombiseele G Al /1,2/3,8m	1	Stk
44,0350,3410	Kombiseele G Al /1,2/4,8m	1	Stk
44,0350,3403	Kombiseele G Al /1,6/2,0m	1	Stk
44,0350,3407	Kombiseele G Al /1,6/3,8m	1	Stk
44,0350,3411	Kombiseele G Al /1,6/4,8m	1	Stk
44,0350,3618	Kombiseele G Al /2,0/2,0m	1	Stk
44,0350,3619	Kombiseele G Al /2,0/3,8m	1	Stk
44,0350,3620	Kombiseele G Al /2,0/4,8m	1	Stk
44,0350,3388	Kombiseele W Al /0,8/2,0m	1	Stk
44,0350,3392	Kombiseele W Al /0,8/3,8m	1	Stk
44,0350,3396	Kombiseele W Al /0,8/4,8m	1	Stk
44,0350,3389	Kombiseele W Al /1,0/2,0m	1	Stk
44,0350,3393	Kombiseele W Al /1,0/3,8m	1	Stk
44,0350,3397	Kombiseele W Al /1,0/4,8m	1	Stk
44,0350,3390	Kombiseele W Al /1,2/2,0m	1	Stk
44,0350,3394	Kombiseele W Al /1,2/3,8m	1	Stk
44,0350,3398	Kombiseele W Al /1,2/4,8m	1	Stk
44,0350,3391	Kombiseele W Al /1,6/2,0m	1	Stk
44,0350,3395	Kombiseele W Al /1,6/3,8m	1	Stk
44,0350,3399	Kombiseele W Al /1,6/4,8m	1	Stk
44,0350,3615	Kombiseele W Al /2,0/2,0m	1	Stk

MTW 400i /FSC/UD/3,5m/45°/LED (4,035,952)

Artikelnr.	Bezeichnung	Menge	Einheit
44,0350,3616	Kombiseele W Al /2,0/3,8m	1	Stk
44,0350,3617	Kombiseele W Al /2,0/4,8m	1	Stk
42,0001,6537,10	Kontaktr. 0,8/M8x1,5/ø10x32 Al	1	ve
42,0001,7028,10	Kontaktr.0,9/M8x1,5/ø10x32/SQ	1	ve
42,0001,4750,10	Kontaktr. 1,0/M8x1,5/ø10x32 Al	1	ve
42,0001,7029,10	Kontaktr.1,0/M8x1,5/ø10x32/SQ	1	ve
42,0001,4751,10	Kontaktr. 1,2/M8x1,5/ø10x32 Al	1	ve
42,0001,7030,10	Kontaktr.1,2/M8x1,5/ø10x32/SQ	1	ve
42,0001,4752,10	Kontaktr.1,6/M8x1,5/ø10x32 Al	1	ve
42,0001,6524,10	Kontaktrohr 0,7/M6/8x24mm	1	ve
42,0001,6482,10	Kontaktrohr 0,7/M8x1,5/ø10x32	1	ve
42,0001,4461,10	Kontaktrohr 0,8/M6/ø8x24	1	ve
42,0001,6525,10	Kontaktrohr 0,8/M6/ø8x24 Al	1	ve
42,0001,6464,10	Kontaktrohr 0,8/M8x1,5/ø10x32	1	ve
42,0001,4462,10	Kontaktrohr 0,9/M6/ø8x24	1	ve
42,0001,7025,10	Kontaktrohr 0,9/M6/ø8x24/SQ	1	ve
42,0001,6465,10	Kontaktrohr 0,9/M8x1,5/ø10x32	1	ve
42,0001,4463,10	Kontaktrohr 1,0/M6/ø8x24	1	ve
42,0001,6526,10	Kontaktrohr 1,0/M6/ø8x24 Al	1	ve
42,0001,7026,10	Kontaktrohr 1,0/M6/ø8x24/SQ	1	ve
42,0001,6466,10	Kontaktrohr 1,0/M8x1,5/ø10x32	1	ve
42,0001,6527,10	Kontaktrohr 1,1/M6/ø8x24	1	ve
42,0001,6483,10	Kontaktrohr 1,1/M8x1,5/ø10x32	1	ve
42,0001,4464,10	Kontaktrohr 1,2/M6/ø8x24	1	ve
42,0001,6528,10	Kontaktrohr 1,2/M6/ø8x24 Al	1	ve
42,0001,7027,10	Kontaktrohr 1,2/M6/ø8x24/SQ	1	ve
42,0001,6467,10	Kontaktrohr 1,2/M8x1,5/ø10x32	1	ve
42,0001,6529,10	Kontaktrohr 1,3/M6/ø8x24	1	ve
42,0001,6484,10	Kontaktrohr 1,3/M8x1,5/ø10x32	1	ve
42,0001,4465,10	Kontaktrohr 1,4/M6/ø8x24	1	ve
42,0001,6468,10	Kontaktrohr 1,4/M8x1,5/ø10x32	1	ve
42,0001,6522,10	Kontaktrohr 1,5/M6/ø8x24	1	ve
42,0001,6485,10	Kontaktrohr 1,5/M8x1,5/ø10x32	1	ve
42,0001,4466,10	Kontaktrohr 1,6/M6/ø8x24	1	ve

MTW 400i /FSC/UD/3,5m/45°/LED (4,035,952)

Artikelnr.	Bezeichnung	Menge	Einheit
42,0001,6523,10	Kontaktrohr 1,6/M6/ø8x24 Al	1	ve
42,0001,6469,10	Kontaktrohr 1,6/M8x1,5/ø10x32	1	ve
42,0001,6470,10	Kontaktrohr 1,8/M8x1,5/ø10x32	1	ve
42,0001,6471,10	Kontaktrohr 2,0/M8x1,5/ø10x32	1	ve
42,0001,6472,10	Kontaktrohr 2,4/M8x1,5/ø10x32	1	ve
42,0001,4642,10	Kontaktrohr 2,8/M8x1,5/ø10x32	1	ve
41,0006,0108	Leuchtdiode 5mm weiß	1	Stk
42,0405,0713	Lichtleiter W6 3fach	1	Stk
44,0350,3272	MTW 400i/45°/L153/H86	1	Stk
42,0201,3216	Multitool TB wear parts	1	Stk
42,0402,0258	O-Ring 4x1,2mm FKM	1	Stk
42,0402,0317	O-Ring Iø20x1,3 FKM	1	Stk
42,0402,0286	O-Ring Ø7,5x1,5mm NBR70	1	Stk
44,0350,5298	OPT/i T-Handle SET for W6	1	Stk
42,0405,1293	Pistolengriff TPSi Push	1	Stk
4,071,149,Z	PRINT IUPDO Geprüft	1	Stk
42,0001,2167	QUETSCHHÜLSE D14/D12x6 AW351ZM	2	Stk
40,0001,0524	Schlauch PE 6,0x1,1mm	3,22	m
40,0001,0310	Schlauch VINNY 5x1.5 schwarz	3,55	m
40,0001,0310	Schlauch VINNY 5x1.5 schwarz	0,45	m
42,0401,0936	Schraube PT 2,5X12 T8 Delta sw	4	Stk
44,0350,2904	Schutzschl. 26x1,5 3,05M W6	1	Stk
42,0001,6336	Spannmutter Contec/SW11x19,5	1	Stk
44,0350,3314	Spannnippel 0,8 Al / CuSi	1	Stk
44,0350,3315	Spannnippel 0,8 Fe / CrNi	1	Stk
44,0350,3317	Spannnippel 0,9 / 1,0	1	Stk
44,0350,3318	Spannnippel 1,2	1	Stk
44,0350,3320	Spannnippel 1,4/1,6	1	Stk
44,0350,3321	Spannnippel 2,0 Al	1	Stk
44,0350,4245	Spannnippel 2,4 Al	1	Stk
42,0001,4589	Spannnippel 2,8 SSFCW	1	Stk
42,0405,0854	Spritzerschutz Ø10/Ø20,8x24mm	1	Stk
42,0100,0591	SpritzerschutzØ10/Ø20,8x24mmHD	1	Stk
42,0100,1156	Spritzerschutz ø14,5/ø18x21,3	1	Stk

MTW 400i /FSC/UD/3,5m/45°/LED (4,035,952)

Artikelnr.	Bezeichnung	Menge	Einheit
40,0002,0040,005	Stahlseele blank 0,8 / 5m	1	Stk
40,0002,0040,015	Stahlseele blank 0,8 / 15m	1	Stk
40,0002,0040,050	Stahlseele blank 0,8 / 50m	1	Stk
40,0002,0041,005	Stahlseele blank 1,0 / 5m	1	Stk
40,0002,0041,015	Stahlseele blank 1,0 / 15m	1	Stk
40,0002,0041,050	Stahlseele blank 1,0 / 50m	1	Stk
40,0002,0042,005	Stahlseele blank 1,2 / 5m	1	Stk
40,0002,0042,015	Stahlseele blank 1,2 / 15m	1	Stk
40,0002,0042,050	Stahlseele blank 1,2 / 50m	1	Stk
40,0002,0043,005	Stahlseele blank 1,6 / 5m	1	Stk
40,0002,0043,015	Stahlseele blank 1,6 / 15m	1	Stk
40,0002,0043,050	Stahlseele blank 1,6 / 50m	1	Stk
40,0002,0052,005	Stahlseele C 0,8 / 5 m	1	Stk
40,0002,0052,015	Stahlseele C 0,8 / 15 m	1	Stk
40,0002,0052,050	Stahlseele C 0,8 / 50 m	1	Stk
40,0002,0053,005	Stahlseele C 1,0 / 5 m	1	Stk
40,0002,0053,015	Stahlseele C 1,0 / 15 m	1	Stk
40,0002,0053,050	Stahlseele C 1,0 / 50 m	1	Stk
40,0002,0054,005	Stahlseele C 1,2 / 5 m	1	Stk
40,0002,0054,015	Stahlseele C 1,2 / 15 m	1	Stk
40,0002,0054,050	Stahlseele C 1,2 / 50 m	1	Stk
40,0002,0055,005	Stahlseele C 1,6 / 5 m	1	Stk
40,0002,0055,015	Stahlseele C 1,6 / 15 m	1	Stk
40,0002,0055,050	Stahlseele C 1,6 / 50 m	1	Stk
42,0405,0939	Staubkappe Micon 5	2	Stk
42,0001,6774	Steckaufsatz SW7	1	Stk
42,0001,6775	Steckaufsatz SW8	1	Stk
42,0001,1506	STECKNIPPEL D=5/ D=9x32mm	2	Stk
42,0435,0233	Stecknuss 3/8" SW10 L=55mm	1	Stk
42,0435,0236	Stecknuss 3/8" SW13 L=50mm	1	Stk
43,0004,4401	Steuerl. 4x0,25 ² 3,5m MTWi BT2	1	Stk
44,0350,3436	Stromk. w 10/3,15m	1	Stk
44,0350,5229	Tastenverlängerungsset BT2	1	Stk
43,0002,0455	Taster BT2 Double Action	1	Stk

MTW 400i /FSC/UD/3,5m/45°/LED (4,035,952)

Artikelnr.	Bezeichnung	Menge	Einheit
42,0405,1216	Taster Pistolengriff PullMIG	1	Stk
42,0405,2129	Tasterverlängerung BT2 lang	1	Stk
42,0100,1370	Verbindungsst. uni. zu Seele	1	Stk
42,0405,0548	Verschlusskappe f. Stecknippel	1	Stk
42,0405,0661	Verschlußring W6 PA6 ø43mm	1	Stk
44,0350,3245	Zentrala. FSC-W man TPSi	1	Stk
42,0407,0438	Zylinderstift DIN6325 2m6x18mm	1	Stk