



MTB 400i G ML /15°/L227/H27


44,0350,3155


Standard



MTB 400i ML G	L		H		Standard
	mm	inch	mm	inch	
0°	230	9.055	0	0.0	44,0350,3154
15°	227	8.937	27	1.063	44,0350,3155
15°	327	12.874	27	1.063	44,0350,4169
15°	427	16.811	27	1.063	44,0350,4170
15°	627	24.685	27	1.063	44,0350,4171
30°	216	8.504	57	2.244	44,0350,3156
30°	316	12.441	57	2.244	44,0350,4172
30°	416	16.378	57	2.244	44,0350,4173
30°	616	24.252	57	2.244	44,0350,4174
45°	197	7.756	88	3.465	44,0350,3157
45°	297	11.693	88	3.465	44,0350,4175
45°	397	15.630	88	3.465	44,0350,4176
45°	597	23.504	88	3.465	44,0350,4177
60°	170	6.693	119	4.685	44,0350,4178


MTB 400i G ML /15°/L227/H27 (44,0350,3155)



TAB. 1 CuCrZr		Ø mm	Ø inch	Part No.
		0,6	0,023	42,0001,4928
		0,7	0,027	42,0001,6524,10
		0,8	0,030	42,0001,4461,10
		0,9	0,035	42,0001,4462,10
		1,0	0,040	42,0001,4463,10
		1,1	0,043	42,0001,6527,10
		1,2	0,045	42,0001,4464,10
		1,3	0,051	42,0001,6529,10
		1,4	0,052	42,0001,4465,10
		1,5	0,059	42,0001,6522,10
		1,6	0,062	42,0001,4466,10
		0,7	0,027	42,0001,6482,10
		0,8	0,030	42,0001,6464,10
		0,9	0,035	42,0001,6465,10
		1,0	0,040	42,0001,6466,10
		1,1	0,043	42,0001,6483,10
		1,2	0,045	42,0001,6467,10
		1,3	0,051	42,0001,6484,10
		1,4	0,052	42,0001,6468,10
		1,5	0,059	42,0001,6485,10
		1,6	0,062	42,0001,6469,10
		1,8	0,071	42,0001,6470,10
		2,0	0,078	42,0001,6471,10
Al 		0,8	0,030	42,0001,6525,10
		1,0	0,040	42,0001,6526,10
		1,2	0,045	42,0001,6528,10
		1,6	0,062	42,0001,6523,10
Al 		0,8	0,030	42,0001,6537,10
		1,0	0,040	42,0001,4750,10
		1,2	0,045	42,0001,4751,10
		1,6	0,062	42,0001,4752,10


TAB. 1 E-Cu		Ø mm	Ø inch	Part No.
		0,9	0,035	42,0001,7025,10
		1,0	0,040	42,0001,7026,10
		1,2	0,045	42,0001,7027,10
		0,9	0,035	42,0001,7028,10
		1,0	0,040	42,0001,7029,10
		1,2	0,045	42,0001,7030,10


MTB 400i G ML /15°/L227/H27 (44,0350,3155)

TAB. 2															
		d1		d2		d3		L		Part No.					
		mm	inch	mm	inch	mm	inch	mm	inch						
MTW 250i	MTG 250i	M20x2		8	0.31	22	0.86	10,4	0.41	58	2.28	42,0001,6664		standard MTW 250i Braze	
		10	0.39	22	0.86	13,0	0.51	54	2.13	42,0001,4083					
		13	0.51	22	0.86	16,1	0.63	54	2.13	42,0001,4799					
		13	0.51	22	0.86	16,1	0.63	56	2.20	42,0001,4477		standard MTB 250i G/W R			
		10	0.39	22	0.86	13,0	0.51	58	2.28	42,0001,4084					
		13	0,51	22	0,86	16,1	0.63	56	2.20	42,0001,4498	Al				
		13	0,51	22	0,86	16,1	0.63	58	2.28	42,0001,4065		standard MTG/MTW 250i			
		15	0,59	22	0,86	18,3	0.72	58	2.28	42,0001,4493					
		18	0.71	22	0.86	22	0.87	58	2.28	42,0001,4055					
MTW 400i/500i	MTG 320i/400i	M23x2		13	0.51	25	0.98	16,4	0.64	59	2.32	42,0001,4085			
		15	0.59	25	0.98	18,6	0.73	59	2.32	42,0001,4048					
		13	0.51	25	0.98	16,4	0.64	61	2.40	42,0001,4086		standard MTB 320i G R			
		15	0.59	25	0.98	18,1	0.71	61	2.40	42,0001,4474		standard MTB 400i W R			
		15	0.59	27	1.06	20,2	0.80	61	2.40	42,0001,4789		MTB 400i W R, heavy duty			
		17	0.71	25	0.98	20,8	0.82	61	2.40	42,0001,4476		standard MTB 500i W R			
		13	0.51	25	0.98	16,4	0.64	61	2.40	42,0001,4497	Al				
		13	0.51	25	0.98	16,4	0.64	63	2.48	42,0001,4080		standard MTG 320i			
		15	0.59	25	0.98	18,6	0.73	61	2.40	42,0001,4496	Al				
		15	0.59	25	0.98	18,6	0.73	63	2.48	42,0001,4051		standard MTW 400i			
		17	0.71	25	0.98	20,8	0.82	61	2.40	42,0001,4494	Al				
		17	0.71	25	0.98	20,8	0.82	63	2.48	42,0001,4050		standard MTW500i,330i W R long			
		17	0.71	27	1.06	20,8	0.82	63	2.48	42,0001,4216		MTW 500i, heavy duty			
		21	0.82	25	0.98	25,0	0.98	63	2.48	42,0001,4054					
		15	0.59	25	0.98	18,6	0.73	68	2.68	42,0001,4052					
		17	0.71	25	0.98	20,8	0.82	68	2.68	42,0001,4049					
		13	0.51	25	0.98	16,4	0.64	71	2.80	42,0001,4087					
		15	0.59	25	0.98	18,6	0.73	71	2.80	42,0001,4788					
		13	0.51	25	0.98	16,4	0.64	73	2.87	42,0001,4088					
		15	0.59	25	0.98	18,6	0.73	73	2.87	42,0001,4475		standard MTB 400i G R			
		15	0.59	27	1.06	18,6	0.73	73	2.87	42,0001,4790		MTB 400i G R, heavy duty			
		15	0.59	25	0.98	18,6	0.73	73	2.87	42,0001,4495	Al				
		15	0.59	25	0.98	18,6	0.73	75	2.95	42,0001,4045		standard MTG 400i			
		17	0.71	25	0.98	20,8	0.82	75	2.95	42,0001,4043					
		21	0.82	25	0.98	25,0	0.98	75	2.95	42,0001,4053					
		15	0.59	25	0.98	18,6	0.73	80	3.15	42,0001,4047					
		MTB W 400i R 500i R	MTB G 320i R 400i R												

MTB 400i G ML /15°/L227/H27 (44,0350,3155)

TAB. 6														
														
		d1		d2		d3		L		Part No.				
		mm	inch	mm	inch	mm	inch	mm	inch					
MTB G 330i R	MTB W 330i R	M23x2		13	0.51	ø25	0.98	16	0.63	37	1.46	42,0001,4533		not possible at MTB 330i G R H
				13	0.51	ø25	0.98	16	0.63	41	1.61	42,0001,4487		standard MTB 330i W R / G ML
				13	0.51	ø25	0.98	16	0.63	39,5	1.61	42,0001,4534	AI	
				13	0.51	ø25	0.98	16	0.63	39,5	1.56	42,0001,4902		standard MTB 330i G R G R H
				15	0.59	ø25	0.98	18	0.72	39,5	1.56	42,0001,5023		

TAB. 7													
			d1		d2		d3		L		Part No.		
			mm	inch	mm	inch	mm	inch	mm	inch			
MTB W 330i W R H	M23x2	13	0.51	ø25	0.98	16	0.63	41	1,61	42,0001,4486		standard MTB 330i W R H	

TAB. 8 narrow gap														
														
		d1		d2		d3		L		Part No.				
		mm	inch	mm	inch	mm	inch	mm	inch					
MTB W 330i R MTB G 330i R	M23x2	13	0.51	ø25	0.98	16	0.63	56	2.21	42,0001,4745				
		13	0.51	ø25	0.98	16	0.63	50	1.97	42,0001,6772				

TAB. 9													
		d1		d2		d3		L		Part No.			
		mm	inch	mm	inch	mm	inch	mm	inch				
MTB G 330i R long	M23x2	13	0.51	ø27	1.06	18	0.72	53	2.09	42,0001,4858	standard MTB 330i G R		
		15	0.59	ø27	1.06	18	0.72	53	2.09	42,0001,4857			
		15	0.59	ø27	1.06	18	0.72	57	2.09	42,0001,4856			



TAB. 10

	d1		d2		d3		L		Part No.			
	mm	inch	mm	inch	mm	inch	mm	inch				
MTG 550i	M25x3		15	0.59	ø27	1.06	19	0.75	67	2.64	44,0350,2020	
			17	0.67	ø27	1.06	21	0.83	67	2.64	44,0350,2021	
			15	0.59	ø27	1.06	19	0.75	74	2.91	44,0350,1991	
			17	0.67	ø27	1.06	21	0.83	74	3.91	44,0350,1995	
			15	0.59	ø27	1.06	19	0.75	80,5	3.17	44,0350,1987	
			15	0.59	ø27	1.06	19	0.75	82,5	3.25	44,0350,1988	
			17	0.67	ø27	1.06	21	0.83	83,5	3.29	44,0350,3179	
			18	0.71	ø27	1.06	22	0.89	87,5	3.44	44,0350,3180	standard MTG 550i

TAB. 11													
		d1		d2		d3		L		Part No.			
		mm	inch	mm	inch	mm	inch	mm	inch				
MTB 400/500i W R MTB 320/400i G R	M23x2	13	0.51	ø25	0.98	16	0.63	62,5	2.46	42,0001,4917		standard MTB 320i G / 400/500i W	
		10	0.39	ø25	0.98	16	0.63	68,0	2.68	42,0001,6715			
		13	0.51	ø25	0.98	16	0.63	68,0	2.68	42,0001,6716			
		13	0.51	ø25	0.98	16	0.63	74.5	2.93	42,0001,4918		standard MTB 400i G	

TAB. 15													
		d1		d2		d3		L		Part No.			
		mm	inch	mm	inch	mm	inch	mm	inch				
MTW 500i	plug	17	0.66	ø27	1.06	22,2	0.87	85	3.34	44,0350,2036			standard MTB 500i W

TOOLS



MTB 400i G ML /15°/L227/H27 (44,0350,3155)

Artikelnr.	Bezeichnung	Menge	Einheit
44,0450,1436	Ausziehwkzgc CPC +35mm verläng.	1	Stk
42,0001,3912,10	Contec-Shell 10pcs MD	1	ve
42,0001,3912,100	Contec-Shell 100pcs MD	1	ve
45,0200,0826	Dr.Schlüssel Überwurfmutter BY	1	Stk
42,0411,9040	Drehmomentschl. 4-20Nm	1	Stk
44,0350,3425	Düsenstock Contec MD MTG400i	1	Stk
42,0001,4921	Düsenstock M6/SW10x48 CU	1	Stk
42,0001,4623	Düsenstock M8x1,5/SW9x44,5 CU	1	Stk
42,0001,3975	Düsenstock M8x1,5/SW11x44,5 CU	1	Stk
40,0009,0044	Fett O-Ring transparent	1	Stk
42,0001,6715	Gasdüse Engspalt Ø10/Ø25x68 CT	1	Stk
42,0001,4917	Gasdüse Engspalt Ø13/Ø25x62,5	1	Stk
42,0001,6716	Gasdüse Engspalt Ø13/Ø25x68 CT	1	Stk
42,0001,4918	Gasdüse Engspalt Ø13/Ø25x74,5	1	Stk
42,0001,6772	Gasdüse Engspalt ø13/ø25x50 CT	1	Stk
42,0001,4745	Gasdüse Engspalt ø13/ø25x56 CT	1	Stk
42,0001,3982	Gasdüsenaufn. G 320i/400i	1	Stk
42,0001,4868	Gasdüsenmundstück Ø17/Ø29x26,5	1	Stk
42,0001,4257	Gasdüsenmundstück Ø17/Ø29x29	1	Stk
42,0001,0142	Gasdüsenmundstück ø13/ø29x	1	Stk
42,0001,4670	Gasdüsenmundstück ø17/29x34 HD	1	Stk
44,0350,4079	Gasdüse W 700i Ø17/Ø29,5x68,5	1	Stk
44,0350,0226	Gasdüse W 700i ø13,2/ø29,5x69	1	Stk
44,0350,3966	Gasdüse W 700i ø17/ø29,5x71	1	Stk
44,0350,3942	Gasdüse W 700i ø17/ø29,5x76 HD	1	Stk
42,0001,4055	Gasdüse zyl ø18/ø22x58 CT	1	Stk
42,0001,4054	Gasdüse zyl ø21,1/ø25x63 CT	1	Stk
42,0001,4053	Gasdüse zyl ø21,1/ø25x75 CT	1	Stk
44,0350,3935	Gasdüse Ø15/Ø25x61 CT/H	1	Stk
44,0350,3936	Gasdüse Ø17/Ø25x61 CT/H	1	Stk
42,0001,4216	Gasdüse Ø17/Ø27x63 CT HD	1	Stk
42,0001,6664	Gasdüse ø8/ø22x57 CT	1	Stk
42,0001,4083	Gasdüse ø10/ø22x54 CT	1	Stk
42,0001,4084	Gasdüse ø10/ø22x58 CT	1	Stk

MTB 400i G ML /15°/L227/H27 (44,0350,3155)

Artikelnr.	Bezeichnung	Menge	Einheit
42,0001,4858	Gasdüse ø13/Ø27x53 CT	1	Stk
42,0001,4799	Gasdüse ø13/ø22x54 CT	1	Stk
42,0001,4477	Gasdüse ø13/ø22x56 CT	1	Stk
42,0001,4498	Gasdüse ø13/ø22x56 CT/C	1	Stk
42,0001,4065	Gasdüse ø13/ø22x58 CT	1	Stk
42,0001,4533	Gasdüse ø13/ø25x37 CT	1	Stk
42,0001,4902	Gasdüse ø13/ø25x39,5 CT	1	Stk
42,0001,4534	Gasdüse ø13/ø25x39,5 CT/C	1	Stk
42,0001,4487	Gasdüse ø13/ø25x41 CT	1	Stk
42,0001,4486	Gasdüse ø13/ø25x41 CT/H	1	Stk
42,0001,4085	Gasdüse ø13/ø25x59 CT	1	Stk
42,0001,4086	Gasdüse ø13/ø25x61 CT	1	Stk
42,0001,4497	Gasdüse ø13/ø25x61 CT/C	1	Stk
42,0001,4080	Gasdüse ø13/ø25x63 CT	1	Stk
42,0001,4087	Gasdüse ø13/ø25x71 CT	1	Stk
42,0001,4088	Gasdüse ø13/ø25x73 CT	1	Stk
42,0001,4857	Gasdüse ø15/Ø27x53 CT	1	Stk
42,0001,4856	Gasdüse ø15/Ø27x57 CT	1	Stk
42,0001,4493	Gasdüse ø15/ø22x58 CT	1	Stk
42,0001,5023	Gasdüse ø15/ø25x39,5 CT	1	Stk
42,0001,4048	Gasdüse ø15/ø25x59 CT	1	Stk
42,0001,4474	Gasdüse ø15/ø25x61 CT	1	Stk
42,0001,4496	Gasdüse ø15/ø25x61 CT/C	1	Stk
42,0001,4051	Gasdüse ø15/ø25x63 CT	1	Stk
42,0001,4052	Gasdüse ø15/ø25x68 CT	1	Stk
42,0001,4788	Gasdüse ø15/ø25x71 CT	1	Stk
42,0001,4475	Gasdüse ø15/ø25x73 CT	1	Stk
42,0001,4495	Gasdüse ø15/ø25x73 CT/C	1	Stk
42,0001,4045	Gasdüse ø15/ø25x75 CT	1	Stk
42,0001,4047	Gasdüse ø15/ø25x80 CT	1	Stk
42,0001,4789	Gasdüse ø15/ø27x61 CT HD	1	Stk
44,0350,2020	Gasdüse ø15/ø27x67 CT	1	Stk
42,0001,4790	Gasdüse ø15/ø27x73 CT HD	1	Stk
44,0350,1991	Gasdüse ø15/ø27x74 CT	1	Stk

MTB 400i G ML /15°/L227/H27 (44,0350,3155)

Artikelnr.	Bezeichnung	Menge	Einheit
44,0350,1987	Gasdüse ø15/ø27x80,5 CT	1	Stk
44,0350,1988	Gasdüse ø15/ø27x82,5 CT	1	Stk
42,0001,4476	Gasdüse ø17/ø25x61 CT	1	Stk
42,0001,4494	Gasdüse ø17/ø25x61 CT/C	1	Stk
42,0001,4050	Gasdüse ø17/ø25x63 CT	1	Stk
42,0001,4049	Gasdüse ø17/ø25x68 CT	1	Stk
42,0001,4043	Gasdüse ø17/ø25x75 CT	1	Stk
44,0350,2021	Gasdüse ø17/ø27x67 CT	1	Stk
44,0350,1995	Gasdüse ø17/ø27x74 CT	1	Stk
44,0350,3179	Gasdüse ø17/ø27x83,5 CT	1	Stk
44,0350,2036	Gasdüse ø17/ø27x85	1	Stk
44,0350,3180	Gasdüse ø18/ø27x87,5 CT	1	Stk
42,0405,0753	Hitzeschutzschild PA6 ø18mm	1	Stk
44,0350,3880	Isolierhülse ø14/ø20,7x21 kpl.	1	Stk
42,0100,0530	Isolierring D20,5/D12,15x8mmHD	1	Stk
42,0100,1429	Isolierring ø20,5/ø12,15x8mm	1	Stk
42,0001,6537,10	Kontaktr. 0,8/M8x1,5/ø10x32 Al	1	ve
42,0001,7028,10	Kontaktr.0,9/M8x1,5/ø10x32/SQ	1	ve
42,0001,4750,10	Kontaktr. 1,0/M8x1,5/ø10x32 Al	1	ve
42,0001,7029,10	Kontaktr.1,0/M8x1,5/ø10x32/SQ	1	ve
42,0001,4751,10	Kontaktr. 1,2/M8x1,5/ø10x32 Al	1	ve
42,0001,7030,10	Kontaktr.1,2/M8x1,5/ø10x32/SQ	1	ve
42,0001,4752,10	Kontaktr.1,6/M8x1,5/ø10x32 Al	1	ve
42,0001,4928	Kontaktrohr 0,6/M6/8x24mm	1	Stk
42,0001,6524,10	Kontaktrohr 0,7/M6/8x24mm	1	ve
42,0001,6482,10	Kontaktrohr 0,7/M8x1,5/ø10x32	1	ve
42,0001,4461,10	Kontaktrohr 0,8/M6/ø8x24	1	ve
42,0001,6525,10	Kontaktrohr 0,8/M6/ø8x24 Al	1	ve
42,0001,6464,10	Kontaktrohr 0,8/M8x1,5/ø10x32	1	ve
42,0001,4462,10	Kontaktrohr 0,9/M6/ø8x24	1	ve
42,0001,7025,10	Kontaktrohr 0,9/M6/ø8x24/SQ	1	ve
42,0001,6465,10	Kontaktrohr 0,9/M8x1,5/ø10x32	1	ve
42,0001,4463,10	Kontaktrohr 1,0/M6/ø8x24	1	ve
42,0001,6526,10	Kontaktrohr 1,0/M6/ø8x24 Al	1	ve

MTB 400i G ML /15°/L227/H27 (44,0350,3155)

Artikelnr.	Bezeichnung	Menge	Einheit
42,0001,7026,10	Kontaktrohr 1,0/M6/ø8x24/SQ	1	ve
42,0001,6466,10	Kontaktrohr 1,0/M8x1,5/ø10x32	1	ve
42,0001,6527,10	Kontaktrohr 1,1/M6/ø8x24	1	ve
42,0001,6483,10	Kontaktrohr 1,1/M8x1,5/ø10x32	1	ve
42,0001,4464,10	Kontaktrohr 1,2/M6/ø8x24	1	ve
42,0001,6528,10	Kontaktrohr 1,2/M6/ø8x24 Al	1	ve
42,0001,7027,10	Kontaktrohr 1,2/M6/ø8x24/SQ	1	ve
42,0001,6467,10	Kontaktrohr 1,2/M8x1,5/ø10x32	1	ve
42,0001,6529,10	Kontaktrohr 1,3/M6/ø8x24	1	ve
42,0001,6484,10	Kontaktrohr 1,3/M8x1,5/ø10x32	1	ve
42,0001,4465,10	Kontaktrohr 1,4/M6/ø8x24	1	ve
42,0001,6468,10	Kontaktrohr 1,4/M8x1,5/ø10x32	1	ve
42,0001,6522,10	Kontaktrohr 1,5/M6/ø8x24	1	ve
42,0001,6485,10	Kontaktrohr 1,5/M8x1,5/ø10x32	1	ve
42,0001,4466,10	Kontaktrohr 1,6/M6/ø8x24	1	ve
42,0001,6523,10	Kontaktrohr 1,6/M6/ø8x24 Al	1	ve
42,0001,6469,10	Kontaktrohr 1,6/M8x1,5/ø10x32	1	ve
42,0001,6470,10	Kontaktrohr 1,8/M8x1,5/ø10x32	1	ve
42,0001,6471,10	Kontaktrohr 2,0/M8x1,5/ø10x32	1	ve
42,0001,6472,10	Kontaktrohr 2,4/M8x1,5/ø10x32	1	ve
42,0001,4642,10	Kontaktrohr 2,8/M8x1,5/ø10x32	1	ve
44,0350,3156	MTB 400i G ML /30°/L216/H57	1	Stk
44,0350,3157	MTB 400i G ML /45°/L197/H88	1	Stk
44,0350,3154	MTB 400i ML /G/0°/L230	1	Stk
44,0350,4169	MTB 400i ML /G/15°/L327/H27	1	Stk
44,0350,4170	MTB 400i ML /G/15°/L427/H27	1	Stk
44,0350,4171	MTB 400i ML /G/15°/L627/H27	1	Stk
44,0350,4172	MTB 400i ML /G/30°/L316/H57	1	Stk
44,0350,4173	MTB 400i ML /G/30°/L416/H57	1	Stk
44,0350,4174	MTB 400i ML /G/30°/L616/H57	1	Stk
44,0350,4175	MTB 400i ML /G/45°/L297/H88	1	Stk
44,0350,4176	MTB 400i ML /G/45°/L397/H88	1	Stk
44,0350,4177	MTB 400i ML /G/45°/L597/H88	1	Stk
44,0350,4178	MTB 400i ML /G/60°/L170/H119	1	Stk

MTB 400i G ML /15°/L227/H27 (44,0350,3155)

Artikelnr.	Bezeichnung	Menge	Einheit
42,0201,3216	Multitool TB wear parts	1	Stk
42,0402,0287	O-Ring Iø9x1,5mm NBR70	1	Stk
42,0402,0305	O-Ring Iø21x1,5 FKM	1	Stk
42,0402,0304	O-Ring Iø25x1,5 FKM	1	Stk
44,0450,1938	Rollgabel-Einsteckwerkzeug	1	Stk
42,0001,6336	Spannmutter Contec/SW11x19,5	1	Stk
42,0100,0575	SpritzerschutzØ11,2/Ø20,2x22	1	Stk
42,0100,0532	SpritzerschutzØ11,2/Ø20,2x22HD	1	Stk
42,0100,1156	Spritzerschutz ø14,5/ø18x21,3	1	Stk