



MTB 500i ML /W/60°/L154/H115

44,0350,4202


MTB 500i ML /W/60°/L154/H115 (44,0350,4202)


## Standard



| MTB<br>500i ML W | L   |        | H   |       | Standard     |
|------------------|-----|--------|-----|-------|--------------|
|                  | mm  | inch   | mm  | inch  |              |
| 0°               | 213 | 8.385  | 0   | 0.0   | 44,0350,3170 |
| 15°              | 210 | 8.268  | 27  | 1.063 | 44,0350,3171 |
| 15°              | 310 | 12.205 | 27  | 1.063 | 44,0350,4193 |
| 15°              | 410 | 16.142 | 27  | 1.063 | 44,0350,4194 |
| 15°              | 610 | 24.016 | 27  | 1.063 | 44,0350,4195 |
| 30°              | 199 | 7.835  | 56  | 2.205 | 44,0350,3172 |
| 30°              | 299 | 11.772 | 56  | 2.205 | 44,0350,4196 |
| 30°              | 399 | 15.709 | 56  | 2.205 | 44,0350,4197 |
| 30°              | 599 | 23.583 | 56  | 2.205 | 44,0350,4198 |
| 45°              | 180 | 7.087  | 87  | 3.425 | 44,0350,3173 |
| 45°              | 280 | 11.024 | 87  | 3.425 | 44,0350,4199 |
| 45°              | 380 | 14.961 | 87  | 3.425 | 44,0350,4200 |
| 45°              | 580 | 22.835 | 87  | 3.425 | 44,0350,4201 |
| 60°              | 154 | 6.063  | 116 | 4.567 | 44,0350,4202 |


# MTB 500i ML /W/60°/L154/H115 (44,0350,4202)




| TAB. 1 <span style="border: 1px solid black; padding: 2px;">CuCrZr</span>                                                                          |  | Ø mm | Ø inch | Part No.        |
|----------------------------------------------------------------------------------------------------------------------------------------------------|--|------|--------|-----------------|
|                                                                   |  | 0,6  | 0,023  | 42,0001,4928    |
|                                                                                                                                                    |  | 0,7  | 0,027  | 42,0001,6524,10 |
|                                                                                                                                                    |  | 0,8  | 0,030  | 42,0001,4461,10 |
|                                                                                                                                                    |  | 0,9  | 0,035  | 42,0001,4462,10 |
|                                                                                                                                                    |  | 1,0  | 0,040  | 42,0001,4463,10 |
|                                                                                                                                                    |  | 1,1  | 0,043  | 42,0001,6527,10 |
|                                                                                                                                                    |  | 1,2  | 0,045  | 42,0001,4464,10 |
|                                                                                                                                                    |  | 1,3  | 0,051  | 42,0001,6529,10 |
|                                                                                                                                                    |  | 1,4  | 0,052  | 42,0001,4465,10 |
|                                                                                                                                                    |  | 1,5  | 0,059  | 42,0001,6522,10 |
|                                                                                                                                                    |  | 1,6  | 0,062  | 42,0001,4466,10 |
|                                                                                                                                                    |  |      |        |                 |
|                                                                   |  | 0,7  | 0,027  | 42,0001,6482,10 |
|                                                                                                                                                    |  | 0,8  | 0,030  | 42,0001,6464,10 |
|                                                                                                                                                    |  | 0,9  | 0,035  | 42,0001,6465,10 |
|                                                                                                                                                    |  | 1,0  | 0,040  | 42,0001,6466,10 |
|                                                                                                                                                    |  | 1,1  | 0,043  | 42,0001,6483,10 |
|                                                                                                                                                    |  | 1,2  | 0,045  | 42,0001,6467,10 |
|                                                                                                                                                    |  | 1,3  | 0,051  | 42,0001,6484,10 |
|                                                                                                                                                    |  | 1,4  | 0,052  | 42,0001,6468,10 |
|                                                                                                                                                    |  | 1,5  | 0,059  | 42,0001,6485,10 |
|                                                                                                                                                    |  | 1,6  | 0,062  | 42,0001,6469,10 |
|                                                                                                                                                    |  | 1,8  | 0,071  | 42,0001,6470,10 |
|                                                                                                                                                    |  | 2,0  | 0,078  | 42,0001,6471,10 |
| <span style="border: 1px solid black; padding: 2px;">Al</span>  |  | 0,8  | 0,030  | 42,0001,6525,10 |
|                                                                                                                                                    |  | 1,0  | 0,040  | 42,0001,6526,10 |
|                                                                                                                                                    |  | 1,2  | 0,045  | 42,0001,6528,10 |
|                                                                                                                                                    |  | 1,6  | 0,062  | 42,0001,6523,10 |
|                                                                                                                                                    |  |      |        |                 |
| <span style="border: 1px solid black; padding: 2px;">Al</span>  |  | 0,8  | 0,030  | 42,0001,6537,10 |
|                                                                                                                                                    |  | 1,0  | 0,040  | 42,0001,4750,10 |
|                                                                                                                                                    |  | 1,2  | 0,045  | 42,0001,4751,10 |
|                                                                                                                                                    |  | 1,6  | 0,062  | 42,0001,4752,10 |
|                                                                                                                                                    |  |      |        |                 |


| TAB. 1 <span style="border: 1px solid black; padding: 2px;">E-Cu</span>             |  | Ø mm | Ø inch | Part No.        |
|-------------------------------------------------------------------------------------|--|------|--------|-----------------|
|  |  | 0,9  | 0,035  | 42,0001,7025,10 |
|                                                                                     |  | 1,0  | 0,040  | 42,0001,7026,10 |
|                                                                                     |  | 1,2  | 0,045  | 42,0001,7027,10 |
|                                                                                     |  |      |        |                 |
|  |  | 0,9  | 0,035  | 42,0001,7028,10 |
|                                                                                     |  | 1,0  | 0,040  | 42,0001,7029,10 |
|                                                                                     |  | 1,2  | 0,045  | 42,0001,7030,10 |
|                                                                                     |  |      |        |                 |


# MTB 500i ML /W/60°/L154/H115 (44,0350,4202)

| TAB. 2           |                  |  |                           |    |      |      |      |      |      |              |                                                                                     |                                |  |                         |  |
|------------------|------------------|-----------------------------------------------------------------------------------|---------------------------|----|------|------|------|------|------|--------------|-------------------------------------------------------------------------------------|--------------------------------|--|-------------------------|--|
|                  |                  | d1                                                                                |                           | d2 |      | d3   |      | L    |      | Part No.     |  |                                |  |                         |  |
|                  |                  | mm                                                                                | inch                      | mm | inch | mm   | inch | mm   | inch |              |                                                                                     |                                |  |                         |  |
| MTW<br>250i      | MTG<br>250i      | M20x2                                                                             |                           | 8  | 0.31 | 22   | 0.86 | 10,4 | 0.41 | 58           | 2.28                                                                                | 42,0001,6664                   |  | standard MTW 250i Braze |  |
|                  |                  | 10                                                                                | 0.39                      | 22 | 0.86 | 13,0 | 0.51 | 54   | 2.13 | 42,0001,4083 |                                                                                     |                                |  |                         |  |
|                  |                  | 13                                                                                | 0.51                      | 22 | 0.86 | 16,1 | 0.63 | 54   | 2.13 | 42,0001,4799 |                                                                                     |                                |  |                         |  |
|                  |                  | 13                                                                                | 0.51                      | 22 | 0.86 | 16,1 | 0.63 | 56   | 2.20 | 42,0001,4477 |                                                                                     | standard MTB 250i G/W R        |  |                         |  |
|                  |                  | 10                                                                                | 0.39                      | 22 | 0.86 | 13,0 | 0.51 | 58   | 2.28 | 42,0001,4084 |                                                                                     |                                |  |                         |  |
|                  |                  | 13                                                                                | 0,51                      | 22 | 0,86 | 16,1 | 0.63 | 56   | 2.20 | 42,0001,4498 | Al                                                                                  |                                |  |                         |  |
|                  |                  | 13                                                                                | 0,51                      | 22 | 0,86 | 16,1 | 0.63 | 58   | 2.28 | 42,0001,4065 |                                                                                     | standard MTG/MTW 250i          |  |                         |  |
|                  |                  | 15                                                                                | 0,59                      | 22 | 0,86 | 18,3 | 0.72 | 58   | 2.28 | 42,0001,4493 |                                                                                     |                                |  |                         |  |
|                  |                  | 18                                                                                | 0.71                      | 22 | 0.86 | 22   | 0.87 | 58   | 2.28 | 42,0001,4055 |                                                                                     |                                |  |                         |  |
| MTW<br>400i/500i | MTG<br>320i/400i | M23x2                                                                             |                           | 13 | 0.51 | 25   | 0.98 | 16,4 | 0.64 | 59           | 2.32                                                                                | 42,0001,4085                   |  |                         |  |
|                  |                  | 15                                                                                | 0.59                      | 25 | 0.98 | 18,6 | 0.73 | 59   | 2.32 | 42,0001,4048 |                                                                                     |                                |  |                         |  |
|                  |                  | 13                                                                                | 0.51                      | 25 | 0.98 | 16,4 | 0.64 | 61   | 2.40 | 42,0001,4086 |                                                                                     | standard MTB 320i G R          |  |                         |  |
|                  |                  | 15                                                                                | 0.59                      | 25 | 0.98 | 18,1 | 0.71 | 61   | 2.40 | 42,0001,4474 |                                                                                     | standard MTB 400i W R          |  |                         |  |
|                  |                  | 15                                                                                | 0.59                      | 27 | 1.06 | 20,2 | 0.80 | 61   | 2.40 | 42,0001,4789 |                                                                                     | MTB 400i W R, heavy duty       |  |                         |  |
|                  |                  | 17                                                                                | 0.71                      | 25 | 0.98 | 20,8 | 0.82 | 61   | 2.40 | 42,0001,4476 |                                                                                     | standard MTB 500i W R          |  |                         |  |
|                  |                  | 13                                                                                | 0.51                      | 25 | 0.98 | 16,4 | 0.64 | 61   | 2.40 | 42,0001,4497 | Al                                                                                  |                                |  |                         |  |
|                  |                  | 13                                                                                | 0.51                      | 25 | 0.98 | 16,4 | 0.64 | 63   | 2.48 | 42,0001,4080 |                                                                                     | standard MTG 320i              |  |                         |  |
|                  |                  | 15                                                                                | 0.59                      | 25 | 0.98 | 18,6 | 0.73 | 61   | 2.40 | 42,0001,4496 | Al                                                                                  |                                |  |                         |  |
|                  |                  | 15                                                                                | 0.59                      | 25 | 0.98 | 18,6 | 0.73 | 63   | 2.48 | 42,0001,4051 |                                                                                     | standard MTW 400i              |  |                         |  |
|                  |                  | 17                                                                                | 0.71                      | 25 | 0.98 | 20,8 | 0.82 | 61   | 2.40 | 42,0001,4494 | Al                                                                                  |                                |  |                         |  |
|                  |                  | 17                                                                                | 0.71                      | 25 | 0.98 | 20,8 | 0.82 | 63   | 2.48 | 42,0001,4050 |                                                                                     | standard MTW500i,330i W R long |  |                         |  |
|                  |                  | 17                                                                                | 0.71                      | 27 | 1.06 | 20,8 | 0.82 | 63   | 2.48 | 42,0001,4216 |                                                                                     | MTW 500i, heavy duty           |  |                         |  |
|                  |                  | 21                                                                                | 0.82                      | 25 | 0.98 | 25,0 | 0.98 | 63   | 2.48 | 42,0001,4054 |                                                                                     |                                |  |                         |  |
|                  |                  | 15                                                                                | 0.59                      | 25 | 0.98 | 18,6 | 0.73 | 68   | 2.68 | 42,0001,4052 |                                                                                     |                                |  |                         |  |
|                  |                  | 17                                                                                | 0.71                      | 25 | 0.98 | 20,8 | 0.82 | 68   | 2.68 | 42,0001,4049 |                                                                                     |                                |  |                         |  |
|                  |                  | 13                                                                                | 0.51                      | 25 | 0.98 | 16,4 | 0.64 | 71   | 2.80 | 42,0001,4087 |                                                                                     |                                |  |                         |  |
|                  |                  | 15                                                                                | 0.59                      | 25 | 0.98 | 18,6 | 0.73 | 71   | 2.80 | 42,0001,4788 |                                                                                     |                                |  |                         |  |
|                  |                  | 13                                                                                | 0.51                      | 25 | 0.98 | 16,4 | 0.64 | 73   | 2.87 | 42,0001,4088 |                                                                                     |                                |  |                         |  |
|                  |                  | 15                                                                                | 0.59                      | 25 | 0.98 | 18,6 | 0.73 | 73   | 2.87 | 42,0001,4475 |                                                                                     | standard MTB 400i G R          |  |                         |  |
|                  |                  | 15                                                                                | 0.59                      | 27 | 1.06 | 18,6 | 0.73 | 73   | 2.87 | 42,0001,4790 |                                                                                     | MTB 400i G R, heavy duty       |  |                         |  |
|                  |                  | 15                                                                                | 0.59                      | 25 | 0.98 | 18,6 | 0.73 | 73   | 2.87 | 42,0001,4495 | Al                                                                                  |                                |  |                         |  |
|                  |                  | 15                                                                                | 0.59                      | 25 | 0.98 | 18,6 | 0.73 | 75   | 2.95 | 42,0001,4045 |                                                                                     | standard MTG 400i              |  |                         |  |
|                  |                  | 17                                                                                | 0.71                      | 25 | 0.98 | 20,8 | 0.82 | 75   | 2.95 | 42,0001,4043 |                                                                                     |                                |  |                         |  |
|                  |                  | 21                                                                                | 0.82                      | 25 | 0.98 | 25,0 | 0.98 | 75   | 2.95 | 42,0001,4053 |                                                                                     |                                |  |                         |  |
|                  |                  | 15                                                                                | 0.59                      | 25 | 0.98 | 18,6 | 0.73 | 80   | 3.15 | 42,0001,4047 |                                                                                     |                                |  |                         |  |
|                  |                  | MTB W<br>400i R<br>500i R                                                         | MTB G<br>320i R<br>400i R |    |      |      |      |      |      |              |                                                                                     |                                |  |                         |  |
|                  |                  |                                                                                   |                           |    |      |      |      |      |      |              |                                                                                     |                                |  |                         |  |
|                  |                  |                                                                                   |                           |    |      |      |      |      |      |              |                                                                                     |                                |  |                         |  |
|                  |                  |                                                                                   |                           |    |      |      |      |      |      |              |                                                                                     |                                |  |                         |  |
|                  |                  |                                                                                   |                           |    |      |      |      |      |      |              |                                                                                     |                                |  |                         |  |
|                  |                  |                                                                                   |                           |    |      |      |      |      |      |              |                                                                                     |                                |  |                         |  |
|                  |                  |                                                                                   |                           |    |      |      |      |      |      |              |                                                                                     |                                |  |                         |  |
|                  |                  |                                                                                   |                           |    |      |      |      |      |      |              |                                                                                     |                                |  |                         |  |
|                  |                  |                                                                                   |                           |    |      |      |      |      |      |              |                                                                                     |                                |  |                         |  |


# MTB 500i ML /W/60°/L154/H115 (44,0350,4202)

| TAB. 6                                                                            |                 |       |      |      |      |      |      |      |      |          |                                                                                     |              |                               |                                |  |  |
|-----------------------------------------------------------------------------------|-----------------|-------|------|------|------|------|------|------|------|----------|-------------------------------------------------------------------------------------|--------------|-------------------------------|--------------------------------|--|--|
|  |                 |       |      |      |      |      |      |      |      |          |                                                                                     |              |                               |                                |  |  |
|                                                                                   |                 | d1    |      | d2   |      | d3   |      | L    |      | Part No. |  |              |                               |                                |  |  |
|                                                                                   |                 | mm    | inch | mm   | inch | mm   | inch | mm   | inch |          |                                                                                     |              |                               |                                |  |  |
| MTB G<br>330i R                                                                   | MTB W<br>330i R | M23x2 |      | 13   | 0.51 | ø25  | 0.98 | 16   | 0.63 | 37       | 1.46                                                                                | 42,0001,4533 |                               | not possible at MTB 330i G R H |  |  |
|                                                                                   |                 |       | 13   | 0.51 | ø25  | 0.98 | 16   | 0.63 | 41   | 1.61     | 42,0001,4487                                                                        |              | standard MTB 330i W R / G ML  |                                |  |  |
|                                                                                   |                 |       | 13   | 0.51 | ø25  | 0.98 | 16   | 0.63 | 39,5 | 1.61     | 42,0001,4534                                                                        | AI           |                               |                                |  |  |
|                                                                                   |                 |       | 13   | 0.51 | ø25  | 0.98 | 16   | 0.63 | 39,5 | 1.56     | 42,0001,4902                                                                        |              | standard MTB 330i G R   G R H |                                |  |  |
|                                                                                   |                 |       | 15   | 0.59 | ø25  | 0.98 | 18   | 0.72 | 39,5 | 1.56     | 42,0001,5023                                                                        |              |                               |                                |  |  |


|                         |  |                                                                                   |      |           |      |           |      |           |      |              |  |                         |                                                                                     |
|-------------------------|--|-----------------------------------------------------------------------------------|------|-----------|------|-----------|------|-----------|------|--------------|--|-------------------------|-------------------------------------------------------------------------------------|
| <b>TAB. 7</b>           |  |  |      |           |      |           |      |           |      |              |  |                         |                                                                                     |
|                         |  |                                                                                   |      | <b>d1</b> |      | <b>d2</b> |      | <b>d3</b> |      | <b>L</b>     |  | <b>Part No.</b>         |  |
|                         |  | mm                                                                                | inch | mm        | inch | mm        | inch | mm        | inch |              |  |                         |                                                                                     |
| <b>MTB W 330i W R H</b> |  | 13                                                                                | 0.51 | ø25       | 0.98 | 16        | 0.63 | 41        | 1,61 | 42,0001,4486 |  | standard MTB 330i W R H |                                                                                     |

| TAB. 8 narrow gap                                                                 |  |       |      |     |      |     |      |    |      |              |                                                                                     |              |  |  |
|-----------------------------------------------------------------------------------|--|-------|------|-----|------|-----|------|----|------|--------------|-------------------------------------------------------------------------------------|--------------|--|--|
|  |  | d1    |      | d2  |      | d3  |      | L  |      | Part No.     |  |              |  |  |
|                                                                                   |  | mm    | inch | mm  | inch | mm  | inch | mm | inch |              |                                                                                     |              |  |  |
|                                                                                   |  | 13    | 0.51 | ø25 | 0.98 | 16  | 0.63 | 56 | 2.21 | 42,0001,4745 |                                                                                     |              |  |  |
| MTB W 330i R<br>MTB G 330i R                                                      |  | M23x2 |      | 13  | 0.51 | ø25 | 0.98 | 16 | 0.63 | 50           | 1.97                                                                                | 42,0001,6772 |  |  |



| TAB. 9                                                                            |       |    |      |     |      |    |      |    |      |              |  |                                                                                      |                       |
|-----------------------------------------------------------------------------------|-------|----|------|-----|------|----|------|----|------|--------------|--|--------------------------------------------------------------------------------------|-----------------------|
|  |       |    |      |     |      |    |      |    |      |              |  |                                                                                      |                       |
|                                                                                   |       | d1 |      | d2  |      | d3 |      | L  |      | Part No.     |  |  |                       |
|                                                                                   |       | mm | inch | mm  | inch | mm | inch | mm | inch |              |  |                                                                                      |                       |
| MTB G 330i R long                                                                 | M23x2 | 13 | 0.51 | ø27 | 1.06 | 18 | 0.72 | 53 | 2.09 | 42,0001,4858 |  |                                                                                      | standard MTB 330i G R |
|                                                                                   |       | 15 | 0.59 | ø27 | 1.06 | 18 | 0.72 | 53 | 2.09 | 42,0001,4857 |  |                                                                                      |                       |
|                                                                                   |       | 15 | 0.59 | ø27 | 1.06 | 18 | 0.72 | 57 | 2.09 | 42,0001,4856 |  |                                                                                      |                       |

| TAB. 10                                                                             |       |     |      |     |      |      |      |              |      |                   |                                                                                       |  |  |
|-------------------------------------------------------------------------------------|-------|-----|------|-----|------|------|------|--------------|------|-------------------|---------------------------------------------------------------------------------------|--|--|
|  |       |     |      |     |      |      |      |              |      |                   |                                                                                       |  |  |
| MTG 550i                                                                            | M25x3 | d1  |      | d2  |      | d3   |      | L            |      | Part No.          |  |  |  |
|                                                                                     |       | mm  | inch | mm  | inch | mm   | inch | mm           | inch |                   |                                                                                       |  |  |
|                                                                                     |       | 15  | 0.59 | ø27 | 1.06 | 19   | 0.75 | 67           | 2.64 | 44,0350,2020      |                                                                                       |  |  |
|                                                                                     |       | 17  | 0.67 | ø27 | 1.06 | 21   | 0.83 | 67           | 2.64 | 44,0350,2021      |                                                                                       |  |  |
|                                                                                     |       | 15  | 0.59 | ø27 | 1.06 | 19   | 0.75 | 74           | 2.91 | 44,0350,1991      |                                                                                       |  |  |
|                                                                                     |       | 17  | 0.67 | ø27 | 1.06 | 21   | 0.83 | 74           | 3.91 | 44,0350,1995      |                                                                                       |  |  |
|                                                                                     |       | 15  | 0.59 | ø27 | 1.06 | 19   | 0.75 | 80,5         | 3.17 | 44,0350,1987      |                                                                                       |  |  |
|                                                                                     |       | 15  | 0.59 | ø27 | 1.06 | 19   | 0.75 | 82,5         | 3.25 | 44,0350,1988      |                                                                                       |  |  |
|                                                                                     |       | 17  | 0.67 | ø27 | 1.06 | 21   | 0.83 | 83,5         | 3.29 | 44,0350,3179      |                                                                                       |  |  |
| 18                                                                                  | 0.71  | ø27 | 1.06 | 22  | 0.89 | 87,5 | 3.44 | 44,0350,3180 |      | standard MTG 550i |                                                                                       |  |  |

| TAB. 11                                                                             |       |    |      |     |      |    |      |      |      |              |                                                                                       |                                  |  |  |  |
|-------------------------------------------------------------------------------------|-------|----|------|-----|------|----|------|------|------|--------------|---------------------------------------------------------------------------------------|----------------------------------|--|--|--|
|  |       | d1 |      | d2  |      | d3 |      | L    |      | Part No.     |  |                                  |  |  |  |
|                                                                                     |       | mm | inch | mm  | inch | mm | inch | mm   | inch |              |                                                                                       |                                  |  |  |  |
| MTB 400/500i W R<br>MTB 320/400i G R                                                | M23x2 | 13 | 0.51 | ø25 | 0.98 | 16 | 0.63 | 62,5 | 2.46 | 42,0001,4917 |                                                                                       | standard MTB 320i G / 400/500i W |  |  |  |
|                                                                                     |       | 10 | 0.39 | ø25 | 0.98 | 16 | 0.63 | 68,0 | 2.68 | 42,0001,6715 |                                                                                       |                                  |  |  |  |
|                                                                                     |       | 13 | 0.51 | ø25 | 0.98 | 16 | 0.63 | 68,0 | 2.68 | 42,0001,6716 |                                                                                       |                                  |  |  |  |
|                                                                                     |       | 13 | 0.51 | ø25 | 0.98 | 16 | 0.63 | 74,5 | 2.93 | 42,0001,4918 |                                                                                       | standard MTB 400i G              |  |  |  |

| TAB. 15                                                                             |      |    |      |     |      |      |      |    |      |              |                                                                                       |                     |  |
|-------------------------------------------------------------------------------------|------|----|------|-----|------|------|------|----|------|--------------|---------------------------------------------------------------------------------------|---------------------|--|
|  |      | d1 |      | d2  |      | d3   |      | L  |      | Part No.     |  |                     |  |
|                                                                                     |      | mm | inch | mm  | inch | mm   | inch | mm | inch |              |                                                                                       |                     |  |
| MTW 500i                                                                            | plug | 17 | 0.66 | ø27 | 1.06 | 22,2 | 0.87 | 85 | 3.34 | 44,0350,2036 |                                                                                       | standard MTB 500i W |  |

## TOOLS



## MTB 500i ML /W/60°/L154/H115 (44,0350,4202)

| Artikelnr.       | Bezeichnung                     | Menge | Einheit |
|------------------|---------------------------------|-------|---------|
| 44,0450,1436     | Ausziehwkzgc CPC +35mm verläng. | 1     | Stk     |
| 42,0001,3912,10  | Contec-Shell 10pcs MD           | 1     | ve      |
| 42,0001,3912,100 | Contec-Shell 100pcs MD          | 1     | ve      |
| 45,0200,0826     | Dr.Schlüssel Überwurfmutter BY  | 1     | Stk     |
| 42,0411,9040     | Drehmomentschl. 4-20Nm          | 1     | Stk     |
| 44,0350,3426     | Düsenstock Contec MD MTW500i    | 1     | Stk     |
| 42,0001,4919     | Düsenstock M6/SW10x30 CU        | 1     | Stk     |
| 42,0001,4651     | Düsenstock M8x1,5/SW10x26,5 CU  | 1     | Stk     |
| 42,0001,4037     | Düsenstock M8x1,5/SW13x26,5 CU  | 1     | Stk     |
| 40,0009,0044     | Fett O-Ring transparent         | 1     | Stk     |
| 42,0001,6715     | Gasdüse Engspalt Ø10/Ø25x68 CT  | 1     | Stk     |
| 42,0001,4917     | Gasdüse Engspalt Ø13/Ø25x62,5   | 1     | Stk     |
| 42,0001,6716     | Gasdüse Engspalt Ø13/Ø25x68 CT  | 1     | Stk     |
| 42,0001,4918     | Gasdüse Engspalt Ø13/Ø25x74,5   | 1     | Stk     |
| 42,0001,6772     | Gasdüse Engspalt ø13/ø25x50 CT  | 1     | Stk     |
| 42,0001,4745     | Gasdüse Engspalt ø13/ø25x56 CT  | 1     | Stk     |
| 42,0001,4868     | Gasdüsenmundstück Ø17/Ø29x26,5  | 1     | Stk     |
| 42,0001,4257     | Gasdüsenmundstück Ø17/Ø29x29    | 1     | Stk     |
| 42,0001,0142     | Gasdüsenmundstück ø13/ø29x      | 1     | Stk     |
| 42,0001,4670     | Gasdüsenmundstück ø17/29x34 HD  | 1     | Stk     |
| 44,0350,4079     | Gasdüse W 700i Ø17/Ø29,5x68,5   | 1     | Stk     |
| 44,0350,0226     | Gasdüse W 700i ø13,2/ø29,5x69   | 1     | Stk     |
| 44,0350,3966     | Gasdüse W 700i ø17/ø29,5x71     | 1     | Stk     |
| 44,0350,3942     | Gasdüse W 700i ø17/ø29,5x76 HD  | 1     | Stk     |
| 42,0001,4055     | Gasdüse zyl ø18/ø22x58 CT       | 1     | Stk     |
| 42,0001,4054     | Gasdüse zyl ø21,1/ø25x63 CT     | 1     | Stk     |
| 42,0001,4053     | Gasdüse zyl ø21,1/ø25x75 CT     | 1     | Stk     |
| 44,0350,3935     | Gasdüse Ø15/Ø25x61 CT/H         | 1     | Stk     |
| 44,0350,3936     | Gasdüse Ø17/Ø25x61 CT/H         | 1     | Stk     |
| 42,0001,4216     | Gasdüse Ø17/Ø27x63 CT HD        | 1     | Stk     |
| 42,0001,6664     | Gasdüse ø8/ø22x57 CT            | 1     | Stk     |
| 42,0001,4083     | Gasdüse ø10/ø22x54 CT           | 1     | Stk     |
| 42,0001,4084     | Gasdüse ø10/ø22x58 CT           | 1     | Stk     |
| 42,0001,4858     | Gasdüse ø13/Ø27x53 CT           | 1     | Stk     |

## MTB 500i ML /W/60°/L154/H115 (44,0350,4202)

| Artikelnr.   | Bezeichnung               | Menge | Einheit |
|--------------|---------------------------|-------|---------|
| 42,0001,4799 | Gasdüse ø13/ø22x54 CT     | 1     | Stk     |
| 42,0001,4477 | Gasdüse ø13/ø22x56 CT     | 1     | Stk     |
| 42,0001,4498 | Gasdüse ø13/ø22x56 CT/C   | 1     | Stk     |
| 42,0001,4065 | Gasdüse ø13/ø22x58 CT     | 1     | Stk     |
| 42,0001,4533 | Gasdüse ø13/ø25x37 CT     | 1     | Stk     |
| 42,0001,4902 | Gasdüse ø13/ø25x39,5 CT   | 1     | Stk     |
| 42,0001,4534 | Gasdüse ø13/ø25x39,5 CT/C | 1     | Stk     |
| 42,0001,4487 | Gasdüse ø13/ø25x41 CT     | 1     | Stk     |
| 42,0001,4486 | Gasdüse ø13/ø25x41 CT/H   | 1     | Stk     |
| 42,0001,4085 | Gasdüse ø13/ø25x59 CT     | 1     | Stk     |
| 42,0001,4086 | Gasdüse ø13/ø25x61 CT     | 1     | Stk     |
| 42,0001,4497 | Gasdüse ø13/ø25x61 CT/C   | 1     | Stk     |
| 42,0001,4080 | Gasdüse ø13/ø25x63 CT     | 1     | Stk     |
| 42,0001,4087 | Gasdüse ø13/ø25x71 CT     | 1     | Stk     |
| 42,0001,4088 | Gasdüse ø13/ø25x73 CT     | 1     | Stk     |
| 42,0001,4857 | Gasdüse ø15/ø27x53 CT     | 1     | Stk     |
| 42,0001,4856 | Gasdüse ø15/ø27x57 CT     | 1     | Stk     |
| 42,0001,4493 | Gasdüse ø15/ø22x58 CT     | 1     | Stk     |
| 42,0001,5023 | Gasdüse ø15/ø25x39,5 CT   | 1     | Stk     |
| 42,0001,4048 | Gasdüse ø15/ø25x59 CT     | 1     | Stk     |
| 42,0001,4474 | Gasdüse ø15/ø25x61 CT     | 1     | Stk     |
| 42,0001,4496 | Gasdüse ø15/ø25x61 CT/C   | 1     | Stk     |
| 42,0001,4051 | Gasdüse ø15/ø25x63 CT     | 1     | Stk     |
| 42,0001,4052 | Gasdüse ø15/ø25x68 CT     | 1     | Stk     |
| 42,0001,4788 | Gasdüse ø15/ø25x71 CT     | 1     | Stk     |
| 42,0001,4475 | Gasdüse ø15/ø25x73 CT     | 1     | Stk     |
| 42,0001,4495 | Gasdüse ø15/ø25x73 CT/C   | 1     | Stk     |
| 42,0001,4045 | Gasdüse ø15/ø25x75 CT     | 1     | Stk     |
| 42,0001,4047 | Gasdüse ø15/ø25x80 CT     | 1     | Stk     |
| 42,0001,4789 | Gasdüse ø15/ø27x61 CT HD  | 1     | Stk     |
| 44,0350,2020 | Gasdüse ø15/ø27x67 CT     | 1     | Stk     |
| 42,0001,4790 | Gasdüse ø15/ø27x73 CT HD  | 1     | Stk     |
| 44,0350,1991 | Gasdüse ø15/ø27x74 CT     | 1     | Stk     |
| 44,0350,1987 | Gasdüse ø15/ø27x80,5 CT   | 1     | Stk     |

# MTB 500i ML /W/60°/L154/H115 (44,0350,4202)

| Artikelnr.      | Bezeichnung                    | Menge | Einheit |
|-----------------|--------------------------------|-------|---------|
| 44,0350,1988    | Gasdüse ø15/ø27x82,5 CT        | 1     | Stk     |
| 42,0001,4476    | Gasdüse ø17/ø25x61 CT          | 1     | Stk     |
| 42,0001,4494    | Gasdüse ø17/ø25x61 CT/C        | 1     | Stk     |
| 42,0001,4050    | Gasdüse ø17/ø25x63 CT          | 1     | Stk     |
| 42,0001,4049    | Gasdüse ø17/ø25x68 CT          | 1     | Stk     |
| 42,0001,4043    | Gasdüse ø17/ø25x75 CT          | 1     | Stk     |
| 44,0350,2021    | Gasdüse ø17/ø27x67 CT          | 1     | Stk     |
| 44,0350,1995    | Gasdüse ø17/ø27x74 CT          | 1     | Stk     |
| 44,0350,3179    | Gasdüse ø17/ø27x83,5 CT        | 1     | Stk     |
| 44,0350,2036    | Gasdüse ø17/ø27x85             | 1     | Stk     |
| 44,0350,3180    | Gasdüse ø18/ø27x87,5 CT        | 1     | Stk     |
| 42,0405,0753    | Hitzeschutzschild PA6 ø18mm    | 1     | Stk     |
| 42,0100,1329    | Isolerring W ø20,8/14*7,3      | 1     | Stk     |
| 42,0100,1371    | Isolerring Ø20,8/Ø14x8,5       | 1     | Stk     |
| 42,0100,1497    | Isolerring ø20,7/ø14x15        | 1     | Stk     |
| 42,0001,6537,10 | Kontaktr. 0,8/M8x1,5/ø10x32 Al | 1     | ve      |
| 42,0001,7028,10 | Kontaktr.0,9/M8x1,5/ø10x32/SQ  | 1     | ve      |
| 42,0001,4750,10 | Kontaktr. 1,0/M8x1,5/ø10x32 Al | 1     | ve      |
| 42,0001,7029,10 | Kontaktr.1,0/M8x1,5/ø10x32/SQ  | 1     | ve      |
| 42,0001,4751,10 | Kontaktr. 1,2/M8x1,5/ø10x32 Al | 1     | ve      |
| 42,0001,7030,10 | Kontaktr.1,2/M8x1,5/ø10x32/SQ  | 1     | ve      |
| 42,0001,4752,10 | Kontaktr.1,6/M8x1,5/ø10x32 Al  | 1     | ve      |
| 42,0001,4928    | Kontaktrohr 0,6/M6/8x24mm      | 1     | Stk     |
| 42,0001,6524,10 | Kontaktrohr 0,7/M6/8x24mm      | 1     | ve      |
| 42,0001,6482,10 | Kontaktrohr 0,7/M8x1,5/ø10x32  | 1     | ve      |
| 42,0001,4461,10 | Kontaktrohr 0,8/M6/ø8x24       | 1     | ve      |
| 42,0001,6525,10 | Kontaktrohr 0,8/M6/ø8x24 Al    | 1     | ve      |
| 42,0001,6464,10 | Kontaktrohr 0,8/M8x1,5/ø10x32  | 1     | ve      |
| 42,0001,4462,10 | Kontaktrohr 0,9/M6/ø8x24       | 1     | ve      |
| 42,0001,7025,10 | Kontaktrohr 0,9/M6/ø8x24/SQ    | 1     | ve      |
| 42,0001,6465,10 | Kontaktrohr 0,9/M8x1,5/ø10x32  | 1     | ve      |
| 42,0001,4463,10 | Kontaktrohr 1,0/M6/ø8x24       | 1     | ve      |
| 42,0001,6526,10 | Kontaktrohr 1,0/M6/ø8x24 Al    | 1     | ve      |
| 42,0001,7026,10 | Kontaktrohr 1,0/M6/ø8x24/SQ    | 1     | ve      |

## MTB 500i ML /W/60°/L154/H115 (44,0350,4202)

| Artikelnr.      | Bezeichnung                   | Menge | Einheit |
|-----------------|-------------------------------|-------|---------|
| 42,0001,6466,10 | Kontaktrohr 1,0/M8x1,5/ø10x32 | 1     | ve      |
| 42,0001,6527,10 | Kontaktrohr 1,1/M6/ø8x24      | 1     | ve      |
| 42,0001,6483,10 | Kontaktrohr 1,1/M8x1,5/ø10x32 | 1     | ve      |
| 42,0001,4464,10 | Kontaktrohr 1,2/M6/ø8x24      | 1     | ve      |
| 42,0001,6528,10 | Kontaktrohr 1,2/M6/ø8x24 Al   | 1     | ve      |
| 42,0001,7027,10 | Kontaktrohr 1,2/M6/ø8x24/SQ   | 1     | ve      |
| 42,0001,6467,10 | Kontaktrohr 1,2/M8x1,5/ø10x32 | 1     | ve      |
| 42,0001,6529,10 | Kontaktrohr 1,3/M6/ø8x24      | 1     | ve      |
| 42,0001,6484,10 | Kontaktrohr 1,3/M8x1,5/ø10x32 | 1     | ve      |
| 42,0001,4465,10 | Kontaktrohr 1,4/M6/ø8x24      | 1     | ve      |
| 42,0001,6468,10 | Kontaktrohr 1,4/M8x1,5/ø10x32 | 1     | ve      |
| 42,0001,6522,10 | Kontaktrohr 1,5/M6/ø8x24      | 1     | ve      |
| 42,0001,6485,10 | Kontaktrohr 1,5/M8x1,5/ø10x32 | 1     | ve      |
| 42,0001,4466,10 | Kontaktrohr 1,6/M6/ø8x24      | 1     | ve      |
| 42,0001,6523,10 | Kontaktrohr 1,6/M6/ø8x24 Al   | 1     | ve      |
| 42,0001,6469,10 | Kontaktrohr 1,6/M8x1,5/ø10x32 | 1     | ve      |
| 42,0001,6470,10 | Kontaktrohr 1,8/M8x1,5/ø10x32 | 1     | ve      |
| 42,0001,6471,10 | Kontaktrohr 2,0/M8x1,5/ø10x32 | 1     | ve      |
| 42,0001,6472,10 | Kontaktrohr 2,4/M8x1,5/ø10x32 | 1     | ve      |
| 42,0001,4642,10 | Kontaktrohr 2,8/M8x1,5/ø10x32 | 1     | ve      |
| 44,0350,3170    | MTB 500i ML /W/0°/L213        | 1     | Stk     |
| 44,0350,4193    | MTB 500i ML /W/15°/L310/H27   | 1     | Stk     |
| 44,0350,4194    | MTB 500i ML /W/15°/L410/H27   | 1     | Stk     |
| 44,0350,4195    | MTB 500i ML /W/15°/L610/H27   | 1     | Stk     |
| 44,0350,4196    | MTB 500i ML /W/30°/L299/H56   | 1     | Stk     |
| 44,0350,4197    | MTB 500i ML /W/30°/L399/H56   | 1     | Stk     |
| 44,0350,4198    | MTB 500i ML /W/30°/L599/H56   | 1     | Stk     |
| 44,0350,4199    | MTB 500i ML /W/45°/L280/H87   | 1     | Stk     |
| 44,0350,4200    | MTB 500i ML /W/45°/L380/H87   | 1     | Stk     |
| 44,0350,4201    | MTB 500i ML /W/45°/L580/H87   | 1     | Stk     |
| 44,0350,3171    | MTB 500i W ML /15°/L209/H27   | 1     | Stk     |
| 44,0350,3172    | MTB 500i W ML /30°/L199/H56   | 1     | Stk     |
| 44,0350,3173    | MTB 500i W ML /45°/L180/H87   | 1     | Stk     |
| 42,0201,3216    | Multitool TB wear parts       | 1     | Stk     |

## MTB 500i ML /W/60°/L154/H115 (44,0350,4202)

| Artikelnr.   | Bezeichnung                    | Menge | Einheit |
|--------------|--------------------------------|-------|---------|
| 42,0402,0317 | O-Ring lø20x1,3 FKM            | 1     | Stk     |
| 42,0402,0305 | O-Ring lø21x1,5 FKM            | 1     | Stk     |
| 42,0402,0304 | O-Ring lø25x1,5 FKM            | 1     | Stk     |
| 44,0450,1938 | Rollgabel-Einsteckwerkzeug     | 1     | Stk     |
| 42,0001,6336 | Spannmutter Contec/SW11x19,5   | 1     | Stk     |
| 42,0405,0854 | Spritzerschutz Ø10/Ø20,8x24mm  | 1     | Stk     |
| 42,0100,0591 | SpritzerschutzØ10/Ø20,8x24mmHD | 1     | Stk     |
| 42,0100,1156 | Spritzerschutz ø14,5/ø18x21,3  | 1     | Stk     |