


MTG 250i Exento/FSC/UD/4,5m


4,036,457

MTG 250i Exento/FSC/UD/4,5m (4,036,457)




DETAIL IF

UP/DOWN LED




MTG 250i Exento/FSC/UD/4,5m (4,036,457)


MTG 250i




OPT/i T-Handle Exento 44,0350,2169



OPT/i Button Extension Kit




Torch Trigger on the top




OPTION EXENTO

OPTION LEATHER


40,0001,0373 - 1,3m (4.3ft) **x)**
40,0001,0609 - 2,8m (9.2ft)
40,0001,0610 - 3,8m (12.5ft)





x) standard




TAB. 1 contact tip

M6	CuCrZr	Ø mm	Ø inch	Part No.
		0,6	0,023	42,0001,4928,10
		0,7	0,027	42,0001,6524,10
		0,8	0,030	42,0001,4461,10
		0,9	0,035	42,0001,4462,10
		1,0	0,040	42,0001,4463,10
		1,1	0,043	42,0001,6527,10
		1,2	0,045	42,0001,4464,10
		1,3	0,051	42,0001,6529,10
		1,4	0,052	42,0001,4465,10
		1,5	0,059	42,0001,6522,10
		1,6	0,062	42,0001,4466,10

M6	CuCrZr	Ø mm	Ø inch	Part No.
	AI	0,8	0,030	42,0001,6525,10
		1,0	0,040	42,0001,6526,10
		1,2	0,045	42,0001,6528,10
		1,6	0,062	42,0001,6523,10


M6	E-Cu	Ø mm	Ø inch	Part No.
		0,9	0,035	42,0001,7025,10
		1,0	0,040	42,0001,7026,10
		1,2	0,045	42,0001,7027,10

TAB. 2 gas nozzle



M20x2


d1		d2		d3		L		Part No.	
mm	inch	mm	inch	mm	inch	mm	inch		
8	0.31	22	0.86	10,4	0.41	58	2.28	42,0001,6664	
10	0.39	22	0.86	13,0	0.51	54	2.13	42,0001,4083	
13	0.51	22	0.86	16,1	0.63	54	2.13	42,0001,4799	
13	0.51	22	0.86	16,1	0.63	56	2.20	42,0001,4477	
10	0.39	22	0.86	13,0	0.51	58	2.28	42,0001,4084	
13	0,51	22	0,86	16,1	0.63	56	2.20	42,0001,4498	Al
13	0,51	22	0,86	16,1	0.63	58	2.28	42,0001,4065	
15	0,59	22	0,86	18,3	0.72	58	2.28	42,0001,4493	
18	0.71	22	0.86	22	0.87	58	2.28	42,0001,4055	

TAB. 4 clamping piece

 Ø mm Ø inch		Fe / CrNi	Alu / CuSi	colour	
0,8	.031		44,0350,3314	grey	
0,8	.031	44,0350,3315		grey	
0,9-1,0	.039	44,0350,3317		blue	
1,2	.047	44,0350,3318		red	
1,4-1,6	.062	44,0350,3320		black	
2,0	.078		44,0350,3321	green	
2,4	.095		44,0350,4245	brown	
2,0	.078	42,0001,4589			 only stuck
2,4	.095				
2,8	.110				

Tab. 3






material			d1		d2		Part No. L		Part No. L		Part No. L	
	Ø mm	Ø inch	mm	inch	mm	inch	5m	16.4feet	15m	49.2feet	50m	160feet
Steel liner	0,8	.030	1,4	.055	4,4	.176	40,0002,0040,005		40,0002,0040,015		40,0002,0040,050	
Steel liner	0,9-1,0	.035/.040	1,6	.062	4,8	.189	40,0002,0041,005		40,0002,0041,015		40,0002,0041,050	
Steel liner	1,2	.045	1,9	.074	4,9	.192	40,0002,0042,005		40,0002,0042,015		40,0002,0042,050	
Steel liner	1,4-1,6	.052/.062	2,5	.098	4,9	.192	40,0002,0043,005		40,0002,0043,015		40,0002,0043,050	
CrNi liner	0,8	.030	1,4	.055	4,4	.176	40,0002,0044,005		40,0002,0044,015		40,0002,0044,050	
CrNi liner	0,9-1,0	.035/.040	1,6	.062	4,8	.189	40,0002,0045,005		40,0002,0045,015		40,0002,0045,050	
CrNi liner	1,2	.045	1,9	.074	4,9	.192	40,0002,0046,005		40,0002,0046,015		40,0002,0046,050	
CrNi liner	1,4-1,6	.052/.062	2,5	.098	4,9	.192	40,0002,0047,005		40,0002,0047,015		40,0002,0047,050	
Steel liner coated	0,8	.030	1,4	.055	4,4	.176	40,0002,0052,005		40,0002,0052,015		40,0002,0052,050	
Steel liner coated	0,9-1,0	.035/.040	1,6	.062	4,8	.189	40,0002,0053,005		40,0002,0053,015		40,0002,0053,050	
Steel liner coated	1,2	.045	1,9	.074	4,9	.192	40,0002,0054,005		40,0002,0054,015		40,0002,0054,050	
Steel liner coated	1,4-1,6	.052/.062	2,5	.098	4,9	.192	40,0002,0055,005		40,0002,0055,015		40,0002,0055,050	

Tab. 3

combi liner W AL

combi liner G AL


combi inner liner G




		L		d1		d2		combi liner W AL	combi liner G AL	combi inner liner G
Ø mm	Ø inch	m	feet	mm	inch	mm	inch	Part No.	Part No.	Part No.
0,8	.030	2,0	6.5	1,2	.059	4,7	.185	44,0350,3388	44,0350,3400	44,0350,5550
0,8	.030	3,8	12.4	1,2	.059	4,7	.185	44,0350,3392	44,0350,3404	44,0350,5513
0,8	.030	4,8	15.7	1,2	.059	4,7	.185	44,0350,3396	44,0350,3408	44,0350,5518
0,9-1,0	.035/.040	2,0	6.5	1,5	.062	4,7	.185	44,0350,3389	44,0350,3401	44,0350,5551
0,9-1,0	.035/.040	3,8	12.4	1,5	.062	4,7	.185	44,0350,3393	44,0350,3405	44,0350,5514
0,9-1,0	.035/.040	4,8	15.7	1,5	.062	4,7	.185	44,0350,3397	44,0350,3409	44,0350,5519
1,2	.045	2,0	6.5	1,8	0.74	4,7	.185	44,0350,3390	44,0350,3402	44,0350,5552
1,2	.045	3,8	12.4	1,8	0.74	4,7	.185	44,0350,3394	44,0350,3406	44,0350,5515
1,2	.045	4,8	15.7	1,8	0.74	4,7	.185	44,0350,3398	44,0350,3410	44,0350,5520
1,4-1,6	.052/.062	2,0	6.5	2,4	.098	4,7	.185	44,0350,3391	44,0350,3403	44,0350,5553
1,4-1,6	.052/.062	3,8	12.4	2,4	.098	4,7	.185	44,0350,3395	44,0350,3407	44,0350,5516
1,4-1,6	.052/.062	4,8	15.7	2,4	.098	4,7	.185	44,0350,3399	44,0350,3411	44,0350,5521
2,0	.045	2,0	6.5	1,2	.059	4,7	.185	44,0350,3615	44,0350,3618	44,0350,5554
2,0	.045	3,8	12.4	3,0	.118	4,7	.185	44,0350,3616	44,0350,3619	44,0350,5517
2,0	.045	4,8	15.7	3,0	.118	4,7	.185	44,0350,3617	44,0350,3620	44,0350,5522

TOOLS


contact tip + nozzle stock




exentometer




nozzle stock

nozzle stock		socket		torque wrench 5-25 Nm	
42,0001,3988		42,0435,0239		 42,0435,0090	

nozzle stock		socket		torque wrench 4-20 Nm	
42,0001,4608		44,0450,1938		 42,0411,9040	

contact tip

contact tip		torque wrench		torque driver	
M6		42,0001,6774		 42,0411,0013	

MTG 250i Exento/FSC/UD/4,5m (4,036,457)

Artikelnr.	Bezeichnung	Menge	Einheit
42,1400,0255	Absaugbogen R/L 45° Exento	1	Stk
42,1400,0252	Adapterring Exento	2	Stk
43,0004,4440	Brennerkoaxkabel 25 mm ² 4,18m	1	Stk
42,0405,0663	Brennertaster W6 TPV oben U/D	1	Stk
42,1400,0248	Bypass Regler Exento	2	Stk
42,1500,0518	Dichtscheibe MTG Exento	1	Stk
42,0404,0350	FEDERDRUCK 5,0/3,8 16 0,6	1	Stk
42,0401,0886	Furchschr KST 3x12 DeltaPT	12	Stk
42,0001,4065	Gasdüse ø13/ø22x58 CT	1	Stk
42,0405,1350	Gehäuse FSC-G/koax/Knicksch.	1	Stk
42,1400,0254	Griffschale R/L Exento	1	Stk
42,0405,0713	Lichtleiter W6 3fach	1	Stk
42,1500,0522	O-Ring Ø29,0x1,5 FKM 75	1	Stk
40,0001,0459	Schlauch Well OG NW38	2,85	m
42,0401,0936	Schraube PT 2,5X12 T8 Delta sw	4	Stk
42,0407,0643	Spannband 12x275mm	1	Stk
42,0100,0552	Spritzerschutz ø9,2/ø17,2x17	1	Stk
43,0004,8008	Steuerl. 4x0,25 ² 4,35m Exento	1	Stk
44,0350,5229	Tastenverlängerungsset BT2	1	Stk
43,0002,0455	Taster BT2 Double Action	1	Stk
42,1100,0164	Verschleissring FumeEx	1	Stk
42,1400,0249	Verschlussring Griffsch.Exento	1	Stk
42,1400,0256	Y-Adapter R/L Exento	1	Stk
44,0350,1867	Zentralanschluss FSC-G koax Ag	1	Stk