

MTG 400d /E/4,5m/45°


4,035,936,001

MTG 400d /E/4,5m/45° (4,035,936,001)



MTG / MHP G ML

TAB. A


43,0004,4439	3,18m	
43,0004,4440	4,18m	MTG 250d
43,0004,5248	3,18m	
43,0004,5247	4,18m	MTG 320d
43,0004,4437	3,18m	
43,0004,4438	4,18m	MTG 400d / MHP 400d
43,0004,5246	3,18m	
43,0004,5245	4,18m	MTG 500d




TYPE STANDARD




TYPE UP/DOWN



TYPE JOBMASTER





MTG 400i

44,0350,3242

42,0405,0753 option

42,0100,1429

42,0001,3975 copper

42,0100,0575

option HD 42,0100,0530

option HD 42,0100,0532

contec

42,0100,1429

narrow gap

44,0350,3425 copper

42,0001,6336

44,0350,3880

sleeve

42,0001,3912,100 - 100 pieces

42,0001,3912,10 - 10 pieces

42,0001,6776

42,0100,1156

option 42,0100,0620 Oily parting agents and liquids

42,0001,4921 copper

42,0001,4623 copper

TAB. 1 M8x1,5

TAB. 1 M6

TAB. 1 M8x1,5

TAB. 2 standard - 42,0001,4045

TAB. 14 standard - 42,0001,0972

TAB. 2 standard - 42,0001,4045


TAB. 2 standard - 42,0001,4918

TAB. 2 standard - 42,0001,4045

TAB. 1 CuCrZr		Ø mm	Ø inch	Part No.
		0,6	0,023	42,0001,4928
		0,7	0,027	42,0001,6524,10
		0,8	0,030	42,0001,4461,10
		0,9	0,035	42,0001,4462,10
		1,0	0,040	42,0001,4463,10
		1,1	0,043	42,0001,6527,10
		1,2	0,045	42,0001,4464,10
		1,3	0,051	42,0001,6529,10
		1,4	0,052	42,0001,4465,10
		1,5	0,059	42,0001,6522,10
		1,6	0,062	42,0001,4466,10
		0,7	0,027	42,0001,6482,10
		0,8	0,030	42,0001,6464,10
		0,9	0,035	42,0001,6465,10
		1,0	0,040	42,0001,6466,10
		1,1	0,043	42,0001,6483,10
		1,2	0,045	42,0001,6467,10
		1,3	0,051	42,0001,6484,10
		1,4	0,052	42,0001,6468,10
		1,5	0,059	42,0001,6485,10
		1,6	0,062	42,0001,6469,10
		1,8	0,071	42,0001,6470,10
		2,0	0,078	42,0001,6471,10
Al 		0,8	0,030	42,0001,6525,10
		1,0	0,040	42,0001,6526,10
		1,2	0,045	42,0001,6528,10
		1,6	0,062	42,0001,6523,10
Al 		0,8	0,030	42,0001,6537,10
		1,0	0,040	42,0001,4750,10
		1,2	0,045	42,0001,4751,10
		1,6	0,062	42,0001,4752,10

TAB. 1 E-Cu		Ø mm	Ø inch	Part No.
		0,9	0,035	42,0001,7025,10
		1,0	0,040	42,0001,7026,10
		1,2	0,045	42,0001,7027,10
		0,9	0,035	42,0001,7028,10
		1,0	0,040	42,0001,7029,10
		1,2	0,045	42,0001,7030,10


MTG 400d /E/4,5m/45° (4,035,936,001)

TAB. 2														
		d1		d2		d3		L		Part No.				
		mm	inch	mm	inch	mm	inch	mm	inch					
MTW 250i	MTG 250i	M20x2		8	0.31	22	0.86	10,4	0.41	58	2.28	42,0001,6664		standard MTW 250i Braze
		10	0.39	22	0.86	13,0	0.51	54	2.13	42,0001,4083				
		13	0.51	22	0.86	16,1	0.63	54	2.13	42,0001,4799				
		13	0.51	22	0.86	16,1	0.63	56	2.20	42,0001,4477		standard MTB 250i G/W R		
		10	0.39	22	0.86	13,0	0.51	58	2.28	42,0001,4084				
		13	0,51	22	0,86	16,1	0.63	56	2.20	42,0001,4498	Al			
		13	0,51	22	0,86	16,1	0.63	58	2.28	42,0001,4065		standard MTG/MTW 250i		
		15	0,59	22	0,86	18,3	0.72	58	2.28	42,0001,4493				
MTB W 250i R	MTB G 250i R	18	0.71	22	0.86	22	0.87	58	2.28	42,0001,4055				
		M23x2		13	0.51	25	0.98	16,4	0.64	59	2.32	42,0001,4085		
		15	0.59	25	0.98	18,6	0.73	59	2.32	42,0001,4048				
		13	0.51	25	0.98	16,4	0.64	61	2.40	42,0001,4086		standard MTB 320i G R		
		15	0.59	25	0.98	18,1	0.71	61	2.40	42,0001,4474		standard MTB 400i W R		
		15	0.59	27	1.06	20,2	0.80	61	2.40	42,0001,4789		MTB 400i W R, heavy duty		
		17	0.71	25	0.98	20,8	0.82	61	2.40	42,0001,4476		standard MTB 500i W R		
		13	0.51	25	0.98	16,4	0.64	61	2.40	42,0001,4497	Al			
MTB W 400i R 500i R	MTG 320i/400i	13	0.51	25	0.98	16,4	0.64	63	2.48	42,0001,4080		standard MTG 320i		
		15	0.59	25	0.98	18,6	0.73	61	2.40	42,0001,4496	Al			
		15	0.59	25	0.98	18,6	0.73	63	2.48	42,0001,4051		standard MTW 400i		
		17	0.71	25	0.98	20,8	0.82	61	2.40	42,0001,4494	Al			
		17	0.71	25	0.98	20,8	0.82	63	2.48	42,0001,4050		standard MTW500i,330i W R long		
		17	0.71	27	1.06	20,8	0.82	63	2.48	42,0001,4216		MTW 500i, heavy duty		
		21	0.82	25	0.98	25,0	0.98	63	2.48	42,0001,4054				
		15	0.59	25	0.98	18,6	0.73	68	2.68	42,0001,4052				
		17	0.71	25	0.98	20,8	0.82	68	2.68	42,0001,4049				
		13	0.51	25	0.98	16,4	0.64	71	2.80	42,0001,4087				
		15	0.59	25	0.98	18,6	0.73	71	2.80	42,0001,4788				
		13	0.51	25	0.98	16,4	0.64	73	2.87	42,0001,4088				
		15	0.59	25	0.98	18,6	0.73	73	2.87	42,0001,4475		standard MTB 400i G R		
		15	0.59	27	1.06	18,6	0.73	73	2.87	42,0001,4790		MTB 400i G R, heavy duty		
		15	0.59	25	0.98	18,6	0.73	73	2.87	42,0001,4495	Al			
		15	0.59	25	0.98	18,6	0.73	75	2.95	42,0001,4045		standard MTG 400i		
		17	0.71	25	0.98	20,8	0.82	75	2.95	42,0001,4043				
		21	0.82	25	0.98	25,0	0.98	75	2.95	42,0001,4053				
		15	0.59	25	0.98	18,6	0.73	80	3.15	42,0001,4047				

TAB. 6

Technical drawing of a tapered roller bearing. The diagram shows a cross-section of the bearing with the following dimensions labeled: d1 (inner diameter), d2 (outer diameter), d3 (pitch diameter), and L (width). The bearing is shown in a perspective view with a shaded area representing the rollers.

		d1		d2		d3		L		Part No.		
		mm	inch	mm	inch	mm	inch	mm	inch			
MTB G 330i R	MTB W 330i R	M23x2										
		13	0.51	ø25	0.98	16	0.63	37	1.46	42,0001,4533		not possible at MTB 330i G R H
		13	0.51	ø25	0.98	16	0.63	41	1.61	42,0001,4487		standard MTB 330i W R / G ML
		13	0.51	ø25	0.98	16	0.63	39,5	1.61	42,0001,4534	AI	
		13	0.51	ø25	0.98	16	0.63	39,5	1.56	42,0001,4902		standard MTB 330i G R G R H
		15	0.59	ø25	0.98	18	0.72	39,5	1.56	42,0001,5023		

TAB. 7											
											
d1		d2		d3		L		Part No.			
mm	inch	mm	inch	mm	inch	mm	inch				
13	0.51	ø25	0.98	16	0.63	41	1.61	42.0001.4486		standard MTB 330i W R H	

TAB. 8 narrow gap													
		d1		d2		d3		L		Part No.			
		mm	inch	mm	inch	mm	inch	mm	inch				
MTB W 330i R	M23x2	13	0.51	ø25	0.98	16	0.63	56	2.21	42,0001,4745			
MTB G 330i R		13	0.51	ø25	0.98	16	0.63	50	1.97	42,0001,6772			

TAB. 9 												
		d1		d2		d3		L		Part No.		
		mm	inch	mm	inch	mm	inch	mm	inch			
MTB G 330i R long	M23x2	13	0.51	ø27	1.06	18	0.72	53	2.09	42,0001,4858		standard MTB 330i G R
		15	0.59	ø27	1.06	18	0.72	53	2.09	42,0001,4857		
		15	0.59	ø27	1.06	18	0.72	57	2.09	42,0001,4856		

TAB. 10



d1		d2		d3		L		Part No.		
mm	inch	mm	inch	mm	inch	mm	inch			
15	0.59	ø27	1.06	19	0.75	67	2.64	44,0350,2020		
17	0.67	ø27	1.06	21	0.83	67	2.64	44,0350,2021		
15	0.59	ø27	1.06	19	0.75	74	2.91	44,0350,1991		
17	0.67	ø27	1.06	21	0.83	74	3.91	44,0350,1995		
15	0.59	ø27	1.06	19	0.75	80,5	3.17	44,0350,1987		
15	0.59	ø27	1.06	19	0.75	82,5	3.25	44,0350,1988		
17	0.67	ø27	1.06	21	0.83	83,5	3.29	44,0350,3179		
18	0.71	ø27	1.06	22	0.89	87,5	3.44	44,0350,3180		standard MTG 550i

MTG 550i

M25x3


TAB. 11

The diagram shows a tapered shaft with a central section of length L. The diameter at the left end is d1, at the right end is d2, and at the top of the central section is d3. The shaft has a threaded section at the right end.

		d1		d2		d3		L		Part No.		
		mm	inch	mm	inch	mm	inch	mm	inch			
MTB 400/500i W R MTB 320/400i G R	M23x2	13	0.51	ø25	0.98	16	0.63	62,5	2.46	42,0001,4917		standard MTB 320i G / 400/500i W
		10	0.39	ø25	0.98	16	0.63	68,0	2.68	42,0001,6715		
		13	0.51	ø25	0.98	16	0.63	68,0	2.68	42,0001,6716		
		13	0.51	ø25	0.98	16	0.63	74.5	2.93	42,0001,4918		standard MTB 400i G

TAB. 15											
		d1		d2		d3		L		Part No.	
		mm	inch	mm	inch	mm	inch	mm	inch		
MTW 500i	plug	17	0.66	ø27	1.06	22,2	0.87	85	3.34	44,0350,2036	standard MTB 500i W

Tab. 3






material			d1		d2		Part No. L		Part No. L		Part No. L	
	Ø mm	Ø inch	mm	inch	mm	inch	5m	16.4feet	15m	49.2feet	50m	160feet
Steel liner	0,8	.030	1,4	.055	4,4	.176	40,0002,0040,005		40,0002,0040,015		40,0002,0040,050	
Steel liner	0,9-1,0	.035/.040	1,6	.062	4,8	.189	40,0002,0041,005		40,0002,0041,015		40,0002,0041,050	
Steel liner	1,2	.045	1,9	.074	4,9	.192	40,0002,0042,005		40,0002,0042,015		40,0002,0042,050	
Steel liner	1,4-1,6	.052/.062	2,5	.098	4,9	.192	40,0002,0043,005		40,0002,0043,015		40,0002,0043,050	
CrNi liner	0,8	.030	1,4	.055	4,4	.176	40,0002,0044,005		40,0002,0044,015		40,0002,0044,050	
CrNi liner	0,9-1,0	.035/.040	1,6	.062	4,8	.189	40,0002,0045,005		40,0002,0045,015		40,0002,0045,050	
CrNi liner	1,2	.045	1,9	.074	4,9	.192	40,0002,0046,005		40,0002,0046,015		40,0002,0046,050	
CrNi liner	1,4-1,6	.052/.062	2,5	.098	4,9	.192	40,0002,0047,005		40,0002,0047,015		40,0002,0047,050	
Steel liner coated	0,8	.030	1,4	.055	4,4	.176	40,0002,0052,005		40,0002,0052,015		40,0002,0052,050	
Steel liner coated	0,9-1,0	.035/.040	1,6	.062	4,8	.189	40,0002,0053,005		40,0002,0053,015		40,0002,0053,050	
Steel liner coated	1,2	.045	1,9	.074	4,9	.192	40,0002,0054,005		40,0002,0054,015		40,0002,0054,050	
Steel liner coated	1,4-1,6	.052/.062	2,5	.098	4,9	.192	40,0002,0055,005		40,0002,0055,015		40,0002,0055,050	

Tab. 3

combi liner W AL

combi liner G AL

combi inner liner G





		L		d1		d2		combi liner W AL	combi liner G AL	combi inner liner G
Ø mm	Ø inch	m	feet	mm	inch	mm	inch	Part No.	Part No.	Part No.
0,8	.030	2,0	6.5	1,2	.059	4,7	.185	44,0350,3388	44,0350,3400	44,0350,5550
0,8	.030	3,8	12.4	1,2	.059	4,7	.185	44,0350,3392	44,0350,3404	44,0350,5513
0,8	.030	4,8	15.7	1,2	.059	4,7	.185	44,0350,3396	44,0350,3408	44,0350,5518
0,9-1,0	.035/.040	2,0	6.5	1,5	.062	4,7	.185	44,0350,3389	44,0350,3401	44,0350,5551
0,9-1,0	.035/.040	3,8	12.4	1,5	.062	4,7	.185	44,0350,3393	44,0350,3405	44,0350,5514
0,9-1,0	.035/.040	4,8	15.7	1,5	.062	4,7	.185	44,0350,3397	44,0350,3409	44,0350,5519
1,2	.045	2,0	6.5	1,8	0.74	4,7	.185	44,0350,3390	44,0350,3402	44,0350,5552
1,2	.045	3,8	12.4	1,8	0.74	4,7	.185	44,0350,3394	44,0350,3406	44,0350,5515
1,2	.045	4,8	15.7	1,8	0.74	4,7	.185	44,0350,3398	44,0350,3410	44,0350,5520
1,4-1,6	.052/.062	2,0	6.5	2,4	.098	4,7	.185	44,0350,3391	44,0350,3403	44,0350,5553
1,4-1,6	.052/.062	3,8	12.4	2,4	.098	4,7	.185	44,0350,3395	44,0350,3407	44,0350,5516
1,4-1,6	.052/.062	4,8	15.7	2,4	.098	4,7	.185	44,0350,3399	44,0350,3411	44,0350,5521
2,0	.045	2,0	6.5	1,2	.059	4,7	.185	44,0350,3615	44,0350,3618	44,0350,5554
2,0	.045	3,8	12.4	3,0	.118	4,7	.185	44,0350,3616	44,0350,3619	44,0350,5517
2,0	.045	4,8	15.7	3,0	.118	4,7	.185	44,0350,3617	44,0350,3620	44,0350,5522


Tab. 3.1


material			d1		d2		Part No. L	Part No. L	Part No. L
	Ø mm	Ø inch	mm	inch	mm	inch	10m 32.8feet	30m 98feet	100m 328feet
Graphit	0,8	.030	1,2	.047	4,7	.185	40,0001,0529,010	40,0001,0529,030	40,0001,0529,100
Graphit	0,9 - 1,0	.035-.040	1,5	.059	4,7	.185	40,0001,0530,010	40,0001,0530,030	40,0001,0530,100
Graphit	1,2	.045	1,8	.070	4,7	.185	40,0001,0531,010	40,0001,0531,030	40,0001,0531,100
Graphit	1,4 - 1,6	.052-1/16	2,4	.094	4,7	.185	40,0001,0532,010	40,0001,0532,030	40,0001,0532,100
Graphit	0,8	5/64	3,0	.118	4,7	.185	40,0001,0533,010	40,0001,0533,030	40,0001,0533,100



Tab. 7

Fe / CrNi


		Fe		Part No.		F/F++		Fe		Part No.
		Ø mm	Ø inch					Ø mm	Ø inch	
		0,8	.030	42,0001,5833				0,8	.030	44,0350,3769
		1,0	.040	42,0001,4512				1,0	.040	44,0350,3770
		1,2	.045	42,0001,4512				1,2	.045	44,0350,3771
		1,6	1/16	42,0001,3583				1,6	1/16	44,0350,3772

Euro		Fe		Part No.	colour
		Ø mm	Ø inch		
		0,8	.030	44,0350,3703	grey
		1,0	.040	44,0350,3704	blue
		1,2	.045	44,0350,3705	red
		1,6	1/16	44,0350,3706	black

Al




		Al		Part No.				Al		Part No.
		Ø mm	Ø inch					Ø mm	Ø inch	
		0,8	.030	42,0001,3583		42,0400,1024		0,8	.030	42,0100,1120 -white
		1,0	.040	42,0001,3583				0,9	.035	42,0100,1119 -blue
		1,2	.045	42,0001,3583				1,0	.040	
		1,6	1/16	42,0001,3583				1,2	.045	42,0100,1003 -red
								1,6	1/16	42,0100,1008 -black

Euro





MTG 400d /E/4,5m/45° (4,035,936,001)

Basic kit 250i / 320i / 400i / 500i / 700i	Ø mm	Ø inch	m	feet	Fe MTG / MTW Part No.	CrNi MTG / MTW Part No.	Alu MTW Part No.	CuSi MTW Part No.	Alu/CuSi MTG Part No.
	0,8	.030	5,0	11,5	44,0350,5117*	44,0350,5158*	44,0350,5135*		44,0350,5144*
	0,9	.035	5,0	14,8	44,0350,5118*	44,0350,5159*	44,0350,5136*		44,0350,5145*
	1,0	.040	5,0	11,5	44,0350,5119*	44,0350,5160*	44,0350,5137*		44,0350,5146*
	1,2	.047	5,0	14,8	44,0350,5120*	44,0350,5161*	44,0350,5138*		44,0350,5147*
	1,4	.052	5,0	11,5	44,0350,5121*	44,0350,5162*	44,0350,5139*		44,0350,5148*
	1,6	.062	5,0	14,8	44,0350,5122*	44,0350,5163*	44,0350,5140*		44,0350,5149*

*		
F++ Part No. + ,000 44,0350,xxxx,000 	E Part No. + ,001 44,0350,xxxx,001 	FSC Part No. 44,0350,xxxx 

TOOLS



MTG 400d /E/4,5m/45° (4,035,936,001)

Artikelnr.	Bezeichnung	Menge	Einheit
42,0405,1196	Abdeckfenster W5 JM SMD	1	Stk
42,0405,1197	Abdeckfenster W5 U/D SMD	1	Stk
42,0405,0576	Adaptergehäuse Euro ZA	1	Stk
42,0001,2168	Anschlussstück M10-M12 MS	1	Stk
42,0001,3972	Anschlusssteil MTB G ML	1	Stk
42,0100,1369	Auslaufstück zu Seele MAG02	1	Stk
44,0450,1436	Ausziehwerkz CPC +35mm verläng.	1	Stk
44,0350,5144	BK Al ø0,8 /G CuSi ø0,8 G/W/5m	1	Stk
44,0350,5135	BK Al ø0,8 /W/5m	1	Stk
44,0350,5145	BK Al ø0,9 /G CuSi ø0,9 G/W/5m	1	Stk
44,0350,5136	BK Al ø0,9 /W/5m	1	Stk
44,0350,5146	BK Al ø1,0 /G CuSi ø1,0 G/W/5m	1	Stk
44,0350,5137	BK Al ø1,0 /W/5m	1	Stk
44,0350,5147	BK Al ø1,2 /G CuSi ø1,2 G/W/5m	1	Stk
44,0350,5138	BK Al ø1,2 /W/5m	1	Stk
44,0350,5148	BK Al ø1,4 /G CuSi ø1,4 G/W/5m	1	Stk
44,0350,5139	BK Al ø1,4 /W/5m	1	Stk
44,0350,5149	BK Al ø1,6 /G CuSi ø1,6 G/W/5m	1	Stk
44,0350,5140	BK Al ø1,6 /W/5m	1	Stk
44,0350,5158	BK CrNi ø0,8 /G/W/5m	1	Stk
44,0350,5159	BK CrNi ø0,9 /G/W/5m	1	Stk
44,0350,5160	BK CrNi ø1,0 /G/W/5m	1	Stk
44,0350,5161	BK CrNi ø1,2 /G/W/5m	1	Stk
44,0350,5162	BK CrNi ø1,4 /G/W/5m	1	Stk
44,0350,5163	BK CrNi ø1,6 /G/W/5m	1	Stk
44,0350,5117	BK Fe ø0,8 /G/W/5m	1	Stk
44,0350,5118	BK Fe ø0,9 /G/W/5m	1	Stk
44,0350,5119	BK Fe ø1,0 /G/W/5m	1	Stk
44,0350,5120	BK Fe ø1,2 /G/W/5m	1	Stk
44,0350,5121	BK Fe ø1,4 /G/W/5m	1	Stk
44,0350,5122	BK Fe ø1,6 /G/W/5m	1	Stk
40,0001,0230	Bougierschlauch 3mm/m.G.	0,12	m
40,0001,0230	Bougierschlauch 3mm/m.G.	0,12	m
42,0405,0655	Brennergehäuse int. DFS Feder	1	ve

MTG 400d /E/4,5m/45° (4,035,936,001)

Artikelnr.	Bezeichnung	Menge	Einheit
44,0350,3435	Brennergehäuse kpl. MTG	1	Stk
42,0404,0390	Brennerknickschutz 3x45/29x113	1	Stk
43,0004,4439	Brennerkoaxkabel 25 mm ² 3,18m	1	Stk
43,0004,4440	Brennerkoaxkabel 25 mm ² 4,18m	1	Stk
43,0004,5248	Brennerkoaxkabel 45mm ² 3,18m	1	Stk
43,0004,5247	Brennerkoaxkabel 45mm ² 4,18m	1	Stk
43,0004,4437	Brennerkoaxkabel 50 mm ² 3,18m	1	Stk
43,0004,4438	Brennerkoaxkabel 50 mm ² 4,18m	1	Stk
43,0004,5246	Brennerkoaxkabel 65mm ² 3,18	1	Stk
43,0004,5245	Brennerkoaxkabel 65mm ² 4,18m	1	Stk
42,0404,0192	Bronzeseele 1,6/0,32m	1	Stk
42,0404,0453	Bronzeseele 2,7x1,0x40mm	1	Stk
43,0003,0485	BUCHSENKONTAKT C 1 CPC	1	Stk
42,0001,3912,10	Contec-Shell 10pcs MD	1	ve
42,0001,3912,100	Contec-Shell 100pcs MD	1	ve
40,0002,0044,005	CrNi-Seele blank 0,8 / 5m	1	Stk
40,0002,0044,015	CrNi-Seele blank 0,8 / 15m	1	Stk
40,0002,0044,050	CrNi-Seele blank 0,8 / 50m	1	Stk
40,0002,0045,005	CrNi-Seele blank 1,0 / 5m	1	Stk
40,0002,0045,015	CrNi-Seele blank 1,0 / 15m	1	Stk
40,0002,0045,050	CrNi-Seele blank 1,0 / 50m	1	Stk
40,0002,0046,005	CrNi-Seele blank 1,2 / 5m	1	Stk
40,0002,0046,015	CrNi-Seele blank 1,2 / 15m	1	Stk
40,0002,0046,050	CrNi-Seele blank 1,2 / 50m	1	Stk
40,0002,0047,005	CrNi-Seele blank 1,6 / 5m	1	Stk
40,0002,0047,015	CrNi-Seele blank 1,6 / 15m	1	Stk
40,0002,0047,050	CrNi-Seele blank 1,6 / 50m	1	Stk
42,0405,1029	DISPLAYSCHUTZ W5 JOBMASTER	1	Stk
45,0200,0826	Dr.Schlüssel Überwurfmutter BY	1	Stk
42,0411,9040	Drehmomentschl. 4-20Nm	1	Stk
44,0350,3425	Düsenstock Contec MD MTG400i	1	Stk
42,0001,4921	Düsenstock M6/SW10x48 CU	1	Stk
42,0001,4623	Düsenstock M8x1,5/SW9x44,5 CU	1	Stk
42,0001,3975	Düsenstock M8x1,5/SW11x44,5 CU	1	Stk

MTG 400d /E/4,5m/45° (4,035,936,001)

Artikelnr.	Bezeichnung	Menge	Einheit
42,0100,1120	Ein/Auslaufdüse ø0,8 grau	1	Stk
42,0100,1119	Ein/Auslaufdüse ø1,0 blau	1	Stk
42,0100,1003	Ein/Auslaufdüse ø1,2 rot	1	Stk
42,0100,1008	Ein/Auslaufdüse ø1,6 schwarz	1	Stk
42,0001,4716	Einlaufdüse f. Graphitseele ø5	1	Stk
44,0350,3769	Einlaufdüse Gasbl./0,8 kompl.	1	Stk
44,0350,3770	Einlaufdüse Gasbl./1,0 kompl.	1	Stk
44,0350,3771	Einlaufdüse Gasbl./1,2 kompl.	1	Stk
44,0350,3772	Einlaufdüse Gasbl./1,6 kompl.	1	Stk
40,0009,0044	Fett O-Ring transparent	1	Stk
42,0001,6776	Fixierhülse Ø25/Ø27,2x24	1	Stk
43,0003,0217	Flachsteckh. 2,8*0,8 0,5-1mm³	1	Stk
44,0350,1416	FRONIUS ZA KPL. G F.KOAX KABEL	1	Stk
42,0401,0886	Furchschr KST 3x12 DeltaPT	3	Stk
42,0001,6715	Gasdüse Engspalt Ø10/Ø25x68 CT	1	Stk
42,0001,4917	Gasdüse Engspalt Ø13/Ø25x62,5	1	Stk
42,0001,6716	Gasdüse Engspalt Ø13/Ø25x68 CT	1	Stk
42,0001,4918	Gasdüse Engspalt Ø13/Ø25x74,5	1	Stk
42,0001,6772	Gasdüse Engspalt ø13/ø25x50 CT	1	Stk
42,0001,4745	Gasdüse Engspalt ø13/ø25x56 CT	1	Stk
42,0001,4868	Gasdüsenmundstück Ø17/Ø29x26,5	1	Stk
42,0001,4257	Gasdüsenmundstück Ø17/Ø29x29	1	Stk
42,0001,0142	Gasdüsenmundstück ø13/ø29x	1	Stk
42,0001,4670	Gasdüsenmundstück ø17/29x34 HD	1	Stk
44,0350,4079	Gasdüse W 700i Ø17/Ø29,5x68,5	1	Stk
44,0350,0226	Gasdüse W 700i ø13,2/ø29,5x69	1	Stk
44,0350,3966	Gasdüse W 700i ø17/ø29,5x71	1	Stk
44,0350,3942	Gasdüse W 700i ø17/ø29,5x76 HD	1	Stk
42,0001,4055	Gasdüse zyl ø18/ø22x58 CT	1	Stk
42,0001,4054	Gasdüse zyl ø21,1/ø25x63 CT	1	Stk
42,0001,4053	Gasdüse zyl ø21,1/ø25x75 CT	1	Stk
44,0350,3935	Gasdüse Ø15/Ø25x61 CT/H	1	Stk
44,0350,3936	Gasdüse Ø17/Ø25x61 CT/H	1	Stk
42,0001,4216	Gasdüse Ø17/Ø27x63 CT HD	1	Stk

MTG 400d /E/4,5m/45° (4,035,936,001)

Artikelnr.	Bezeichnung	Menge	Einheit
42,0001,6664	Gasdüse ø8/ø22x57 CT	1	Stk
42,0001,4083	Gasdüse ø10/ø22x54 CT	1	Stk
42,0001,4084	Gasdüse ø10/ø22x58 CT	1	Stk
42,0001,4858	Gasdüse ø13/ø27x53 CT	1	Stk
42,0001,4799	Gasdüse ø13/ø22x54 CT	1	Stk
42,0001,4477	Gasdüse ø13/ø22x56 CT	1	Stk
42,0001,4498	Gasdüse ø13/ø22x56 CT/C	1	Stk
42,0001,4065	Gasdüse ø13/ø22x58 CT	1	Stk
42,0001,4533	Gasdüse ø13/ø25x37 CT	1	Stk
42,0001,4902	Gasdüse ø13/ø25x39,5 CT	1	Stk
42,0001,4534	Gasdüse ø13/ø25x39,5 CT/C	1	Stk
42,0001,4487	Gasdüse ø13/ø25x41 CT	1	Stk
42,0001,4486	Gasdüse ø13/ø25x41 CT/H	1	Stk
42,0001,4085	Gasdüse ø13/ø25x59 CT	1	Stk
42,0001,4086	Gasdüse ø13/ø25x61 CT	1	Stk
42,0001,4497	Gasdüse ø13/ø25x61 CT/C	1	Stk
42,0001,4080	Gasdüse ø13/ø25x63 CT	1	Stk
42,0001,4087	Gasdüse ø13/ø25x71 CT	1	Stk
42,0001,4088	Gasdüse ø13/ø25x73 CT	1	Stk
42,0001,4857	Gasdüse ø15/ø27x53 CT	1	Stk
42,0001,4856	Gasdüse ø15/ø27x57 CT	1	Stk
42,0001,4493	Gasdüse ø15/ø22x58 CT	1	Stk
42,0001,5023	Gasdüse ø15/ø25x39,5 CT	1	Stk
42,0001,4048	Gasdüse ø15/ø25x59 CT	1	Stk
42,0001,4474	Gasdüse ø15/ø25x61 CT	1	Stk
42,0001,4496	Gasdüse ø15/ø25x61 CT/C	1	Stk
42,0001,4051	Gasdüse ø15/ø25x63 CT	1	Stk
42,0001,4052	Gasdüse ø15/ø25x68 CT	1	Stk
42,0001,0972	Gasdüse ø15/ø25x69,5	1	Stk
42,0001,4788	Gasdüse ø15/ø25x71 CT	1	Stk
42,0001,4475	Gasdüse ø15/ø25x73 CT	1	Stk
42,0001,4495	Gasdüse ø15/ø25x73 CT/C	1	Stk
42,0001,4045	Gasdüse ø15/ø25x75 CT	1	Stk
42,0001,4047	Gasdüse ø15/ø25x80 CT	1	Stk

MTG 400d /E/4,5m/45° (4,035,936,001)

Artikelnr.	Bezeichnung	Menge	Einheit
42,0001,4789	Gasdüse ø15/ø27x61 CT HD	1	Stk
44,0350,2020	Gasdüse ø15/ø27x67 CT	1	Stk
42,0001,4790	Gasdüse ø15/ø27x73 CT HD	1	Stk
44,0350,1991	Gasdüse ø15/ø27x74 CT	1	Stk
44,0350,1987	Gasdüse ø15/ø27x80,5 CT	1	Stk
44,0350,1988	Gasdüse ø15/ø27x82,5 CT	1	Stk
42,0001,4476	Gasdüse ø17/ø25x61 CT	1	Stk
42,0001,4494	Gasdüse ø17/ø25x61 CT/C	1	Stk
42,0001,4050	Gasdüse ø17/ø25x63 CT	1	Stk
42,0001,4049	Gasdüse ø17/ø25x68 CT	1	Stk
42,0001,4043	Gasdüse ø17/ø25x75 CT	1	Stk
44,0350,2021	Gasdüse ø17/ø27x67 CT	1	Stk
44,0350,1995	Gasdüse ø17/ø27x74 CT	1	Stk
44,0350,3179	Gasdüse ø17/ø27x83,5 CT	1	Stk
44,0350,2036	Gasdüse ø17/ø27x85	1	Stk
44,0350,3180	Gasdüse ø18/ø27x87,5 CT	1	Stk
40,0001,0529,010	Graphitseele 0,8(4,7/1,2) 10m	1	Stk
40,0001,0529,030	Graphitseele 0,8(4,7/1,2) 30m	1	Stk
40,0001,0529,100	Graphitseele 0,8(4,7/1,2) 100m	1	Stk
40,0001,0530,010	Graphitseele 1,0(4,7/1,5) 10m	1	Stk
40,0001,0530,030	Graphitseele 1,0(4,7/1,5) 30m	1	Stk
40,0001,0530,100	Graphitseele 1,0(4,7/1,5) 100m	1	Stk
40,0001,0531,010	Graphitseele 1,2(4,7/1,8) 10m	1	Stk
40,0001,0531,030	Graphitseele 1,2(4,7/1,8) 30m	1	Stk
40,0001,0531,100	Graphitseele 1,2(4,7/1,8) 100m	1	Stk
40,0001,0532,010	Graphitseele 1,6(4,7/2,4) 10m	1	Stk
40,0001,0532,030	Graphitseele 1,6(4,7/2,4) 30m	1	Stk
40,0001,0532,100	Graphitseele 1,6(4,7/2,4) 100m	1	Stk
40,0001,0533,010	Graphitseele 2,0(4,7/3,0) 10m	1	Stk
40,0001,0533,030	Graphitseele 2,0(4,7/3,0) 30m	1	Stk
40,0001,0533,100	Graphitseele 2,0(4,7/3,0) 100m	1	Stk
32,0405,0360	Griffschale W5 R/L	1	Stk
32,0405,0358	Griffschale W5 UP/DOWN R/L	1	Stk
42,0405,0753	Hitzeschutzschild PA6 ø18mm	1	Stk

MTG 400d /E/4,5m/45° (4,035,936,001)

Artikelnr.	Bezeichnung	Menge	Einheit
44,0350,3880	Isolierhülse ø14/ø20,7x21 kpl.	1	Stk
42,0100,0620	Isolierhülse ø20,2/ø14,15x21	1	Stk
42,0100,0530	Isolierring D20,5/D12,15x8mmHD	1	Stk
42,0100,1429	Isolierring ø20,5/ø12,15x8mm	1	Stk
42,0407,0100	KABELBINDER 150	1	Stk
42,0404,0387	Knickschutzfeder Ø41/45x140	1	Stk
42,0402,1005	KNICKSCHUTZ W5	1	Stk
44,0350,5550	Kombiseele G /0,8/2,0m	1	Stk
44,0350,5513	Kombiseele G /0,8/3,8m	1	Stk
44,0350,5518	Kombiseele G /0,8/4,8m	1	Stk
44,0350,5551	Kombiseele G /1,0/2,0m	1	Stk
44,0350,5514	Kombiseele G /1,0/3,8m	1	Stk
44,0350,5519	Kombiseele G /1,0/4,8m	1	Stk
44,0350,5552	Kombiseele G /1,2/2,0m	1	Stk
44,0350,5515	Kombiseele G /1,2/3,8m	1	Stk
44,0350,5520	Kombiseele G /1,2/4,8m	1	Stk
44,0350,5553	Kombiseele G /1,6/2,0m	1	Stk
44,0350,5516	Kombiseele G /1,6/3,8m	1	Stk
44,0350,5521	Kombiseele G /1,6/4,8m	1	Stk
44,0350,5554	Kombiseele G /2,0/2,0m	1	Stk
44,0350,5517	Kombiseele G /2,0/3,8m	1	Stk
44,0350,5522	Kombiseele G /2,0/4,8m	1	Stk
44,0350,3400	Kombiseele G Al /0,8/2,0m	1	Stk
44,0350,3404	Kombiseele G Al /0,8/3,8m	1	Stk
44,0350,3408	Kombiseele G Al /0,8/4,8m	1	Stk
44,0350,3401	Kombiseele G Al /1,0/2,0m	1	Stk
44,0350,3405	Kombiseele G Al /1,0/3,8m	1	Stk
44,0350,3409	Kombiseele G Al /1,0/4,8m	1	Stk
44,0350,3402	Kombiseele G Al /1,2/2,0m	1	Stk
44,0350,3406	Kombiseele G Al /1,2/3,8m	1	Stk
44,0350,3410	Kombiseele G Al /1,2/4,8m	1	Stk
44,0350,3403	Kombiseele G Al /1,6/2,0m	1	Stk
44,0350,3407	Kombiseele G Al /1,6/3,8m	1	Stk
44,0350,3411	Kombiseele G Al /1,6/4,8m	1	Stk

MTG 400d /E/4,5m/45° (4,035,936,001)

Artikelnr.	Bezeichnung	Menge	Einheit
44,0350,3618	Kombiseele G Al /2,0/2,0m	1	Stk
44,0350,3619	Kombiseele G Al /2,0/3,8m	1	Stk
44,0350,3620	Kombiseele G Al /2,0/4,8m	1	Stk
44,0350,3388	Kombiseele W Al /0,8/2,0m	1	Stk
44,0350,3392	Kombiseele W Al /0,8/3,8m	1	Stk
44,0350,3396	Kombiseele W Al /0,8/4,8m	1	Stk
44,0350,3389	Kombiseele W Al /1,0/2,0m	1	Stk
44,0350,3393	Kombiseele W Al /1,0/3,8m	1	Stk
44,0350,3397	Kombiseele W Al /1,0/4,8m	1	Stk
44,0350,3390	Kombiseele W Al /1,2/2,0m	1	Stk
44,0350,3394	Kombiseele W Al /1,2/3,8m	1	Stk
44,0350,3398	Kombiseele W Al /1,2/4,8m	1	Stk
44,0350,3391	Kombiseele W Al /1,6/2,0m	1	Stk
44,0350,3395	Kombiseele W Al /1,6/3,8m	1	Stk
44,0350,3399	Kombiseele W Al /1,6/4,8m	1	Stk
44,0350,3615	Kombiseele W Al /2,0/2,0m	1	Stk
44,0350,3616	Kombiseele W Al /2,0/3,8m	1	Stk
44,0350,3617	Kombiseele W Al /2,0/4,8m	1	Stk
42,0001,6537,10	Kontaktr. 0,8/M8x1,5/ø10x32 Al	1	ve
42,0001,7028,10	Kontaktr.0,9/M8x1,5/ø10x32/SQ	1	ve
42,0001,4750,10	Kontaktr. 1,0/M8x1,5/ø10x32 Al	1	ve
42,0001,7029,10	Kontaktr.1,0/M8x1,5/ø10x32/SQ	1	ve
42,0001,4751,10	Kontaktr. 1,2/M8x1,5/ø10x32 Al	1	ve
42,0001,7030,10	Kontaktr.1,2/M8x1,5/ø10x32/SQ	1	ve
42,0001,4752,10	Kontaktr.1,6/M8x1,5/ø10x32 Al	1	ve
42,0001,4928	Kontaktrohr 0,6/M6/8x24mm	1	Stk
42,0001,6524,10	Kontaktrohr 0,7/M6/8x24mm	1	ve
42,0001,6482,10	Kontaktrohr 0,7/M8x1,5/ø10x32	1	ve
42,0001,4461,10	Kontaktrohr 0,8/M6/ø8x24	1	ve
42,0001,6525,10	Kontaktrohr 0,8/M6/ø8x24 Al	1	ve
42,0001,6464,10	Kontaktrohr 0,8/M8x1,5/ø10x32	1	ve
42,0001,4462,10	Kontaktrohr 0,9/M6/ø8x24	1	ve
42,0001,7025,10	Kontaktrohr 0,9/M6/ø8x24/SQ	1	ve
42,0001,6465,10	Kontaktrohr 0,9/M8x1,5/ø10x32	1	ve

MTG 400d /E/4,5m/45° (4,035,936,001)

Artikelnr.	Bezeichnung	Menge	Einheit
42,0001,4463,10	Kontaktrohr 1,0/M6/ø8x24	1	ve
42,0001,6526,10	Kontaktrohr 1,0/M6/ø8x24 Al	1	ve
42,0001,7026,10	Kontaktrohr 1,0/M6/ø8x24/SQ	1	ve
42,0001,6466,10	Kontaktrohr 1,0/M8x1,5/ø10x32	1	ve
42,0001,6527,10	Kontaktrohr 1,1/M6/ø8x24	1	ve
42,0001,6483,10	Kontaktrohr 1,1/M8x1,5/ø10x32	1	ve
42,0001,4464,10	Kontaktrohr 1,2/M6/ø8x24	1	ve
42,0001,6528,10	Kontaktrohr 1,2/M6/ø8x24 Al	1	ve
42,0001,7027,10	Kontaktrohr 1,2/M6/ø8x24/SQ	1	ve
42,0001,6467,10	Kontaktrohr 1,2/M8x1,5/ø10x32	1	ve
42,0001,6529,10	Kontaktrohr 1,3/M6/ø8x24	1	ve
42,0001,6484,10	Kontaktrohr 1,3/M8x1,5/ø10x32	1	ve
42,0001,4465,10	Kontaktrohr 1,4/M6/ø8x24	1	ve
42,0001,6468,10	Kontaktrohr 1,4/M8x1,5/ø10x32	1	ve
42,0001,6522,10	Kontaktrohr 1,5/M6/ø8x24	1	ve
42,0001,6485,10	Kontaktrohr 1,5/M8x1,5/ø10x32	1	ve
42,0001,4466,10	Kontaktrohr 1,6/M6/ø8x24	1	ve
42,0001,6523,10	Kontaktrohr 1,6/M6/ø8x24 Al	1	ve
42,0001,6469,10	Kontaktrohr 1,6/M8x1,5/ø10x32	1	ve
42,0001,6470,10	Kontaktrohr 1,8/M8x1,5/ø10x32	1	ve
42,0001,6471,10	Kontaktrohr 2,0/M8x1,5/ø10x32	1	ve
42,0001,6472,10	Kontaktrohr 2,4/M8x1,5/ø10x32	1	ve
42,0001,4642,10	Kontaktrohr 2,8/M8x1,5/ø10x32	1	ve
44,0350,3242	MTG 400i/45°/L180/H98	1	Stk
42,0201,3216	Multitool TB wear parts	1	Stk
42,0402,0258	O-Ring 4x1,2mm FKM	1	Stk
42,0402,0305	O-Ring lø21x1,5 FKM	1	Stk
42,0402,0304	O-Ring lø25x1,5 FKM	1	Stk
4,070,900,Z	PRINT JM3T Geprüft	1	Stk
4,070,629,Z	PRINT UPDO1A Geprüft	1	Stk
42,0401,1099	PT Schraube Stahl M4x12mm	1	Stk
44,0450,1938	Rollgabel-Einsteckwerkzeug	1	Stk
42,0401,0936	Schraube PT 2,5X12 T8 Delta sw	3	Stk
44,0350,1804	SCHUTZSCHL. 26x1,5 3,5M W5	1	Stk

MTG 400d /E/4,5m/45° (4,035,936,001)

Artikelnr.	Bezeichnung	Menge	Einheit
44,0350,1805	SCHUTZSCHL. 26x1,5 4,5M W5	1	Stk
42,0401,0220	Senkschraube DIN 965A M4x8	1	Stk
42,0001,4717	Spannm. Euro Kunststoffseele	1	Stk
42,0001,6336	Spannmutter Contec/SW11x19,5	1	Stk
44,0350,3703	Spannnippel 0,8/E	1	Stk
44,0350,3704	Spannnippel 1,0/E	1	Stk
44,0350,3705	Spannnippel 1,2/E	1	Stk
44,0350,3706	Spannnippel 1,6/E	1	Stk
42,0001,4512	Spannstück Seele AØ4,6 - Ø4,8	1	Stk
42,0001,5833	Spannstück Seele AØ4,1-4,3	1	Stk
42,0001,3583	Spannstück Seele AØ4,7-4,9	1	Stk
42,0001,4718	Spannz.Euro Kunstst.Seele Ø4,7	1	Stk
42,0100,0575	SpritzerschutzØ11,2/Ø20,2x22	1	Stk
42,0100,0532	SpritzerschutzØ11,2/Ø20,2x22HD	1	Stk
42,0100,1156	Spritzerschutz Ø14,5/Ø18x21,3	1	Stk
40,0002,0040,005	Stahlseele blank 0,8 / 5m	1	Stk
40,0002,0040,015	Stahlseele blank 0,8 / 15m	1	Stk
40,0002,0040,050	Stahlseele blank 0,8 / 50m	1	Stk
40,0002,0041,005	Stahlseele blank 1,0 / 5m	1	Stk
40,0002,0041,015	Stahlseele blank 1,0 / 15m	1	Stk
40,0002,0041,050	Stahlseele blank 1,0 / 50m	1	Stk
40,0002,0042,005	Stahlseele blank 1,2 / 5m	1	Stk
40,0002,0042,015	Stahlseele blank 1,2 / 15m	1	Stk
40,0002,0042,050	Stahlseele blank 1,2 / 50m	1	Stk
40,0002,0043,005	Stahlseele blank 1,6 / 5m	1	Stk
40,0002,0043,015	Stahlseele blank 1,6 / 15m	1	Stk
40,0002,0043,050	Stahlseele blank 1,6 / 50m	1	Stk
40,0002,0052,005	Stahlseele C 0,8 / 5 m	1	Stk
40,0002,0052,015	Stahlseele C 0,8 / 15 m	1	Stk
40,0002,0052,050	Stahlseele C 0,8 / 50 m	1	Stk
40,0002,0053,005	Stahlseele C 1,0 / 5 m	1	Stk
40,0002,0053,015	Stahlseele C 1,0 / 15 m	1	Stk
40,0002,0053,050	Stahlseele C 1,0 / 50 m	1	Stk
40,0002,0054,005	Stahlseele C 1,2 / 5 m	1	Stk

MTG 400d /E/4,5m/45° (4,035,936,001)

Artikelnr.	Bezeichnung	Menge	Einheit
40,0002,0054,015	Stahlseele C 1,2 / 15 m	1	Stk
40,0002,0054,050	Stahlseele C 1,2 / 50 m	1	Stk
40,0002,0055,005	Stahlseele C 1,6 / 5 m	1	Stk
40,0002,0055,015	Stahlseele C 1,6 / 15 m	1	Stk
40,0002,0055,050	Stahlseele C 1,6 / 50 m	1	Stk
43,0004,1844	STEUERL. 6x0,25 JOBM. 3,5M	1	Stk
43,0004,1845	STEUERL. 6x0,25 JOBM. 4,5M	1	Stk
43,0004,1875	STEUERL. 6x0,25 U/D 3,5M	1	Stk
43,0004,1876	STEUERL. 6x0,25 U/D 4,5M	1	Stk
43,0004,5295	Steuerleitung 2x0,75 CPC	1	Stk
43,0003,0486	STIFTKONTAKT C 1 CPC	1	Stk
43,0002,0522	Taster BT1 Single Action	1	Stk
32,0402,1008	TASTER JOBMASTER W5	1	Stk
32,0402,1006	TASTER UP/DOWN W5	1	Stk
42,0405,0561	Überwurfmutter M33x2	1	Stk
42,0405,0560	Überwurfmutter M40x1,5 20x18°	1	Stk
42,0100,1370	Verbindungsst. uni. zu Seele	1	Stk
42,0405,1021	VERSCHLUSSRING FÜR GRIFFSCH.W5	1	Stk
44,0350,3750	Zentrala. Euro - G man. TPSi	1	Stk
44,0350,3244	Zentrala. FSC-G man. TPSi	1	Stk