


MTG 400i /FSC/4,5m/45°/LED


4,035,936

MTG 400i /FSC/4,5m/45°/LED (4,035,936)



DETAIL IF

STANDARD LED




MTG 400i /FSC/4,5m/45°/LED (4,035,936)


OPT/i T-Handle for Push

44,0350,5298

42,0405,1293



OPT/i Button Extension Kit



Torch Trigger


42,0405,0671

42,1400,0519

4,070,958,Z




43,0004,4062




MTG 400i /FSC/4,5m/45°/LED (4,035,936)


MTG 400i





TAB. 1 contact tip



M6	CuCrZr	Ø mm	Ø inch	Part No.
		0,6	0,023	42,0001,4928,10
		0,7	0,027	42,0001,6524,10
		0,8	0,030	42,0001,4461,10
		0,9	0,035	42,0001,4462,10
		1,0	0,040	42,0001,4463,10
		1,1	0,043	42,0001,6527,10
		1,2	0,045	42,0001,4464,10
		1,3	0,051	42,0001,6529,10
		1,4	0,052	42,0001,4465,10
		1,5	0,059	42,0001,6522,10
		1,6	0,062	42,0001,4466,10



TAB. 1 contact tip

M8x1,5	CuCrZr	Ø mm	Ø inch	Part No.
		0,7	0,027	42,0001,6482,10
		0,8	0,030	42,0001,6464,10
		0,9	0,035	42,0001,6465,10
		1,0	0,040	42,0001,6466,10
		1,1	0,043	42,0001,6483,10
		1,2	0,045	42,0001,6467,10
		1,3	0,051	42,0001,6484,10
		1,4	0,052	42,0001,6468,10
		1,5	0,059	42,0001,6485,10
		1,6	0,062	42,0001,6469,10
		1,8	0,071	42,0001,6470,10
		2,0	0,078	42,0001,6471,10
		2,4	0,095	42,0001,6472,10
		2,8	0,110	42,0001,4642,10

M6	CuCrZr	Ø mm	Ø inch	Part No.
	AI	0,8	0,030	42,0001,6525,10
		1,0	0,040	42,0001,6526,10
		1,2	0,045	42,0001,6528,10
		1,6	0,062	42,0001,6523,10
				

M8x1,5	CuCrZr	Ø mm	Ø inch	Part No.
	AI	0,8	0,030	42,0001,6537,10
		1,0	0,040	42,0001,4750,10
		1,2	0,045	42,0001,4751,10
		1,6	0,062	42,0001,4752,10
				

M6	E-Cu	Ø mm	Ø inch	Part No.
		0,9	0,035	42,0001,7025,10
		1,0	0,040	42,0001,7026,10
		1,2	0,045	42,0001,7027,10
				

M8x1,5	E-Cu	Ø mm	Ø inch	Part No.
		0,9	0,035	42,0001,7028,10
		1,0	0,040	42,0001,7029,10
		1,2	0,045	42,0001,7030,10
				

TAB. 2 gas nozzle

		d1		d2		d3		L		Part No.	
		mm	inch	mm	inch	mm	inch	mm	inch		
	15	0.59	25	0.98	18,6	0.73	68	2.68	42,0001,4052		
	17	0.71	25	0.98	20,8	0.82	68	2.68	42,0001,4049		
	13	0.51	25	0.98	16,4	0.64	71	2.80	42,0001,4087		
	15	0.59	25	0.98	18,6	0.73	71	2.80	42,0001,4788		
	13	0.51	25	0.98	16,4	0.64	73	2.87	42,0001,4088		
	15	0.59	25	0.98	18,6	0.73	73	2.87	42,0001,4475		
	15	0.59	27	1.06	18,6	0.73	73	2.87	42,0001,4790		
	15	0.59	25	0.98	18,6	0.73	73	2.87	42,0001,4495	AI	
	15	0.59	25	0.98	18,6	0.73	75	2.95	42,0001,4045		
	17	0.71	25	0.98	20,8	0.82	75	2.95	42,0001,4043		
	21	0.82	25	0.98	25,0	0.98	75	2.95	42,0001,4053		
	15	0.59	25	0.98	18,6	0.73	80	3.15	42,0001,4047		


TAB. 11 gas nozzle

		d1		d2		d3		L		Part No.	
		mm	inch	mm	inch	mm	inch	mm	inch		
	13	0.51	ø25	0.98	16	0.63	74,5	2.93	42,0001,4918		

TAB. 14 gas nozzle

		d1		d2		d3		L		Part No.	
		mm	inch	mm	inch	mm	inch	mm	inch		
	15	0.51	ø25	0.79	19	0.63	69,5	2.91	42,0001,0972		

Tab. 3






material			d1		d2		Part No. L		Part No. L		Part No. L	
	Ø mm	Ø inch	mm	inch	mm	inch	5m	16.4feet	15m	49.2feet	50m	160feet
Steel liner	0,8	.030	1,4	.055	4,4	.176	40,0002,0040,005		40,0002,0040,015		40,0002,0040,050	
Steel liner	0,9-1,0	.035/.040	1,6	.062	4,8	.189	40,0002,0041,005		40,0002,0041,015		40,0002,0041,050	
Steel liner	1,2	.045	1,9	.074	4,9	.192	40,0002,0042,005		40,0002,0042,015		40,0002,0042,050	
Steel liner	1,4-1,6	.052/.062	2,5	.098	4,9	.192	40,0002,0043,005		40,0002,0043,015		40,0002,0043,050	
CrNi liner	0,8	.030	1,4	.055	4,4	.176	40,0002,0044,005		40,0002,0044,015		40,0002,0044,050	
CrNi liner	0,9-1,0	.035/.040	1,6	.062	4,8	.189	40,0002,0045,005		40,0002,0045,015		40,0002,0045,050	
CrNi liner	1,2	.045	1,9	.074	4,9	.192	40,0002,0046,005		40,0002,0046,015		40,0002,0046,050	
CrNi liner	1,4-1,6	.052/.062	2,5	.098	4,9	.192	40,0002,0047,005		40,0002,0047,015		40,0002,0047,050	
Steel liner coated	0,8	.030	1,4	.055	4,4	.176	40,0002,0052,005		40,0002,0052,015		40,0002,0052,050	
Steel liner coated	0,9-1,0	.035/.040	1,6	.062	4,8	.189	40,0002,0053,005		40,0002,0053,015		40,0002,0053,050	
Steel liner coated	1,2	.045	1,9	.074	4,9	.192	40,0002,0054,005		40,0002,0054,015		40,0002,0054,050	
Steel liner coated	1,4-1,6	.052/.062	2,5	.098	4,9	.192	40,0002,0055,005		40,0002,0055,015		40,0002,0055,050	

Tab. 3

combi liner W AL

combi liner G AL

combi inner liner G




		L		d1		d2		combi liner W AL	combi liner G AL	combi inner liner G
Ø mm	Ø inch	m	feet	mm	inch	mm	inch	Part No.	Part No.	Part No.
0,8	.030	2,0	6.5	1,2	.059	4,7	.185	44,0350,3388	44,0350,3400	44,0350,5550
0,8	.030	3,8	12.4	1,2	.059	4,7	.185	44,0350,3392	44,0350,3404	44,0350,5513
0,8	.030	4,8	15.7	1,2	.059	4,7	.185	44,0350,3396	44,0350,3408	44,0350,5518
0,9-1,0	.035/.040	2,0	6.5	1,5	.062	4,7	.185	44,0350,3389	44,0350,3401	44,0350,5551
0,9-1,0	.035/.040	3,8	12.4	1,5	.062	4,7	.185	44,0350,3393	44,0350,3405	44,0350,5514
0,9-1,0	.035/.040	4,8	15.7	1,5	.062	4,7	.185	44,0350,3397	44,0350,3409	44,0350,5519
1,2	.045	2,0	6.5	1,8	0.74	4,7	.185	44,0350,3390	44,0350,3402	44,0350,5552
1,2	.045	3,8	12.4	1,8	0.74	4,7	.185	44,0350,3394	44,0350,3406	44,0350,5515
1,2	.045	4,8	15.7	1,8	0.74	4,7	.185	44,0350,3398	44,0350,3410	44,0350,5520
1,4-1,6	.052/.062	2,0	6.5	2,4	.098	4,7	.185	44,0350,3391	44,0350,3403	44,0350,5553
1,4-1,6	.052/.062	3,8	12.4	2,4	.098	4,7	.185	44,0350,3395	44,0350,3407	44,0350,5516
1,4-1,6	.052/.062	4,8	15.7	2,4	.098	4,7	.185	44,0350,3399	44,0350,3411	44,0350,5521
2,0	.045	2,0	6.5	1,2	.059	4,7	.185	44,0350,3615	44,0350,3618	44,0350,5554
2,0	.045	3,8	12.4	3,0	.118	4,7	.185	44,0350,3616	44,0350,3619	44,0350,5517
2,0	.045	4,8	15.7	3,0	.118	4,7	.185	44,0350,3617	44,0350,3620	44,0350,5522

TAB. 4 clamping piece


 Ø mm Ø inch		Fe / CrNi	Alu / CuSi	colour	
0,8	.031		44,0350,3314	grey	
0,8	.031	44,0350,3315		grey	
0,9-1,0	.039	44,0350,3317		blue	
1,2	.047	44,0350,3318		red	
1,4-1,6	.062	44,0350,3320		black	
2,0	.078		44,0350,3321	green	
2,4	.095		44,0350,4245	brown	
2,0	.078	42,0001,4589			
2,4	.095				
2,8	.110				

basic kits


	Ø mm	Ø inch	m	feet	Fe MTG / MTW Part No.	CrNi MTG / MTW Part No.	Alu MTW Part No.	CuSi MTW Part No.	Alu/CuSi MTG Part No.
	0,6	.023	5,0	11.5	44,0350,5296	X	X	X	
	0,8	.030	5,0	11.5	44,0350,5117	44,0350,5158	44,0350,5135	44,0350,5144	
	0,9	.035	5,0	14.8	44,0350,5118	44,0350,5159	44,0350,5136	44,0350,5145	
	1,0	.040	5,0	11.5	44,0350,5119	44,0350,5160	44,0350,5137	44,0350,5146	
	1,2	.047	5,0	14.8	44,0350,5120	44,0350,5161	44,0350,5138	44,0350,5147	
	1,4	.052	5,0	11.5	44,0350,5121	44,0350,5162	44,0350,5139	44,0350,5148	
	1,6	.062	5,0	14.8	44,0350,5122	44,0350,5163	44,0350,5140	44,0350,5149	
	2,0	.078	5,0	14.8	X	X	44,0350,5141	X	

TOOLS

contact tip + nozzle stock



nozzle stock

nozzle stock	socket	torque wrench 5-25 Nm
42,0001,3975 	42,0435,0234	 42,0435,0090
44,0350,3425 	42,0435,0236	
42,0001,4921 	42,0435,0233	
42,0001,4623 	42,0435,0233	

contact tip

contact tip	torque wrench	torque driver
M6 	42,0001,6774	 42,0411,0013
M8x1,5 	42,0001,6775	

MTG 400i /FSC/4,5m/45°/LED (4,035,936)

Artikelnr.	Bezeichnung	Menge	Einheit
42,0100,1369	Auslaufstück zu Seele MAG02	1	Stk
44,0350,5144	BK Al ø0,8 /G CuSi ø0,8 G/W/5m	1	Stk
44,0350,5135	BK Al ø0,8 /W/5m	1	Stk
44,0350,5145	BK Al ø0,9 /G CuSi ø0,9 G/W/5m	1	Stk
44,0350,5136	BK Al ø0,9 /W/5m	1	Stk
44,0350,5146	BK Al ø1,0 /G CuSi ø1,0 G/W/5m	1	Stk
44,0350,5137	BK Al ø1,0 /W/5m	1	Stk
44,0350,5147	BK Al ø1,2 /G CuSi ø1,2 G/W/5m	1	Stk
44,0350,5138	BK Al ø1,2 /W/5m	1	Stk
44,0350,5148	BK Al ø1,4 /G CuSi ø1,4 G/W/5m	1	Stk
44,0350,5139	BK Al ø1,4 /W/5m	1	Stk
44,0350,5149	BK Al ø1,6 /G CuSi ø1,6 G/W/5m	1	Stk
44,0350,5140	BK Al ø1,6 /W/5m	1	Stk
44,0350,5141	BK Al ø2,0 /W/5m	1	Stk
44,0350,5158	BK CrNi ø0,8 /G/W/5m	1	Stk
44,0350,5159	BK CrNi ø0,9 /G/W/5m	1	Stk
44,0350,5160	BK CrNi ø1,0 /G/W/5m	1	Stk
44,0350,5161	BK CrNi ø1,2 /G/W/5m	1	Stk
44,0350,5162	BK CrNi ø1,4 /G/W/5m	1	Stk
44,0350,5163	BK CrNi ø1,6 /G/W/5m	1	Stk
44,0350,5296	BK Fe ø0,6 /G/W/5m	1	Stk
44,0350,5117	BK Fe ø0,8 /G/W/5m	1	Stk
44,0350,5118	BK Fe ø0,9 /G/W/5m	1	Stk
44,0350,5119	BK Fe ø1,0 /G/W/5m	1	Stk
44,0350,5120	BK Fe ø1,2 /G/W/5m	1	Stk
44,0350,5121	BK Fe ø1,4 /G/W/5m	1	Stk
44,0350,5122	BK Fe ø1,6 /G/W/5m	1	Stk
42,0404,0192	Bronzeseele 1,6/0,32m	1	Stk
42,0404,0453	Bronzeseele 2,7x1,0x40mm	1	Stk
42,0001,3912,10	Contec-Shell 10pcs MD	1	ve
42,0001,3912,100	Contec-Shell 100pcs MD	1	ve
40,0002,0044,005	CrNi-Seele blank 0,8 / 5m	1	Stk
40,0002,0044,015	CrNi-Seele blank 0,8 / 15m	1	Stk
40,0002,0044,050	CrNi-Seele blank 0,8 / 50m	1	Stk

MTG 400i /FSC/4,5m/45°/LED (4,035,936)

Artikelnr.	Bezeichnung	Menge	Einheit
40,0002,0045,005	CrNi-Seele blank 1,0 / 5m	1	Stk
40,0002,0045,015	CrNi-Seele blank 1,0 / 15m	1	Stk
40,0002,0045,050	CrNi-Seele blank 1,0 / 50m	1	Stk
40,0002,0046,005	CrNi-Seele blank 1,2 / 5m	1	Stk
40,0002,0046,015	CrNi-Seele blank 1,2 / 15m	1	Stk
40,0002,0046,050	CrNi-Seele blank 1,2 / 50m	1	Stk
40,0002,0047,005	CrNi-Seele blank 1,6 / 5m	1	Stk
40,0002,0047,015	CrNi-Seele blank 1,6 / 15m	1	Stk
40,0002,0047,050	CrNi-Seele blank 1,6 / 50m	1	Stk
42,0435,0090	Drehmomentschlüssel 5-25 NM	1	Stk
44,0350,3425	Düsenstock Contec MD MTG400i	1	Stk
42,0001,4921	Düsenstock M6/SW10x48 CU	1	Stk
42,0001,4623	Düsenstock M8x1,5/SW9x44,5 CU	1	Stk
42,0001,3975	Düsenstock M8x1,5/SW11x44,5 CU	1	Stk
42,0404,0350	FEDERDRUCK 5,0/3,8 16 0,6	1	Stk
42,0001,6776	Fixierhülse Ø25/Ø27,2x24	1	Stk
42,0401,0886	Furchschr KST 3x12 DeltaPT	1	Stk
42,0001,4918	Gasdüse Engspalt Ø13/Ø25x74,5	1	Stk
42,0001,3982	Gasdüsenaufn. G 320i/400i	1	Stk
42,0001,4053	Gasdüse zyl ø21,1/ø25x75 CT	1	Stk
42,0001,4087	Gasdüse ø13/ø25x71 CT	1	Stk
42,0001,4088	Gasdüse ø13/ø25x73 CT	1	Stk
42,0001,4052	Gasdüse ø15/ø25x68 CT	1	Stk
42,0001,0972	Gasdüse ø15/ø25x69,5	1	Stk
42,0001,4788	Gasdüse ø15/ø25x71 CT	1	Stk
42,0001,4475	Gasdüse ø15/ø25x73 CT	1	Stk
42,0001,4495	Gasdüse ø15/ø25x73 CT/C	1	Stk
42,0001,4045	Gasdüse ø15/ø25x75 CT	1	Stk
42,0001,4047	Gasdüse ø15/ø25x80 CT	1	Stk
42,0001,4790	Gasdüse ø15/ø27x73 CT HD	1	Stk
42,0001,4049	Gasdüse ø17/ø25x68 CT	1	Stk
42,0001,4043	Gasdüse ø17/ø25x75 CT	1	Stk
42,0411,0013	Hand-Drehmomentschrauber	1	Stk
42,0405,0753	Hitzeschutzschild PA6 ø18mm	1	Stk

MTG 400i /FSC/4,5m/45°/LED (4,035,936)

Artikelnr.	Bezeichnung	Menge	Einheit
44,0350,3880	Isolierhülse ø14/ø20,7x21 kpl.	1	Stk
42,0100,0622	Isolierhülse ø17,2/ø12,3x18,5	1	Stk
42,0100,0530	Isolierring D20,5/D12,15x8mmHD	1	Stk
42,0100,1429	Isolierring ø20,5/ø12,15x8mm	1	Stk
43,0004,4062	Kabelbaum MTG UD	1	Stk
44,0350,5550	Kombiseele G /0,8/2,0m	1	Stk
44,0350,5513	Kombiseele G /0,8/3,8m	1	Stk
44,0350,5518	Kombiseele G /0,8/4,8m	1	Stk
44,0350,5551	Kombiseele G /1,0/2,0m	1	Stk
44,0350,5514	Kombiseele G /1,0/3,8m	1	Stk
44,0350,5519	Kombiseele G /1,0/4,8m	1	Stk
44,0350,5552	Kombiseele G /1,2/2,0m	1	Stk
44,0350,5515	Kombiseele G /1,2/3,8m	1	Stk
44,0350,5520	Kombiseele G /1,2/4,8m	1	Stk
44,0350,5553	Kombiseele G /1,6/2,0m	1	Stk
44,0350,5516	Kombiseele G /1,6/3,8m	1	Stk
44,0350,5521	Kombiseele G /1,6/4,8m	1	Stk
44,0350,5554	Kombiseele G /2,0/2,0m	1	Stk
44,0350,5517	Kombiseele G /2,0/3,8m	1	Stk
44,0350,5522	Kombiseele G /2,0/4,8m	1	Stk
44,0350,3400	Kombiseele G Al /0,8/2,0m	1	Stk
44,0350,3404	Kombiseele G Al /0,8/3,8m	1	Stk
44,0350,3408	Kombiseele G Al /0,8/4,8m	1	Stk
44,0350,3401	Kombiseele G Al /1,0/2,0m	1	Stk
44,0350,3405	Kombiseele G Al /1,0/3,8m	1	Stk
44,0350,3409	Kombiseele G Al /1,0/4,8m	1	Stk
44,0350,3402	Kombiseele G Al /1,2/2,0m	1	Stk
44,0350,3406	Kombiseele G Al /1,2/3,8m	1	Stk
44,0350,3410	Kombiseele G Al /1,2/4,8m	1	Stk
44,0350,3403	Kombiseele G Al /1,6/2,0m	1	Stk
44,0350,3407	Kombiseele G Al /1,6/3,8m	1	Stk
44,0350,3411	Kombiseele G Al /1,6/4,8m	1	Stk
44,0350,3618	Kombiseele G Al /2,0/2,0m	1	Stk
44,0350,3619	Kombiseele G Al /2,0/3,8m	1	Stk

MTG 400i /FSC/4,5m/45°/LED (4,035,936)

Artikelnr.	Bezeichnung	Menge	Einheit
44,0350,3620	Kombiseele G Al /2,0/4,8m	1	Stk
44,0350,3388	Kombiseele W Al /0,8/2,0m	1	Stk
44,0350,3392	Kombiseele W Al /0,8/3,8m	1	Stk
44,0350,3396	Kombiseele W Al /0,8/4,8m	1	Stk
44,0350,3389	Kombiseele W Al /1,0/2,0m	1	Stk
44,0350,3393	Kombiseele W Al /1,0/3,8m	1	Stk
44,0350,3397	Kombiseele W Al /1,0/4,8m	1	Stk
44,0350,3390	Kombiseele W Al /1,2/2,0m	1	Stk
44,0350,3394	Kombiseele W Al /1,2/3,8m	1	Stk
44,0350,3398	Kombiseele W Al /1,2/4,8m	1	Stk
44,0350,3391	Kombiseele W Al /1,6/2,0m	1	Stk
44,0350,3395	Kombiseele W Al /1,6/3,8m	1	Stk
44,0350,3399	Kombiseele W Al /1,6/4,8m	1	Stk
44,0350,3615	Kombiseele W Al /2,0/2,0m	1	Stk
44,0350,3616	Kombiseele W Al /2,0/3,8m	1	Stk
44,0350,3617	Kombiseele W Al /2,0/4,8m	1	Stk
42,0001,6537,10	Kontaktr. 0,8/M8x1,5/ø10x32 Al	1	ve
42,0001,7028,10	Kontaktr.0,9/M8x1,5/ø10x32/SQ	1	ve
42,0001,4750,10	Kontaktr. 1,0/M8x1,5/ø10x32 Al	1	ve
42,0001,7029,10	Kontaktr.1,0/M8x1,5/ø10x32/SQ	1	ve
42,0001,4751,10	Kontaktr. 1,2/M8x1,5/ø10x32 Al	1	ve
42,0001,7030,10	Kontaktr.1,2/M8x1,5/ø10x32/SQ	1	ve
42,0001,4752,10	Kontaktr.1,6/M8x1,5/ø10x32 Al	1	ve
42,0001,6524,10	Kontaktrohr 0,7/M6/8x24mm	1	ve
42,0001,6482,10	Kontaktrohr 0,7/M8x1,5/ø10x32	1	ve
42,0001,4461,10	Kontaktrohr 0,8/M6/ø8x24	1	ve
42,0001,6525,10	Kontaktrohr 0,8/M6/ø8x24 Al	1	ve
42,0001,6464,10	Kontaktrohr 0,8/M8x1,5/ø10x32	1	ve
42,0001,4462,10	Kontaktrohr 0,9/M6/ø8x24	1	ve
42,0001,7025,10	Kontaktrohr 0,9/M6/ø8x24/SQ	1	ve
42,0001,6465,10	Kontaktrohr 0,9/M8x1,5/ø10x32	1	ve
42,0001,4463,10	Kontaktrohr 1,0/M6/ø8x24	1	ve
42,0001,6526,10	Kontaktrohr 1,0/M6/ø8x24 Al	1	ve
42,0001,7026,10	Kontaktrohr 1,0/M6/ø8x24/SQ	1	ve

MTG 400i /FSC/4,5m/45°/LED (4,035,936)

Artikelnr.	Bezeichnung	Menge	Einheit
42,0001,6466,10	Kontaktrohr 1,0/M8x1,5/ø10x32	1	ve
42,0001,6527,10	Kontaktrohr 1,1/M6/ø8x24	1	ve
42,0001,6483,10	Kontaktrohr 1,1/M8x1,5/ø10x32	1	ve
42,0001,4464,10	Kontaktrohr 1,2/M6/ø8x24	1	ve
42,0001,6528,10	Kontaktrohr 1,2/M6/ø8x24 Al	1	ve
42,0001,7027,10	Kontaktrohr 1,2/M6/ø8x24/SQ	1	ve
42,0001,6467,10	Kontaktrohr 1,2/M8x1,5/ø10x32	1	ve
42,0001,6529,10	Kontaktrohr 1,3/M6/ø8x24	1	ve
42,0001,6484,10	Kontaktrohr 1,3/M8x1,5/ø10x32	1	ve
42,0001,4465,10	Kontaktrohr 1,4/M6/ø8x24	1	ve
42,0001,6468,10	Kontaktrohr 1,4/M8x1,5/ø10x32	1	ve
42,0001,6522,10	Kontaktrohr 1,5/M6/ø8x24	1	ve
42,0001,6485,10	Kontaktrohr 1,5/M8x1,5/ø10x32	1	ve
42,0001,4466,10	Kontaktrohr 1,6/M6/ø8x24	1	ve
42,0001,6523,10	Kontaktrohr 1,6/M6/ø8x24 Al	1	ve
42,0001,6469,10	Kontaktrohr 1,6/M8x1,5/ø10x32	1	ve
42,0001,6470,10	Kontaktrohr 1,8/M8x1,5/ø10x32	1	ve
42,0001,6471,10	Kontaktrohr 2,0/M8x1,5/ø10x32	1	ve
42,0001,6472,10	Kontaktrohr 2,4/M8x1,5/ø10x32	1	ve
42,0001,4642,10	Kontaktrohr 2,8/M8x1,5/ø10x32	1	ve
44,0350,3242	MTG 400i/45°/L180/H98	1	Stk
42,0201,3216	Multitool TB wear parts	1	Stk
44,0350,5298	OPT/i T-Handle SET for W6	1	Stk
42,0405,1293	Pistolengriff TPSi Push	1	Stk
42,0001,6336	Spannmutter Contec/SW11x19,5	1	Stk
44,0350,3314	Spannnippel 0,8 Al / CuSi	1	Stk
44,0350,3315	Spannnippel 0,8 Fe / CrNi	1	Stk
44,0350,3317	Spannnippel 0,9 / 1,0	1	Stk
44,0350,3318	Spannnippel 1,2	1	Stk
44,0350,3320	Spannnippel 1,4/1,6	1	Stk
44,0350,3321	Spannnippel 2,0 Al	1	Stk
44,0350,4245	Spannnippel 2,4 Al	1	Stk
42,0001,4589	Spannnippel 2,8 SSFCW	1	Stk
42,0100,0575	SpritzerschutzØ11,2/Ø20,2x22	1	Stk

MTG 400i /FSC/4,5m/45°/LED (4,035,936)

Artikelnr.	Bezeichnung	Menge	Einheit
42,0100,0532	SpritzerschutzØ11,2/Ø20,2x22HD	1	Stk
42,0100,1156	Spritzerschutz ø14,5/ø18x21,3	1	Stk
40,0002,0040,005	Stahlseele blank 0,8 / 5m	1	Stk
40,0002,0040,015	Stahlseele blank 0,8 / 15m	1	Stk
40,0002,0040,050	Stahlseele blank 0,8 / 50m	1	Stk
40,0002,0041,005	Stahlseele blank 1,0 / 5m	1	Stk
40,0002,0041,015	Stahlseele blank 1,0 / 15m	1	Stk
40,0002,0041,050	Stahlseele blank 1,0 / 50m	1	Stk
40,0002,0042,005	Stahlseele blank 1,2 / 5m	1	Stk
40,0002,0042,015	Stahlseele blank 1,2 / 15m	1	Stk
40,0002,0042,050	Stahlseele blank 1,2 / 50m	1	Stk
40,0002,0043,005	Stahlseele blank 1,6 / 5m	1	Stk
40,0002,0043,015	Stahlseele blank 1,6 / 15m	1	Stk
40,0002,0043,050	Stahlseele blank 1,6 / 50m	1	Stk
40,0002,0052,005	Stahlseele C 0,8 / 5 m	1	Stk
40,0002,0052,015	Stahlseele C 0,8 / 15 m	1	Stk
40,0002,0052,050	Stahlseele C 0,8 / 50 m	1	Stk
40,0002,0053,005	Stahlseele C 1,0 / 5 m	1	Stk
40,0002,0053,015	Stahlseele C 1,0 / 15 m	1	Stk
40,0002,0053,050	Stahlseele C 1,0 / 50 m	1	Stk
40,0002,0054,005	Stahlseele C 1,2 / 5 m	1	Stk
40,0002,0054,015	Stahlseele C 1,2 / 15 m	1	Stk
40,0002,0054,050	Stahlseele C 1,2 / 50 m	1	Stk
40,0002,0055,005	Stahlseele C 1,6 / 5 m	1	Stk
40,0002,0055,015	Stahlseele C 1,6 / 15 m	1	Stk
40,0002,0055,050	Stahlseele C 1,6 / 50 m	1	Stk
42,0001,6774	Steckaufsatz SW7	1	Stk
42,0001,6775	Steckaufsatz SW8	1	Stk
42,0435,0233	Stecknuss 3/8" SW10 L=55mm	1	Stk
42,0435,0234	Stecknuss 3/8" SW11 L=55mm	1	Stk
42,0435,0236	Stecknuss 3/8" SW13 L=50mm	1	Stk
44,0350,5229	Tastenverlängerungsset BT2	1	Stk
42,0405,1216	Taster Pistolengriff PullMIG	1	Stk
42,0405,2129	Tasterverlängerung BT2 lang	1	Stk

MTG 400i /FSC/4,5m/45°/LED (4,035,936)

Artikelnr.	Bezeichnung	Menge	Einheit
42,0100,1370	Verbindungsst. uni. zu Seele	1	Stk