




MTB 250i G ML /45°/L158/H73


44,0350,3149

## Standard




| MTB<br>250i ML G | L   |        | H  |       | Standard     |
|------------------|-----|--------|----|-------|--------------|
|                  | mm  | inch   | mm | inch  |              |
| 15°              | 183 | 7.205  | 22 | 0.866 | 44,0350,3147 |
| 15°              | 283 | 11.142 | 22 | 0.866 | 44,0350,4161 |
| 15°              | 383 | 15.079 | 22 | 0.866 | 44,0350,4162 |
| 30°              | 174 | 6.850  | 47 | 1.850 | 44,0350,3148 |
| 30°              | 274 | 10.787 | 47 | 1.850 | 44,0350,4163 |
| 30°              | 374 | 14.724 | 47 | 1.850 | 44,0350,4164 |
| 45°              | 158 | 6.220  | 73 | 2.874 | 44,0350,3149 |
| 45°              | 258 | 10.157 | 73 | 2.874 | 44,0350,4165 |
| 45°              | 358 | 14.094 | 73 | 2.874 | 44,0350,4166 |
| 60°              | 142 | 5.591  | 87 | 3.425 | 44,0350,4167 |



| TAB. 1 CuCrZr                                                                                    |  | Ø mm | Ø inch | Part No.        |
|--------------------------------------------------------------------------------------------------|--|------|--------|-----------------|
|                 |  | 0,6  | 0,023  | 42,0001,4928    |
|                                                                                                  |  | 0,7  | 0,027  | 42,0001,6524,10 |
|                                                                                                  |  | 0,8  | 0,030  | 42,0001,4461,10 |
|                                                                                                  |  | 0,9  | 0,035  | 42,0001,4462,10 |
|                                                                                                  |  | 1,0  | 0,040  | 42,0001,4463,10 |
|                                                                                                  |  | 1,1  | 0,043  | 42,0001,6527,10 |
|                                                                                                  |  | 1,2  | 0,045  | 42,0001,4464,10 |
|                                                                                                  |  | 1,3  | 0,051  | 42,0001,6529,10 |
|                                                                                                  |  | 1,4  | 0,052  | 42,0001,4465,10 |
|                                                                                                  |  | 1,5  | 0,059  | 42,0001,6522,10 |
|                                                                                                  |  | 1,6  | 0,062  | 42,0001,4466,10 |
|                                                                                                  |  |      |        |                 |
|                 |  | 0,7  | 0,027  | 42,0001,6482,10 |
|                                                                                                  |  | 0,8  | 0,030  | 42,0001,6464,10 |
|                                                                                                  |  | 0,9  | 0,035  | 42,0001,6465,10 |
|                                                                                                  |  | 1,0  | 0,040  | 42,0001,6466,10 |
|                                                                                                  |  | 1,1  | 0,043  | 42,0001,6483,10 |
|                                                                                                  |  | 1,2  | 0,045  | 42,0001,6467,10 |
|                                                                                                  |  | 1,3  | 0,051  | 42,0001,6484,10 |
|                                                                                                  |  | 1,4  | 0,052  | 42,0001,6468,10 |
|                                                                                                  |  | 1,5  | 0,059  | 42,0001,6485,10 |
|                                                                                                  |  | 1,6  | 0,062  | 42,0001,6469,10 |
|                                                                                                  |  | 1,8  | 0,071  | 42,0001,6470,10 |
|                                                                                                  |  | 2,0  | 0,078  | 42,0001,6471,10 |
| <b>Al</b><br> |  | 0,8  | 0,030  | 42,0001,6525,10 |
|                                                                                                  |  | 1,0  | 0,040  | 42,0001,6526,10 |
|                                                                                                  |  | 1,2  | 0,045  | 42,0001,6528,10 |
|                                                                                                  |  | 1,6  | 0,062  | 42,0001,6523,10 |
|                                                                                                  |  |      |        |                 |
| <b>Al</b><br> |  | 0,8  | 0,030  | 42,0001,6537,10 |
|                                                                                                  |  | 1,0  | 0,040  | 42,0001,4750,10 |
|                                                                                                  |  | 1,2  | 0,045  | 42,0001,4751,10 |
|                                                                                                  |  | 1,6  | 0,062  | 42,0001,4752,10 |
|                                                                                                  |  |      |        |                 |

| TAB. 1 E-Cu                                                                         |  | Ø mm | Ø inch | Part No.        |
|-------------------------------------------------------------------------------------|--|------|--------|-----------------|
|  |  | 0,9  | 0,035  | 42,0001,7025,10 |
|                                                                                     |  | 1,0  | 0,040  | 42,0001,7026,10 |
|                                                                                     |  | 1,2  | 0,045  | 42,0001,7027,10 |
|                                                                                     |  |      |        |                 |
|  |  | 0,9  | 0,035  | 42,0001,7028,10 |
|                                                                                     |  | 1,0  | 0,040  | 42,0001,7029,10 |
|                                                                                     |  | 1,2  | 0,045  | 42,0001,7030,10 |
|                                                                                     |  |      |        |                 |



# MTB 250i G ML /45°/L158/H73 (44,0350,3149)

| TAB. 2           |                  |  |                           |    |      |      |      |      |      |              |                                                                                     |                                |  |                         |  |
|------------------|------------------|-----------------------------------------------------------------------------------|---------------------------|----|------|------|------|------|------|--------------|-------------------------------------------------------------------------------------|--------------------------------|--|-------------------------|--|
|                  |                  | d1                                                                                |                           | d2 |      | d3   |      | L    |      | Part No.     |  |                                |  |                         |  |
|                  |                  | mm                                                                                | inch                      | mm | inch | mm   | inch | mm   | inch |              |                                                                                     |                                |  |                         |  |
| MTW<br>250i      | MTG<br>250i      | M20x2                                                                             |                           | 8  | 0.31 | 22   | 0.86 | 10,4 | 0.41 | 58           | 2.28                                                                                | 42,0001,6664                   |  | standard MTW 250i Braze |  |
|                  |                  | 10                                                                                | 0.39                      | 22 | 0.86 | 13,0 | 0.51 | 54   | 2.13 | 42,0001,4083 |                                                                                     |                                |  |                         |  |
|                  |                  | 13                                                                                | 0.51                      | 22 | 0.86 | 16,1 | 0.63 | 54   | 2.13 | 42,0001,4799 |                                                                                     |                                |  |                         |  |
|                  |                  | 13                                                                                | 0.51                      | 22 | 0.86 | 16,1 | 0.63 | 56   | 2.20 | 42,0001,4477 |                                                                                     | standard MTB 250i G/W R        |  |                         |  |
|                  |                  | 10                                                                                | 0.39                      | 22 | 0.86 | 13,0 | 0.51 | 58   | 2.28 | 42,0001,4084 |                                                                                     |                                |  |                         |  |
|                  |                  | 13                                                                                | 0,51                      | 22 | 0,86 | 16,1 | 0.63 | 56   | 2.20 | 42,0001,4498 | Al                                                                                  |                                |  |                         |  |
|                  |                  | 13                                                                                | 0,51                      | 22 | 0,86 | 16,1 | 0.63 | 58   | 2.28 | 42,0001,4065 |                                                                                     | standard MTG/MTW 250i          |  |                         |  |
|                  |                  | 15                                                                                | 0,59                      | 22 | 0,86 | 18,3 | 0.72 | 58   | 2.28 | 42,0001,4493 |                                                                                     |                                |  |                         |  |
|                  |                  | 18                                                                                | 0.71                      | 22 | 0.86 | 22   | 0.87 | 58   | 2.28 | 42,0001,4055 |                                                                                     |                                |  |                         |  |
| MTW<br>400i/500i | MTG<br>320i/400i | M23x2                                                                             |                           | 13 | 0.51 | 25   | 0.98 | 16,4 | 0.64 | 59           | 2.32                                                                                | 42,0001,4085                   |  |                         |  |
|                  |                  | 15                                                                                | 0.59                      | 25 | 0.98 | 18,6 | 0.73 | 59   | 2.32 | 42,0001,4048 |                                                                                     |                                |  |                         |  |
|                  |                  | 13                                                                                | 0.51                      | 25 | 0.98 | 16,4 | 0.64 | 61   | 2.40 | 42,0001,4086 |                                                                                     | standard MTB 320i G R          |  |                         |  |
|                  |                  | 15                                                                                | 0.59                      | 25 | 0.98 | 18,1 | 0.71 | 61   | 2.40 | 42,0001,4474 |                                                                                     | standard MTB 400i W R          |  |                         |  |
|                  |                  | 15                                                                                | 0.59                      | 27 | 1.06 | 20,2 | 0.80 | 61   | 2.40 | 42,0001,4789 |                                                                                     | MTB 400i W R, heavy duty       |  |                         |  |
|                  |                  | 17                                                                                | 0.71                      | 25 | 0.98 | 20,8 | 0.82 | 61   | 2.40 | 42,0001,4476 |                                                                                     | standard MTB 500i W R          |  |                         |  |
|                  |                  | 13                                                                                | 0.51                      | 25 | 0.98 | 16,4 | 0.64 | 61   | 2.40 | 42,0001,4497 | Al                                                                                  |                                |  |                         |  |
|                  |                  | 13                                                                                | 0.51                      | 25 | 0.98 | 16,4 | 0.64 | 63   | 2.48 | 42,0001,4080 |                                                                                     | standard MTG 320i              |  |                         |  |
|                  |                  | 15                                                                                | 0.59                      | 25 | 0.98 | 18,6 | 0.73 | 61   | 2.40 | 42,0001,4496 | Al                                                                                  |                                |  |                         |  |
|                  |                  | 15                                                                                | 0.59                      | 25 | 0.98 | 18,6 | 0.73 | 63   | 2.48 | 42,0001,4051 |                                                                                     | standard MTW 400i              |  |                         |  |
|                  |                  | 17                                                                                | 0.71                      | 25 | 0.98 | 20,8 | 0.82 | 61   | 2.40 | 42,0001,4494 | Al                                                                                  |                                |  |                         |  |
|                  |                  | 17                                                                                | 0.71                      | 25 | 0.98 | 20,8 | 0.82 | 63   | 2.48 | 42,0001,4050 |                                                                                     | standard MTW500i,330i W R long |  |                         |  |
|                  |                  | 17                                                                                | 0.71                      | 27 | 1.06 | 20,8 | 0.82 | 63   | 2.48 | 42,0001,4216 |                                                                                     | MTW 500i, heavy duty           |  |                         |  |
|                  |                  | 21                                                                                | 0.82                      | 25 | 0.98 | 25,0 | 0.98 | 63   | 2.48 | 42,0001,4054 |                                                                                     |                                |  |                         |  |
|                  |                  | 15                                                                                | 0.59                      | 25 | 0.98 | 18,6 | 0.73 | 68   | 2.68 | 42,0001,4052 |                                                                                     |                                |  |                         |  |
|                  |                  | 17                                                                                | 0.71                      | 25 | 0.98 | 20,8 | 0.82 | 68   | 2.68 | 42,0001,4049 |                                                                                     |                                |  |                         |  |
|                  |                  | 13                                                                                | 0.51                      | 25 | 0.98 | 16,4 | 0.64 | 71   | 2.80 | 42,0001,4087 |                                                                                     |                                |  |                         |  |
|                  |                  | 15                                                                                | 0.59                      | 25 | 0.98 | 18,6 | 0.73 | 71   | 2.80 | 42,0001,4788 |                                                                                     |                                |  |                         |  |
|                  |                  | 13                                                                                | 0.51                      | 25 | 0.98 | 16,4 | 0.64 | 73   | 2.87 | 42,0001,4088 |                                                                                     |                                |  |                         |  |
|                  |                  | 15                                                                                | 0.59                      | 25 | 0.98 | 18,6 | 0.73 | 73   | 2.87 | 42,0001,4475 |                                                                                     | standard MTB 400i G R          |  |                         |  |
|                  |                  | 15                                                                                | 0.59                      | 27 | 1.06 | 18,6 | 0.73 | 73   | 2.87 | 42,0001,4790 |                                                                                     | MTB 400i G R, heavy duty       |  |                         |  |
|                  |                  | 15                                                                                | 0.59                      | 25 | 0.98 | 18,6 | 0.73 | 73   | 2.87 | 42,0001,4495 | Al                                                                                  |                                |  |                         |  |
|                  |                  | 15                                                                                | 0.59                      | 25 | 0.98 | 18,6 | 0.73 | 75   | 2.95 | 42,0001,4045 |                                                                                     | standard MTG 400i              |  |                         |  |
|                  |                  | 17                                                                                | 0.71                      | 25 | 0.98 | 20,8 | 0.82 | 75   | 2.95 | 42,0001,4043 |                                                                                     |                                |  |                         |  |
|                  |                  | 21                                                                                | 0.82                      | 25 | 0.98 | 25,0 | 0.98 | 75   | 2.95 | 42,0001,4053 |                                                                                     |                                |  |                         |  |
|                  |                  | 15                                                                                | 0.59                      | 25 | 0.98 | 18,6 | 0.73 | 80   | 3.15 | 42,0001,4047 |                                                                                     |                                |  |                         |  |
|                  |                  | MTB W<br>400i R<br>500i R                                                         | MTB G<br>320i R<br>400i R |    |      |      |      |      |      |              |                                                                                     |                                |  |                         |  |
|                  |                  |                                                                                   |                           |    |      |      |      |      |      |              |                                                                                     |                                |  |                         |  |
|                  |                  |                                                                                   |                           |    |      |      |      |      |      |              |                                                                                     |                                |  |                         |  |
|                  |                  |                                                                                   |                           |    |      |      |      |      |      |              |                                                                                     |                                |  |                         |  |
|                  |                  |                                                                                   |                           |    |      |      |      |      |      |              |                                                                                     |                                |  |                         |  |
|                  |                  |                                                                                   |                           |    |      |      |      |      |      |              |                                                                                     |                                |  |                         |  |
|                  |                  |                                                                                   |                           |    |      |      |      |      |      |              |                                                                                     |                                |  |                         |  |
|                  |                  |                                                                                   |                           |    |      |      |      |      |      |              |                                                                                     |                                |  |                         |  |
|                  |                  |                                                                                   |                           |    |      |      |      |      |      |              |                                                                                     |                                |  |                         |  |
|                  |                  |                                                                                   |                           |    |      |      |      |      |      |              |                                                                                     |                                |  |                         |  |
|                  |                  |                                                                                   |                           |    |      |      |      |      |      |              |                                                                                     |                                |  |                         |  |
|                  |                  |                                                                                   |                           |    |      |      |      |      |      |              |                                                                                     |                                |  |                         |  |
|                  |                  |                                                                                   |                           |    |      |      |      |      |      |              |                                                                                     |                                |  |                         |  |

# MTB 250i G ML /45°/L158/H73 (44,0350,3149)

| TAB. 6                                                                            |                 |       |      |      |      |      |      |      |      |          |                                                                                     |    |                                       |
|-----------------------------------------------------------------------------------|-----------------|-------|------|------|------|------|------|------|------|----------|-------------------------------------------------------------------------------------|----|---------------------------------------|
|  |                 |       |      |      |      |      |      |      |      |          |                                                                                     |    |                                       |
|                                                                                   |                 | d1    |      | d2   |      | d3   |      | L    |      | Part No. |  |    |                                       |
|                                                                                   |                 | mm    | inch | mm   | inch | mm   | inch | mm   | inch |          |                                                                                     |    |                                       |
| MTB G<br>330i R                                                                   | MTB W<br>330i R | M23x2 | 13   | 0.51 | ø25  | 0.98 | 16   | 0.63 | 37   | 1.46     | 42,0001,4533                                                                        |    | <b>not possible at MTB 330i G R H</b> |
|                                                                                   |                 |       | 13   | 0.51 | ø25  | 0.98 | 16   | 0.63 | 41   | 1.61     | 42,0001,4487                                                                        |    | standard MTB 330i W R / G ML          |
|                                                                                   |                 |       | 13   | 0.51 | ø25  | 0.98 | 16   | 0.63 | 39,5 | 1.61     | 42,0001,4534                                                                        | AI |                                       |
|                                                                                   |                 |       | 13   | 0.51 | ø25  | 0.98 | 16   | 0.63 | 39,5 | 1.56     | 42,0001,4902                                                                        |    | standard MTB 330i G R   G R H         |
|                                                                                   |                 |       | 15   | 0.59 | ø25  | 0.98 | 18   | 0.72 | 39,5 | 1.56     | 42,0001,5023                                                                        |    |                                       |

## TOOLS



# MTB 250i G ML /45°/L158/H73 (44,0350,3149)

| Artikelnr.   | Bezeichnung                     | Menge | Einheit |
|--------------|---------------------------------|-------|---------|
| 44,0450,1436 | Ausziehwkzgc CPC +35mm verläng. | 1     | Stk     |
| 45,0200,0826 | Dr.Schlüssel Überwurfmutter BY  | 1     | Stk     |
| 42,0411,9040 | Drehmomentschl. 4-20Nm          | 1     | Stk     |
| 42,0001,3988 | Düsenstock M6/SW9x31 CU         | 1     | Stk     |
| 40,0009,0044 | Fett O-Ring transparent         | 1     | Stk     |
| 42,0001,6715 | Gasdüse Engspalt Ø10/Ø25x68 CT  | 1     | Stk     |
| 42,0001,4917 | Gasdüse Engspalt Ø13/Ø25x62,5   | 1     | Stk     |
| 42,0001,6716 | Gasdüse Engspalt Ø13/Ø25x68 CT  | 1     | Stk     |
| 42,0001,4918 | Gasdüse Engspalt Ø13/Ø25x74,5   | 1     | Stk     |
| 42,0001,6772 | Gasdüse Engspalt ø13/ø25x50 CT  | 1     | Stk     |
| 42,0001,4745 | Gasdüse Engspalt ø13/ø25x56 CT  | 1     | Stk     |
| 42,0001,4868 | Gasdüsenmundstück Ø17/Ø29x26,5  | 1     | Stk     |
| 42,0001,4257 | Gasdüsenmundstück Ø17/Ø29x29    | 1     | Stk     |
| 42,0001,0142 | Gasdüsenmundstück ø13/ø29x      | 1     | Stk     |
| 42,0001,4670 | Gasdüsenmundstück ø17/29x34 HD  | 1     | Stk     |
| 44,0350,4079 | Gasdüse W 700i Ø17/Ø29,5x68,5   | 1     | Stk     |
| 44,0350,0226 | Gasdüse W 700i ø13,2/ø29,5x69   | 1     | Stk     |
| 44,0350,3966 | Gasdüse W 700i ø17/ø29,5x71     | 1     | Stk     |
| 44,0350,3942 | Gasdüse W 700i ø17/ø29,5x76 HD  | 1     | Stk     |
| 42,0001,4055 | Gasdüse zyl ø18/ø22x58 CT       | 1     | Stk     |
| 42,0001,4054 | Gasdüse zyl ø21,1/ø25x63 CT     | 1     | Stk     |
| 42,0001,4053 | Gasdüse zyl ø21,1/ø25x75 CT     | 1     | Stk     |
| 44,0350,3935 | Gasdüse Ø15/Ø25x61 CT/H         | 1     | Stk     |
| 44,0350,3936 | Gasdüse Ø17/Ø25x61 CT/H         | 1     | Stk     |
| 42,0001,4216 | Gasdüse Ø17/Ø27x63 CT HD        | 1     | Stk     |
| 42,0001,6664 | Gasdüse ø8/ø22x57 CT            | 1     | Stk     |
| 42,0001,4083 | Gasdüse ø10/ø22x54 CT           | 1     | Stk     |
| 42,0001,4084 | Gasdüse ø10/ø22x58 CT           | 1     | Stk     |
| 42,0001,4858 | Gasdüse ø13/Ø27x53 CT           | 1     | Stk     |
| 42,0001,4799 | Gasdüse ø13/ø22x54 CT           | 1     | Stk     |
| 42,0001,4477 | Gasdüse ø13/ø22x56 CT           | 1     | Stk     |
| 42,0001,4498 | Gasdüse ø13/ø22x56 CT/C         | 1     | Stk     |
| 42,0001,4065 | Gasdüse ø13/ø22x58 CT           | 1     | Stk     |
| 42,0001,4533 | Gasdüse ø13/ø25x37 CT           | 1     | Stk     |

# MTB 250i G ML /45°/L158/H73 (44,0350,3149)

| Artikelnr.   | Bezeichnung               | Menge | Einheit |
|--------------|---------------------------|-------|---------|
| 42,0001,4902 | Gasdüse ø13/ø25x39,5 CT   | 1     | Stk     |
| 42,0001,4534 | Gasdüse ø13/ø25x39,5 CT/C | 1     | Stk     |
| 42,0001,4487 | Gasdüse ø13/ø25x41 CT     | 1     | Stk     |
| 42,0001,4486 | Gasdüse ø13/ø25x41 CT/H   | 1     | Stk     |
| 42,0001,4085 | Gasdüse ø13/ø25x59 CT     | 1     | Stk     |
| 42,0001,4086 | Gasdüse ø13/ø25x61 CT     | 1     | Stk     |
| 42,0001,4497 | Gasdüse ø13/ø25x61 CT/C   | 1     | Stk     |
| 42,0001,4080 | Gasdüse ø13/ø25x63 CT     | 1     | Stk     |
| 42,0001,4087 | Gasdüse ø13/ø25x71 CT     | 1     | Stk     |
| 42,0001,4088 | Gasdüse ø13/ø25x73 CT     | 1     | Stk     |
| 42,0001,4857 | Gasdüse ø15/ø27x53 CT     | 1     | Stk     |
| 42,0001,4856 | Gasdüse ø15/ø27x57 CT     | 1     | Stk     |
| 42,0001,4493 | Gasdüse ø15/ø22x58 CT     | 1     | Stk     |
| 42,0001,5023 | Gasdüse ø15/ø25x39,5 CT   | 1     | Stk     |
| 42,0001,4048 | Gasdüse ø15/ø25x59 CT     | 1     | Stk     |
| 42,0001,4474 | Gasdüse ø15/ø25x61 CT     | 1     | Stk     |
| 42,0001,4496 | Gasdüse ø15/ø25x61 CT/C   | 1     | Stk     |
| 42,0001,4051 | Gasdüse ø15/ø25x63 CT     | 1     | Stk     |
| 42,0001,4052 | Gasdüse ø15/ø25x68 CT     | 1     | Stk     |
| 42,0001,4788 | Gasdüse ø15/ø25x71 CT     | 1     | Stk     |
| 42,0001,4475 | Gasdüse ø15/ø25x73 CT     | 1     | Stk     |
| 42,0001,4495 | Gasdüse ø15/ø25x73 CT/C   | 1     | Stk     |
| 42,0001,4045 | Gasdüse ø15/ø25x75 CT     | 1     | Stk     |
| 42,0001,4047 | Gasdüse ø15/ø25x80 CT     | 1     | Stk     |
| 42,0001,4789 | Gasdüse ø15/ø27x61 CT HD  | 1     | Stk     |
| 44,0350,2020 | Gasdüse ø15/ø27x67 CT     | 1     | Stk     |
| 42,0001,4790 | Gasdüse ø15/ø27x73 CT HD  | 1     | Stk     |
| 44,0350,1991 | Gasdüse ø15/ø27x74 CT     | 1     | Stk     |
| 44,0350,1987 | Gasdüse ø15/ø27x80,5 CT   | 1     | Stk     |
| 44,0350,1988 | Gasdüse ø15/ø27x82,5 CT   | 1     | Stk     |
| 42,0001,4476 | Gasdüse ø17/ø25x61 CT     | 1     | Stk     |
| 42,0001,4494 | Gasdüse ø17/ø25x61 CT/C   | 1     | Stk     |
| 42,0001,4050 | Gasdüse ø17/ø25x63 CT     | 1     | Stk     |
| 42,0001,4049 | Gasdüse ø17/ø25x68 CT     | 1     | Stk     |

# MTB 250i G ML /45°/L158/H73 (44,0350,3149)

| Artikelnr.      | Bezeichnung                    | Menge | Einheit |
|-----------------|--------------------------------|-------|---------|
| 42,0001,4043    | Gasdüse ø17/ø25x75 CT          | 1     | Stk     |
| 44,0350,2021    | Gasdüse ø17/ø27x67 CT          | 1     | Stk     |
| 44,0350,1995    | Gasdüse ø17/ø27x74 CT          | 1     | Stk     |
| 44,0350,3179    | Gasdüse ø17/ø27x83,5 CT        | 1     | Stk     |
| 44,0350,2036    | Gasdüse ø17/ø27x85             | 1     | Stk     |
| 44,0350,3180    | Gasdüse ø18/ø27x87,5 CT        | 1     | Stk     |
| 42,0100,0529    | Isolerring D17,5/D10,15x7mmHD  | 1     | Stk     |
| 42,0100,1428    | Isolerring ø17,5/ø11,1x7mm     | 1     | Stk     |
| 42,0001,6537,10 | Kontaktr. 0,8/M8x1,5/ø10x32 Al | 1     | ve      |
| 42,0001,7028,10 | Kontaktr.0,9/M8x1,5/ø10x32/SQ  | 1     | ve      |
| 42,0001,4750,10 | Kontaktr. 1,0/M8x1,5/ø10x32 Al | 1     | ve      |
| 42,0001,7029,10 | Kontaktr.1,0/M8x1,5/ø10x32/SQ  | 1     | ve      |
| 42,0001,4751,10 | Kontaktr. 1,2/M8x1,5/ø10x32 Al | 1     | ve      |
| 42,0001,7030,10 | Kontaktr.1,2/M8x1,5/ø10x32/SQ  | 1     | ve      |
| 42,0001,4752,10 | Kontaktr.1,6/M8x1,5/ø10x32 Al  | 1     | ve      |
| 42,0001,4928    | Kontaktrohr 0,6/M6/8x24mm      | 1     | Stk     |
| 42,0001,6524,10 | Kontaktrohr 0,7/M6/8x24mm      | 1     | ve      |
| 42,0001,6482,10 | Kontaktrohr 0,7/M8x1,5/ø10x32  | 1     | ve      |
| 42,0001,4461,10 | Kontaktrohr 0,8/M6/ø8x24       | 1     | ve      |
| 42,0001,6525,10 | Kontaktrohr 0,8/M6/ø8x24 Al    | 1     | ve      |
| 42,0001,6464,10 | Kontaktrohr 0,8/M8x1,5/ø10x32  | 1     | ve      |
| 42,0001,4462,10 | Kontaktrohr 0,9/M6/ø8x24       | 1     | ve      |
| 42,0001,7025,10 | Kontaktrohr 0,9/M6/ø8x24/SQ    | 1     | ve      |
| 42,0001,6465,10 | Kontaktrohr 0,9/M8x1,5/ø10x32  | 1     | ve      |
| 42,0001,4463,10 | Kontaktrohr 1,0/M6/ø8x24       | 1     | ve      |
| 42,0001,6526,10 | Kontaktrohr 1,0/M6/ø8x24 Al    | 1     | ve      |
| 42,0001,7026,10 | Kontaktrohr 1,0/M6/ø8x24/SQ    | 1     | ve      |
| 42,0001,6466,10 | Kontaktrohr 1,0/M8x1,5/ø10x32  | 1     | ve      |
| 42,0001,6527,10 | Kontaktrohr 1,1/M6/ø8x24       | 1     | ve      |
| 42,0001,6483,10 | Kontaktrohr 1,1/M8x1,5/ø10x32  | 1     | ve      |
| 42,0001,4464,10 | Kontaktrohr 1,2/M6/ø8x24       | 1     | ve      |
| 42,0001,6528,10 | Kontaktrohr 1,2/M6/ø8x24 Al    | 1     | ve      |
| 42,0001,7027,10 | Kontaktrohr 1,2/M6/ø8x24/SQ    | 1     | ve      |
| 42,0001,6467,10 | Kontaktrohr 1,2/M8x1,5/ø10x32  | 1     | ve      |

## MTB 250i G ML /45°/L158/H73 (44,0350,3149)

| Artikelnr.      | Bezeichnung                    | Menge | Einheit |
|-----------------|--------------------------------|-------|---------|
| 42,0001,6529,10 | Kontaktrohr 1,3/M6/ø8x24       | 1     | ve      |
| 42,0001,6484,10 | Kontaktrohr 1,3/M8x1,5/ø10x32  | 1     | ve      |
| 42,0001,4465,10 | Kontaktrohr 1,4/M6/ø8x24       | 1     | ve      |
| 42,0001,6468,10 | Kontaktrohr 1,4/M8x1,5/ø10x32  | 1     | ve      |
| 42,0001,6522,10 | Kontaktrohr 1,5/M6/ø8x24       | 1     | ve      |
| 42,0001,6485,10 | Kontaktrohr 1,5/M8x1,5/ø10x32  | 1     | ve      |
| 42,0001,4466,10 | Kontaktrohr 1,6/M6/ø8x24       | 1     | ve      |
| 42,0001,6523,10 | Kontaktrohr 1,6/M6/ø8x24 Al    | 1     | ve      |
| 42,0001,6469,10 | Kontaktrohr 1,6/M8x1,5/ø10x32  | 1     | ve      |
| 42,0001,6470,10 | Kontaktrohr 1,8/M8x1,5/ø10x32  | 1     | ve      |
| 42,0001,6471,10 | Kontaktrohr 2,0/M8x1,5/ø10x32  | 1     | ve      |
| 42,0001,6472,10 | Kontaktrohr 2,4/M8x1,5/ø10x32  | 1     | ve      |
| 42,0001,4642,10 | Kontaktrohr 2,8/M8x1,5/ø10x32  | 1     | ve      |
| 44,0350,3147    | MTB 250i G ML /15°/L183/H22    | 1     | Stk     |
| 44,0350,3148    | MTB 250i G ML /30°/L174/H47    | 1     | Stk     |
| 44,0350,4161    | MTB 250i ML /G/15°/L283/H22    | 1     | Stk     |
| 44,0350,4162    | MTB 250i ML /G/15°/L383/H22    | 1     | Stk     |
| 44,0350,4163    | MTB 250i ML /G/30°/L274/H47    | 1     | Stk     |
| 44,0350,4164    | MTB 250i ML /G/30°/L374/H47    | 1     | Stk     |
| 44,0350,4165    | MTB 250i ML /G/45°/L258/H73    | 1     | Stk     |
| 44,0350,4166    | MTB 250i ML /G/45°/L358/H73    | 1     | Stk     |
| 44,0350,4167    | MTB 250i ML /G/60°/L142/H87    | 1     | Stk     |
| 42,0201,3216    | Multitool TB wear parts        | 1     | Stk     |
| 42,0402,0287    | O-Ring Iø9x1,5mm NBR70         | 1     | Stk     |
| 42,0402,0305    | O-Ring Iø21x1,5 FKM            | 1     | Stk     |
| 42,0402,0304    | O-Ring Iø25x1,5 FKM            | 1     | Stk     |
| 44,0450,1938    | Rollgabel-Einsteckwerkzeug     | 1     | Stk     |
| 42,0100,0531    | SpritzerschutzØ9,2/Ø17,2x17 HD | 1     | Stk     |
| 42,0100,0552    | Spritzerschutz ø9,2/ø17,2x17   | 1     | Stk     |