


MTG 400i Exento/FSC/UD/4,5m

4,036,469



DETAIL IF

UP/DOWN LED

42,0405,0663

42,0405,0713


4,071,463,Z

connect


43,0004,8008

41,0006,0108


MTG 400i




OPT/i T-Handle Exento 44,0350,2169



OPT/i Button Extension Kit




Torch Trigger on the top




OPTION EXENTO

OPTION LEATHER

40,0001,0374 - 1,3m (4.3ft) **x)**
 40,0001,0611 - 2,8m (9.2ft)
 40,0001,0612 - 3,8m (12.5ft)



x) standard



TAB. 1 contact tip

M6	CuCrZr	Ø mm	Ø inch	Part No.
		0,6	0,023	42,0001,4928,10
		0,7	0,027	42,0001,6524,10
		0,8	0,030	42,0001,4461,10
		0,9	0,035	42,0001,4462,10
		1,0	0,040	42,0001,4463,10
		1,1	0,043	42,0001,6527,10
		1,2	0,045	42,0001,4464,10
		1,3	0,051	42,0001,6529,10
		1,4	0,052	42,0001,4465,10
		1,5	0,059	42,0001,6522,10
		1,6	0,062	42,0001,4466,10

TAB. 1 contact tip

M8x1,5	CuCrZr	Ø mm	Ø inch	Part No.
		0,7	0,027	42,0001,6482,10
		0,8	0,030	42,0001,6464,10
		0,9	0,035	42,0001,6465,10
		1,0	0,040	42,0001,6466,10
		1,1	0,043	42,0001,6483,10
		1,2	0,045	42,0001,6467,10
		1,3	0,051	42,0001,6484,10
		1,4	0,052	42,0001,6468,10
		1,5	0,059	42,0001,6485,10
		1,6	0,062	42,0001,6469,10
		1,8	0,071	42,0001,6470,10
		2,0	0,078	42,0001,6471,10
		2,4	0,095	42,0001,6472,10
		2,8	0,110	42,0001,4642,10

M6	CuCrZr	Ø mm	Ø inch	Part No.
	AI	0,8	0,030	42,0001,6525,10
		1,0	0,040	42,0001,6526,10
		1,2	0,045	42,0001,6528,10
		1,6	0,062	42,0001,6523,10

M8x1,5	CuCrZr	Ø mm	Ø inch	Part No.
	AI	0,8	0,030	42,0001,6537,10
		1,0	0,040	42,0001,4750,10
		1,2	0,045	42,0001,4751,10
		1,6	0,062	42,0001,4752,10

M6	E-Cu	Ø mm	Ø inch	Part No.
		0,9	0,035	42,0001,7025,10
		1,0	0,040	42,0001,7026,10
		1,2	0,045	42,0001,7027,10

M8x1,5	E-Cu	Ø mm	Ø inch	Part No.
		0,9	0,035	42,0001,7028,10
		1,0	0,040	42,0001,7029,10
		1,2	0,045	42,0001,7030,10

TAB. 2 gas nozzle

	d1		d2		d3		L		Part No.	
	mm	inch	mm	inch	mm	inch	mm	inch		
	13	0.51	25	0.98	16,4	0.64	59	2.32	42,0001,4085	
	15	0.59	25	0.98	18,6	0.73	59	2.32	42,0001,4048	
	13	0.51	25	0.98	16,4	0.64	61	2.40	42,0001,4086	
	15	0.59	25	0.98	18,1	0.71	61	2.40	42,0001,4474	
	17	0.71	25	0.98	20,8	0.82	61	2.40	42,0001,4476	
	13	0.51	25	0.98	16,4	0.64	61	2.40	42,0001,4497	Al
	13	0.51	25	0.98	16,4	0.64	63	2.48	42,0001,4080	
	15	0.59	25	0.98	18,6	0.73	61	2.40	42,0001,4496	Al
	15	0.59	25	0.98	18,6	0.73	63	2.48	42,0001,4051	
	17	0.71	25	0.98	20,8	0.82	61	2.40	42,0001,4494	Al
	17	0.71	25	0.98	20,8	0.82	63	2.48	42,0001,4050	
	21	0.82	25	0.98	25,0	0.98	63	2.48	42,0001,4054	
	15	0.59	25	0.98	18,6	0.73	68	2.68	42,0001,4052	
	17	0.71	25	0.98	20,8	0.82	68	2.68	42,0001,4049	


TAB. 11 gas nozzle


	d1		d2		d3		L		Part No.	
	mm	inch	mm	inch	mm	inch	mm	inch		
	13	0.51	ø25	0.98	16	0.63	62,5	2.46	42,0001,4917	
	10	0.39	ø25	0.98	16	0.63	68,0	2.68	42,0001,6715	
	13	0.51	ø25	0.98	16	0.63	68,0	2.68	42,0001,6716	

TAB. 4 clamping piece

 Ø mm Ø inch		Fe / CrNi	Alu / CuSi	colour	
0,8	.031		44,0350,3314	grey	
0,8	.031	44,0350,3315		grey	
0,9-1,0	.039	44,0350,3317		blue	
1,2	.047	44,0350,3318		red	
1,4-1,6	.062	44,0350,3320		black	
2,0	.078		44,0350,3321	green	
2,4	.095		44,0350,4245	brown	
2,0	.078	42,0001,4589			 only stuck
2,4	.095				
2,8	.110				

Tab. 3






material			d1		d2		Part No. L		Part No. L		Part No. L	
	Ø mm	Ø inch	mm	inch	mm	inch	5m	16.4feet	15m	49.2feet	50m	160feet
Steel liner	0,8	.030	1,4	.055	4,4	.176	40,0002,0040,005		40,0002,0040,015		40,0002,0040,050	
Steel liner	0,9-1,0	.035/.040	1,6	.062	4,8	.189	40,0002,0041,005		40,0002,0041,015		40,0002,0041,050	
Steel liner	1,2	.045	1,9	.074	4,9	.192	40,0002,0042,005		40,0002,0042,015		40,0002,0042,050	
Steel liner	1,4-1,6	.052/.062	2,5	.098	4,9	.192	40,0002,0043,005		40,0002,0043,015		40,0002,0043,050	
CrNi liner	0,8	.030	1,4	.055	4,4	.176	40,0002,0044,005		40,0002,0044,015		40,0002,0044,050	
CrNi liner	0,9-1,0	.035/.040	1,6	.062	4,8	.189	40,0002,0045,005		40,0002,0045,015		40,0002,0045,050	
CrNi liner	1,2	.045	1,9	.074	4,9	.192	40,0002,0046,005		40,0002,0046,015		40,0002,0046,050	
CrNi liner	1,4-1,6	.052/.062	2,5	.098	4,9	.192	40,0002,0047,005		40,0002,0047,015		40,0002,0047,050	
Steel liner coated	0,8	.030	1,4	.055	4,4	.176	40,0002,0052,005		40,0002,0052,015		40,0002,0052,050	
Steel liner coated	0,9-1,0	.035/.040	1,6	.062	4,8	.189	40,0002,0053,005		40,0002,0053,015		40,0002,0053,050	
Steel liner coated	1,2	.045	1,9	.074	4,9	.192	40,0002,0054,005		40,0002,0054,015		40,0002,0054,050	
Steel liner coated	1,4-1,6	.052/.062	2,5	.098	4,9	.192	40,0002,0055,005		40,0002,0055,015		40,0002,0055,050	

Tab. 3

combi liner W AL

combi liner G AL


combi inner liner G




		L		d1		d2		combi liner W AL	combi liner G AL	combi inner liner G
Ø mm	Ø inch	m	feet	mm	inch	mm	inch	Part No.	Part No.	Part No.
0,8	.030	2,0	6.5	1,2	.059	4,7	.185	44,0350,3388	44,0350,3400	44,0350,5550
0,8	.030	3,8	12.4	1,2	.059	4,7	.185	44,0350,3392	44,0350,3404	44,0350,5513
0,8	.030	4,8	15.7	1,2	.059	4,7	.185	44,0350,3396	44,0350,3408	44,0350,5518
0,9-1,0	.035/.040	2,0	6.5	1,5	.062	4,7	.185	44,0350,3389	44,0350,3401	44,0350,5551
0,9-1,0	.035/.040	3,8	12.4	1,5	.062	4,7	.185	44,0350,3393	44,0350,3405	44,0350,5514
0,9-1,0	.035/.040	4,8	15.7	1,5	.062	4,7	.185	44,0350,3397	44,0350,3409	44,0350,5519
1,2	.045	2,0	6.5	1,8	0.74	4,7	.185	44,0350,3390	44,0350,3402	44,0350,5552
1,2	.045	3,8	12.4	1,8	0.74	4,7	.185	44,0350,3394	44,0350,3406	44,0350,5515
1,2	.045	4,8	15.7	1,8	0.74	4,7	.185	44,0350,3398	44,0350,3410	44,0350,5520
1,4-1,6	.052/.062	2,0	6.5	2,4	.098	4,7	.185	44,0350,3391	44,0350,3403	44,0350,5553
1,4-1,6	.052/.062	3,8	12.4	2,4	.098	4,7	.185	44,0350,3395	44,0350,3407	44,0350,5516
1,4-1,6	.052/.062	4,8	15.7	2,4	.098	4,7	.185	44,0350,3399	44,0350,3411	44,0350,5521
2,0	.045	2,0	6.5	1,2	.059	4,7	.185	44,0350,3615	44,0350,3618	44,0350,5554
2,0	.045	3,8	12.4	3,0	.118	4,7	.185	44,0350,3616	44,0350,3619	44,0350,5517
2,0	.045	4,8	15.7	3,0	.118	4,7	.185	44,0350,3617	44,0350,3620	44,0350,5522

TOOLS



contact tip + nozzle stock




exentometer



nozzle stock

nozzle stock	socket	torque wrench 5-25 Nm
42,0001,3987 	42,0435,0234 	 42,0435,0090
44,0350,3424 	42,0435,0236	
42,0001,4920 	42,0435,0233	
42,0001,4622 	42,0435,0233	

contact tip

contact tip	torque wrench	torque driver
M6 	42,0001,6774	 42,0411,0013
M8x1,5 	42,0001,6775	

MTG 400i Exento/FSC/UD/4,5m (4,036,469)

Artikelnr.	Bezeichnung	Menge	Einheit
42,1400,0255	Absaugbogen R/L 45° Exento	1	Stk
42,1000,0770	Absaugdüsenaufnahme EO Ø25	1	Stk
42,1000,0755	Absaugdüse ø37/ø25,5x31	1	Stk
42,1400,0252	Adapterring Exento	2	Stk
42,0100,1369	Auslaufstück zu Seele MAG02	1	Stk
44,0450,1436	Ausziehwkzg CPC +35mm verläng.	1	Stk
43,0004,4438	Brennerkoaxkabel 50 mm ² 4,18m	1	Stk
42,0405,0671	Brennertaste Oben	1	Stk
42,0405,0663	Brennertaster W6 TPV oben U/D	1	Stk
42,0404,0192	Bronzeseele 1,6/0,32m	1	Stk
42,0404,0453	Bronzeseele 2,7x1,0x40mm	1	Stk
42,1400,0248	Bypass Regler Exento	2	Stk
42,0001,3912,10	Contec-Shell 10pcs MD	1	ve
42,0001,3912,100	Contec-Shell 100pcs MD	1	ve
40,0002,0044,005	CrNi-Seele blank 0,8 / 5m	1	Stk
40,0002,0044,015	CrNi-Seele blank 0,8 / 15m	1	Stk
40,0002,0044,050	CrNi-Seele blank 0,8 / 50m	1	Stk
40,0002,0045,005	CrNi-Seele blank 1,0 / 5m	1	Stk
40,0002,0045,015	CrNi-Seele blank 1,0 / 15m	1	Stk
40,0002,0045,050	CrNi-Seele blank 1,0 / 50m	1	Stk
40,0002,0046,005	CrNi-Seele blank 1,2 / 5m	1	Stk
40,0002,0046,015	CrNi-Seele blank 1,2 / 15m	1	Stk
40,0002,0046,050	CrNi-Seele blank 1,2 / 50m	1	Stk
40,0002,0047,005	CrNi-Seele blank 1,6 / 5m	1	Stk
40,0002,0047,015	CrNi-Seele blank 1,6 / 15m	1	Stk
40,0002,0047,050	CrNi-Seele blank 1,6 / 50m	1	Stk
42,1500,0518	Dichtscheibe MTG Exento	1	Stk
44,0350,3424	Düsenstock Contec MD MTG320i	1	Stk
42,0001,4920	Düsenstock M6/SW10x36 CU	1	Stk
42,0001,4622	Düsenstock M8x1,5/SW9x32,5 CU	1	Stk
42,0001,3987	Düsenstock M8x1,5/SW11x32,5 CU	1	Stk
44,0350,2079	Exentometer	1	Stk
42,0404,0350	FEDERDRUCK 5,0/3,8 16 0,6	1	Stk
42,0401,0886	Furchschr KST 3x12 DeltaPT	12	Stk

MTG 400i Exento/FSC/UD/4,5m (4,036,469)

Artikelnr.	Bezeichnung	Menge	Einheit
42,0001,6715	Gasdüse Engspalt Ø10/Ø25x68 CT	1	Stk
42,0001,4917	Gasdüse Engspalt Ø13/Ø25x62,5	1	Stk
42,0001,6716	Gasdüse Engspalt Ø13/Ø25x68 CT	1	Stk
42,1000,0758	Gasdüsenaufn. G 400i EO	1	Stk
42,0001,4054	Gasdüse zyl ø21,1/ø25x63 CT	1	Stk
42,0001,4085	Gasdüse ø13/ø25x59 CT	1	Stk
42,0001,4086	Gasdüse ø13/ø25x61 CT	1	Stk
42,0001,4497	Gasdüse ø13/ø25x61 CT/C	1	Stk
42,0001,4080	Gasdüse ø13/ø25x63 CT	1	Stk
42,0001,4048	Gasdüse ø15/ø25x59 CT	1	Stk
42,0001,4474	Gasdüse ø15/ø25x61 CT	1	Stk
42,0001,4496	Gasdüse ø15/ø25x61 CT/C	1	Stk
42,0001,4051	Gasdüse ø15/ø25x63 CT	1	Stk
42,0001,4052	Gasdüse ø15/ø25x68 CT	1	Stk
42,0001,4476	Gasdüse ø17/ø25x61 CT	1	Stk
42,0001,4494	Gasdüse ø17/ø25x61 CT/C	1	Stk
42,0001,4050	Gasdüse ø17/ø25x63 CT	1	Stk
42,0001,4049	Gasdüse ø17/ø25x68 CT	1	Stk
42,0405,1350	Gehäuse FSC-G/koax/Knicksch.	1	Stk
42,0401,0139	Gewindestift ISO 4027 M4x6	1	Stk
42,1400,0254	Griffschale R/L Exento	1	Stk
44,0350,3880	Isolierhülse ø14/ø20,7x21 kpl.	1	Stk
42,0100,0620	Isolierhülse ø20,2/ø14,15x21	1	Stk
42,0100,0530	Isolierring D20,5/D12,15x8mmHD	1	Stk
42,0100,1429	Isolierring ø20,5/ø12,15x8mm	1	Stk
44,0350,5550	Kombiseele G /0,8/2,0m	1	Stk
44,0350,5513	Kombiseele G /0,8/3,8m	1	Stk
44,0350,5518	Kombiseele G /0,8/4,8m	1	Stk
44,0350,5551	Kombiseele G /1,0/2,0m	1	Stk
44,0350,5514	Kombiseele G /1,0/3,8m	1	Stk
44,0350,5519	Kombiseele G /1,0/4,8m	1	Stk
44,0350,5552	Kombiseele G /1,2/2,0m	1	Stk
44,0350,5515	Kombiseele G /1,2/3,8m	1	Stk
44,0350,5520	Kombiseele G /1,2/4,8m	1	Stk

MTG 400i Exento/FSC/UD/4,5m (4,036,469)

Artikelnr.	Bezeichnung	Menge	Einheit
44,0350,5553	Kombiseele G /1,6/2,0m	1	Stk
44,0350,5516	Kombiseele G /1,6/3,8m	1	Stk
44,0350,5521	Kombiseele G /1,6/4,8m	1	Stk
44,0350,5554	Kombiseele G /2,0/2,0m	1	Stk
44,0350,5517	Kombiseele G /2,0/3,8m	1	Stk
44,0350,5522	Kombiseele G /2,0/4,8m	1	Stk
44,0350,3400	Kombiseele G Al /0,8/2,0m	1	Stk
44,0350,3404	Kombiseele G Al /0,8/3,8m	1	Stk
44,0350,3408	Kombiseele G Al /0,8/4,8m	1	Stk
44,0350,3401	Kombiseele G Al /1,0/2,0m	1	Stk
44,0350,3405	Kombiseele G Al /1,0/3,8m	1	Stk
44,0350,3409	Kombiseele G Al /1,0/4,8m	1	Stk
44,0350,3402	Kombiseele G Al /1,2/2,0m	1	Stk
44,0350,3406	Kombiseele G Al /1,2/3,8m	1	Stk
44,0350,3410	Kombiseele G Al /1,2/4,8m	1	Stk
44,0350,3403	Kombiseele G Al /1,6/2,0m	1	Stk
44,0350,3407	Kombiseele G Al /1,6/3,8m	1	Stk
44,0350,3411	Kombiseele G Al /1,6/4,8m	1	Stk
44,0350,3618	Kombiseele G Al /2,0/2,0m	1	Stk
44,0350,3619	Kombiseele G Al /2,0/3,8m	1	Stk
44,0350,3620	Kombiseele G Al /2,0/4,8m	1	Stk
44,0350,3388	Kombiseele W Al /0,8/2,0m	1	Stk
44,0350,3392	Kombiseele W Al /0,8/3,8m	1	Stk
44,0350,3396	Kombiseele W Al /0,8/4,8m	1	Stk
44,0350,3389	Kombiseele W Al /1,0/2,0m	1	Stk
44,0350,3393	Kombiseele W Al /1,0/3,8m	1	Stk
44,0350,3397	Kombiseele W Al /1,0/4,8m	1	Stk
44,0350,3390	Kombiseele W Al /1,2/2,0m	1	Stk
44,0350,3394	Kombiseele W Al /1,2/3,8m	1	Stk
44,0350,3398	Kombiseele W Al /1,2/4,8m	1	Stk
44,0350,3391	Kombiseele W Al /1,6/2,0m	1	Stk
44,0350,3395	Kombiseele W Al /1,6/3,8m	1	Stk
44,0350,3399	Kombiseele W Al /1,6/4,8m	1	Stk
44,0350,3615	Kombiseele W Al /2,0/2,0m	1	Stk

MTG 400i Exento/FSC/UD/4,5m (4,036,469)

Artikelnr.	Bezeichnung	Menge	Einheit
44,0350,3616	Kombiseele W Al /2,0/3,8m	1	Stk
44,0350,3617	Kombiseele W Al /2,0/4,8m	1	Stk
42,0001,6537,10	Kontaktr. 0,8/M8x1,5/ø10x32 Al	1	ve
42,0001,7028,10	Kontaktr.0,9/M8x1,5/ø10x32/SQ	1	ve
42,0001,4750,10	Kontaktr. 1,0/M8x1,5/ø10x32 Al	1	ve
42,0001,7029,10	Kontaktr.1,0/M8x1,5/ø10x32/SQ	1	ve
42,0001,4751,10	Kontaktr. 1,2/M8x1,5/ø10x32 Al	1	ve
42,0001,7030,10	Kontaktr.1,2/M8x1,5/ø10x32/SQ	1	ve
42,0001,4752,10	Kontaktr.1,6/M8x1,5/ø10x32 Al	1	ve
42,0001,4928,10	Kontaktrohr 0,6/M6/ø8x24	1	ve
42,0001,6524,10	Kontaktrohr 0,7/M6/8x24mm	1	ve
42,0001,6482,10	Kontaktrohr 0,7/M8x1,5/ø10x32	1	ve
42,0001,4461,10	Kontaktrohr 0,8/M6/ø8x24	1	ve
42,0001,6525,10	Kontaktrohr 0,8/M6/ø8x24 Al	1	ve
42,0001,6464,10	Kontaktrohr 0,8/M8x1,5/ø10x32	1	ve
42,0001,4462,10	Kontaktrohr 0,9/M6/ø8x24	1	ve
42,0001,7025,10	Kontaktrohr 0,9/M6/ø8x24/SQ	1	ve
42,0001,6465,10	Kontaktrohr 0,9/M8x1,5/ø10x32	1	ve
42,0001,4463,10	Kontaktrohr 1,0/M6/ø8x24	1	ve
42,0001,6526,10	Kontaktrohr 1,0/M6/ø8x24 Al	1	ve
42,0001,7026,10	Kontaktrohr 1,0/M6/ø8x24/SQ	1	ve
42,0001,6466,10	Kontaktrohr 1,0/M8x1,5/ø10x32	1	ve
42,0001,6527,10	Kontaktrohr 1,1/M6/ø8x24	1	ve
42,0001,6483,10	Kontaktrohr 1,1/M8x1,5/ø10x32	1	ve
42,0001,4464,10	Kontaktrohr 1,2/M6/ø8x24	1	ve
42,0001,6528,10	Kontaktrohr 1,2/M6/ø8x24 Al	1	ve
42,0001,7027,10	Kontaktrohr 1,2/M6/ø8x24/SQ	1	ve
42,0001,6467,10	Kontaktrohr 1,2/M8x1,5/ø10x32	1	ve
42,0001,6529,10	Kontaktrohr 1,3/M6/ø8x24	1	ve
42,0001,6484,10	Kontaktrohr 1,3/M8x1,5/ø10x32	1	ve
42,0001,4465,10	Kontaktrohr 1,4/M6/ø8x24	1	ve
42,0001,6468,10	Kontaktrohr 1,4/M8x1,5/ø10x32	1	ve
42,0001,6522,10	Kontaktrohr 1,5/M6/ø8x24	1	ve
42,0001,6485,10	Kontaktrohr 1,5/M8x1,5/ø10x32	1	ve

MTG 400i Exento/FSC/UD/4,5m (4,036,469)

Artikelnr.	Bezeichnung	Menge	Einheit
42,0001,4466,10	Kontaktrohr 1,6/M6/ø8x24	1	ve
42,0001,6523,10	Kontaktrohr 1,6/M6/ø8x24 Al	1	ve
42,0001,6469,10	Kontaktrohr 1,6/M8x1,5/ø10x32	1	ve
42,0001,6470,10	Kontaktrohr 1,8/M8x1,5/ø10x32	1	ve
42,0001,6471,10	Kontaktrohr 2,0/M8x1,5/ø10x32	1	ve
42,0001,6472,10	Kontaktrohr 2,4/M8x1,5/ø10x32	1	ve
42,0001,4642,10	Kontaktrohr 2,8/M8x1,5/ø10x32	1	ve
40,0001,0374	Lederschutzschlauch 50x1300	1	Stk
40,0001,0611	Lederschutzschlauch 50x2800	1	Stk
40,0001,0612	Lederschutzschlauch 50x3800	1	Stk
41,0006,0108	Leuchtdiode 5mm weiß	1	Stk
42,0405,0713	Lichtleiter W6 3fach	1	Stk
44,0350,1822	MTG 400i EO/45°/L145/H99	1	Stk
42,0402,0258	O-Ring 4x1,2mm FKM	1	Stk
42,1500,0522	O-Ring Ø29,0x1,5 FKM 75	1	Stk
42,1500,0667	O-Ring Ø34,0x5,0 EPDM 70	1	Stk
42,1500,0668	O-Ring Ø39,0x4,0 EPDM 70	1	Stk
44,0350,2082	OPT/i Luftregler DN50 Exento	1	Stk
44,0350,2169	OPT/i T-Handle Exento	1	Stk
4,070,958,Z	PRINT BT-OBEN Geprüft	1	Stk
4,071,463,Z	PRINT IUPDO-MARE tested	1	Stk
40,0001,0459	Schlauch Well OG NW38	3,85	m
42,0401,0936	Schraube PT 2,5X12 T8 Delta sw	4	Stk
42,0401,1112	Schraube PT 3x25 Torx Sw	1	Stk
42,0401,0887	SCHRAUBE PT K30X18 TORX SW VZ	1	Stk
42,0407,0643	Spannband 12x275mm	1	Stk
42,0001,6336	Spannmutter Contec/SW11x19,5	1	Stk
44,0350,3314	Spannnippel 0,8 Al / CuSi	1	Stk
44,0350,3315	Spannnippel 0,8 Fe / CrNi	1	Stk
44,0350,3317	Spannnippel 0,9 / 1,0	1	Stk
44,0350,3318	Spannnippel 1,2	1	Stk
44,0350,3320	Spannnippel 1,4/1,6	1	Stk
44,0350,3321	Spannnippel 2,0 Al	1	Stk
44,0350,4245	Spannnippel 2,4 Al	1	Stk

MTG 400i Exento/FSC/UD/4,5m (4,036,469)

Artikelnr.	Bezeichnung	Menge	Einheit
42,0001,4589	Spannnippel 2,8 SSFCW	1	Stk
42,0100,0575	SpritzerschutzØ11,2/Ø20,2x22	1	Stk
42,0100,0532	SpritzerschutzØ11,2/Ø20,2x22HD	1	Stk
42,0100,1156	Spritzerschutz ø14,5/ø18x21,3	1	Stk
40,0002,0040,005	Stahlseele blank 0,8 / 5m	1	Stk
40,0002,0040,015	Stahlseele blank 0,8 / 15m	1	Stk
40,0002,0040,050	Stahlseele blank 0,8 / 50m	1	Stk
40,0002,0041,005	Stahlseele blank 1,0 / 5m	1	Stk
40,0002,0041,015	Stahlseele blank 1,0 / 15m	1	Stk
40,0002,0041,050	Stahlseele blank 1,0 / 50m	1	Stk
40,0002,0042,005	Stahlseele blank 1,2 / 5m	1	Stk
40,0002,0042,015	Stahlseele blank 1,2 / 15m	1	Stk
40,0002,0042,050	Stahlseele blank 1,2 / 50m	1	Stk
40,0002,0043,005	Stahlseele blank 1,6 / 5m	1	Stk
40,0002,0043,015	Stahlseele blank 1,6 / 15m	1	Stk
40,0002,0043,050	Stahlseele blank 1,6 / 50m	1	Stk
40,0002,0052,005	Stahlseele C 0,8 / 5 m	1	Stk
40,0002,0052,015	Stahlseele C 0,8 / 15 m	1	Stk
40,0002,0052,050	Stahlseele C 0,8 / 50 m	1	Stk
40,0002,0053,005	Stahlseele C 1,0 / 5 m	1	Stk
40,0002,0053,015	Stahlseele C 1,0 / 15 m	1	Stk
40,0002,0053,050	Stahlseele C 1,0 / 50 m	1	Stk
40,0002,0054,005	Stahlseele C 1,2 / 5 m	1	Stk
40,0002,0054,015	Stahlseele C 1,2 / 15 m	1	Stk
40,0002,0054,050	Stahlseele C 1,2 / 50 m	1	Stk
40,0002,0055,005	Stahlseele C 1,6 / 5 m	1	Stk
40,0002,0055,015	Stahlseele C 1,6 / 15 m	1	Stk
40,0002,0055,050	Stahlseele C 1,6 / 50 m	1	Stk
43,0004,8008	Steuerl. 4x0,25 ² 4,35m Exento	1	Stk
42,1400,0346	T-Handle Exento R/L	1	Stk
44,0350,5229	Tastenverlängerungsset BT2	1	Stk
43,0002,0455	Taster BT2 Double Action	1	Stk
42,0405,1216	Taster Pistolengriff PullMIG	1	Stk
42,0405,2129	Tasterverlängerung BT2 lang	1	Stk

MTG 400i Exento/FSC/UD/4,5m (4,036,469)

Artikelnr.	Bezeichnung	Menge	Einheit
42,0100,1370	Verbindungsst. uni. zu Seele	1	Stk
42,1100,0164	Verschleissring FumeEx	1	Stk
42,1400,0249	Verschlussring Griffsch.Exento	1	Stk
42,1000,0716	Wellschlauchaufn. FumeEx NW38	1	Stk
42,1400,0256	Y-Adapter R/L Exento	1	Stk
44,0350,1867	Zentralanschluss FSC-G koax Ag	1	Stk