


MTG 2100S /FSC/3,0m/45°


4,035,990




MTG 2100S /FSC/3,0m/45° (4,035,990)

TAB. D

43,0004,5854	2,68m	
43,0004,5855	3,18m	MTG 2100S
43,0004,5856	4,18m	



43,0004,5725 2,885m MTG 2100S



Tab. D

Tab. 3

42,1400,0188

42,0407,0100

42,0405,1350 (2x)

42,0405,2252


42,0401,0936 (4x)

Tab. 4

42,0405,1349

42,0402,0258


MTG 2100S/2500S - Userinterface





TAB. 1 CuCrZr		Ø mm	Ø inch	Part No.
		0,6	0,023	42,0001,4928
		0,7	0,027	42,0001,6524,10
		0,8	0,030	42,0001,4461,10
		0,9	0,035	42,0001,4462,10
		1,0	0,040	42,0001,4463,10
		1,1	0,043	42,0001,6527,10
		1,2	0,045	42,0001,4464,10
		1,3	0,051	42,0001,6529,10
		1,4	0,052	42,0001,4465,10
		1,5	0,059	42,0001,6522,10
		1,6	0,062	42,0001,4466,10
		0,7	0,027	42,0001,6482,10
		0,8	0,030	42,0001,6464,10
		0,9	0,035	42,0001,6465,10
		1,0	0,040	42,0001,6466,10
		1,1	0,043	42,0001,6483,10
		1,2	0,045	42,0001,6467,10
		1,3	0,051	42,0001,6484,10
		1,4	0,052	42,0001,6468,10
		1,5	0,059	42,0001,6485,10
		1,6	0,062	42,0001,6469,10
		1,8	0,071	42,0001,6470,10
		2,0	0,078	42,0001,6471,10
Al 		0,8	0,030	42,0001,6525,10
		1,0	0,040	42,0001,6526,10
		1,2	0,045	42,0001,6528,10
		1,6	0,062	42,0001,6523,10
Al 		0,8	0,030	42,0001,6537,10
		1,0	0,040	42,0001,4750,10
		1,2	0,045	42,0001,4751,10
		1,6	0,062	42,0001,4752,10

TAB. 1 E-Cu		Ø mm	Ø inch	Part No.
		0,9	0,035	42,0001,7025,10
		1,0	0,040	42,0001,7026,10
		1,2	0,045	42,0001,7027,10
		0,9	0,035	42,0001,7028,10
		1,0	0,040	42,0001,7029,10
		1,2	0,045	42,0001,7030,10


MTG 2100S /FSC/3,0m/45° (4,035,990)

TAB. 2 												
		d1		d2		d3		L		Part No.		
		mm	inch	mm	inch	mm	inch	mm	inch			
MTG 2500S M20x2		18	0.71	22	0.86	22	0.86	58	2.28	42,0001,4055	Fe	
		12	0.47	22	0.86	15,1	0.59	58	2.28	42,0001,4065	Fe	standard MTG 2500S
		10	0.39	22	0.86	13,0	0.51	58	2.28	42,0001,4084	Fe	
		10	0.39	22	0.86	13,0	0.51	54	2.13	42,0001,4083	Fe	
		15	0.59	22	0.86	18,3	0.72	58	2.28	42,0001,4493	Fe	
		12	0.47	22	0.86	15,1	0.59	56	2.20	42,0001,4477	Fe	
		12	0.47	22	0.86	15,1	0.59	58	2.28	42,0001,4498	Al	
MTG 2100S		12	0.47	20	0.79	15,1	0.59	59	2.32	44,0350,4128	Fe	standard MTG 2100S

Tab. 3.1


material			d1		d2		Part No. L	Part No. L	Part No. L
	Ø mm	Ø inch	mm	inch	mm	inch	10m 32.8feet	30m 98feet	100m 328feet
Graphit	0,8	.030	1,2	.047	4,7	.185	40,0001,0529,010	40,0001,0529,030	40,0001,0529,100
Graphit	0,9 - 1,0	.035-.040	1,5	.059	4,7	.185	40,0001,0530,010	40,0001,0530,030	40,0001,0530,100
Graphit	1,2	.045	1,8	.070	4,7	.185	40,0001,0531,010	40,0001,0531,030	40,0001,0531,100
Graphit	1,4 - 1,6	.052-1/16	2,4	.094	4,7	.185	40,0001,0532,010	40,0001,0532,030	40,0001,0532,100
Graphit	0,8	5/64	3,0	.118	4,7	.185	40,0001,0533,010	40,0001,0533,030	40,0001,0533,100

Tab. 3






material			d1		d2		Part No. L		Part No. L		Part No. L	
	Ø mm	Ø inch	mm	inch	mm	inch	5m 16.4feet	15m 49.2feet	50m 160feet			
Steel liner	0,8	.030	1,4	.055	4,4	.176	40,0002,0040,005	40,0002,0040,015	40,0002,0040,050			
Steel liner	0,9-1,0	.035/.040	1,6	.062	4,8	.189	40,0002,0041,005	40,0002,0041,015	40,0002,0041,050			
Steel liner	1,2	.045	1,9	.074	4,9	.192	40,0002,0042,005	40,0002,0042,015	40,0002,0042,050			
Steel liner	1,4-1,6	.052/.062	2,5	.098	4,9	.192	40,0002,0043,005	40,0002,0043,015	40,0002,0043,050			
CrNi liner	0,8	.030	1,4	.055	4,4	.176	40,0002,0044,005	40,0002,0044,015	40,0002,0044,050			
CrNi liner	0,9-1,0	.035/.040	1,6	.062	4,8	.189	40,0002,0045,005	40,0002,0045,015	40,0002,0045,050			
CrNi liner	1,2	.045	1,9	.074	4,9	.192	40,0002,0046,005	40,0002,0046,015	40,0002,0046,050			
CrNi liner	1,4-1,6	.052/.062	2,5	.098	4,9	.192	40,0002,0047,005	40,0002,0047,015	40,0002,0047,050			
Steel liner coated	0,8	.030	1,4	.055	4,4	.176	40,0002,0052,005	40,0002,0052,015	40,0002,0052,050			
Steel liner coated	0,9-1,0	.035/.040	1,6	.062	4,8	.189	40,0002,0053,005	40,0002,0053,015	40,0002,0053,050			
Steel liner coated	1,2	.045	1,9	.074	4,9	.192	40,0002,0054,005	40,0002,0054,015	40,0002,0054,050			
Steel liner coated	1,4-1,6	.052/.062	2,5	.098	4,9	.192	40,0002,0055,005	40,0002,0055,015	40,0002,0055,050			

Tab. 3

combi liner W AL



combi liner G AL

combi inner liner G




		L		d1		d2		combi liner W AL	combi liner G AL	combi inner liner G
Ø mm	Ø inch	m	feet	mm	inch	mm	inch	Part No.	Part No.	Part No.
0,8	.030	2,0	6.5	1,2	.059	4,7	.185	44,0350,3388	44,0350,3400	44,0350,5550
0,8	.030	3,8	12.4	1,2	.059	4,7	.185	44,0350,3392	44,0350,3404	44,0350,5513
0,8	.030	4,8	15.7	1,2	.059	4,7	.185	44,0350,3396	44,0350,3408	44,0350,5518
0,9-1,0	.035/.040	2,0	6.5	1,5	.062	4,7	.185	44,0350,3389	44,0350,3401	44,0350,5551
0,9-1,0	.035/.040	3,8	12.4	1,5	.062	4,7	.185	44,0350,3393	44,0350,3405	44,0350,5514
0,9-1,0	.035/.040	4,8	15.7	1,5	.062	4,7	.185	44,0350,3397	44,0350,3409	44,0350,5519
1,2	.045	2,0	6.5	1,8	0.74	4,7	.185	44,0350,3390	44,0350,3402	44,0350,5552
1,2	.045	3,8	12.4	1,8	0.74	4,7	.185	44,0350,3394	44,0350,3406	44,0350,5515
1,2	.045	4,8	15.7	1,8	0.74	4,7	.185	44,0350,3398	44,0350,3410	44,0350,5520
1,4-1,6	.052/.062	2,0	6.5	2,4	.098	4,7	.185	44,0350,3391	44,0350,3403	44,0350,5553
1,4-1,6	.052/.062	3,8	12.4	2,4	.098	4,7	.185	44,0350,3395	44,0350,3407	44,0350,5516
1,4-1,6	.052/.062	4,8	15.7	2,4	.098	4,7	.185	44,0350,3399	44,0350,3411	44,0350,5521
2,0	.045	2,0	6.5	1,2	.059	4,7	.185	44,0350,3615	44,0350,3618	44,0350,5554
2,0	.045	3,8	12.4	3,0	.118	4,7	.185	44,0350,3616	44,0350,3619	44,0350,5517
2,0	.045	4,8	15.7	3,0	.118	4,7	.185	44,0350,3617	44,0350,3620	44,0350,5522


TAB. 4 clamping piece

 Ø mm Ø inch		Fe / CrNi	Alu / CuSi	colour	
0,8	.031		44,0350,3314	grey	
0,8	.031	44,0350,3315		grey	
0,9-1,0	.039	44,0350,3317		blue	
1,2	.047	44,0350,3318		red	
1,4-1,6	.062	44,0350,3320		black	
2,0	.078		44,0350,3321	green	
2,4	.095		44,0350,4245	brown	
2,0	.078	42,0001,4589			
2,4	.095				
2,8	.110				


MTG 2100S /FSC/3,0m/45° (4,035,990)

Basic kit 250i / 320i / 400i / 500i / 700i	Ø mm Ø inch		m feet		Fe MTG / MTW Part No.	CrNi MTG / MTW Part No.	Alu MTW Part No.	CuSi MTW Part No.	Alu/CuSi MTG Part No.
	0,6	.023	5,0	11.5	44,0350,5296	X	X	X	
	0,8	.030	5,0	11.5	44,0350,5117	44,0350,5158	44,0350,5135	44,0350,5144	
	0,9	.035	5,0	14.8	44,0350,5118	44,0350,5159	44,0350,5136	44,0350,5145	
	1,0	.040	5,0	11.5	44,0350,5119	44,0350,5160	44,0350,5137	44,0350,5146	
	1,2	.047	5,0	14.8	44,0350,5120	44,0350,5161	44,0350,5138	44,0350,5147	
	1,4	.052	5,0	11.5	44,0350,5121	44,0350,5162	44,0350,5139	44,0350,5148	
	1,6	.062	5,0	14.8	44,0350,5122	44,0350,5163	44,0350,5140	44,0350,5149	
	2,0	.078	5,0	14.8	X	X	44,0350,5141	X	

42,0201,3216



44,0450,1436



MTG 2100S /FSC/3,0m/45° (4,035,990)

Artikelnr.	Bezeichnung	Menge	Einheit
42,0100,1369	Auslaufstück zu Seele MAG02	1	Stk
44,0450,1436	Ausziehwerkz. CPC +35mm verläng.	1	Stk
44,0350,5144	BK Al ø0,8 /G CuSi ø0,8 G/W/5m	1	Stk
44,0350,5135	BK Al ø0,8 /W/5m	1	Stk
44,0350,5145	BK Al ø0,9 /G CuSi ø0,9 G/W/5m	1	Stk
44,0350,5136	BK Al ø0,9 /W/5m	1	Stk
44,0350,5146	BK Al ø1,0 /G CuSi ø1,0 G/W/5m	1	Stk
44,0350,5137	BK Al ø1,0 /W/5m	1	Stk
44,0350,5147	BK Al ø1,2 /G CuSi ø1,2 G/W/5m	1	Stk
44,0350,5138	BK Al ø1,2 /W/5m	1	Stk
44,0350,5148	BK Al ø1,4 /G CuSi ø1,4 G/W/5m	1	Stk
44,0350,5139	BK Al ø1,4 /W/5m	1	Stk
44,0350,5149	BK Al ø1,6 /G CuSi ø1,6 G/W/5m	1	Stk
44,0350,5140	BK Al ø1,6 /W/5m	1	Stk
44,0350,5141	BK Al ø2,0 /W/5m	1	Stk
44,0350,5158	BK CrNi ø0,8 /G/W/5m	1	Stk
44,0350,5159	BK CrNi ø0,9 /G/W/5m	1	Stk
44,0350,5160	BK CrNi ø1,0 /G/W/5m	1	Stk
44,0350,5161	BK CrNi ø1,2 /G/W/5m	1	Stk
44,0350,5162	BK CrNi ø1,4 /G/W/5m	1	Stk
44,0350,5163	BK CrNi ø1,6 /G/W/5m	1	Stk
44,0350,5296	BK Fe ø0,6 /G/W/5m	1	Stk
44,0350,5117	BK Fe ø0,8 /G/W/5m	1	Stk
44,0350,5118	BK Fe ø0,9 /G/W/5m	1	Stk
44,0350,5119	BK Fe ø1,0 /G/W/5m	1	Stk
44,0350,5120	BK Fe ø1,2 /G/W/5m	1	Stk
44,0350,5121	BK Fe ø1,4 /G/W/5m	1	Stk
44,0350,5122	BK Fe ø1,6 /G/W/5m	1	Stk
43,0004,5854	Brennerkoaxkabel 16mm² 2,78m	1	Stk
43,0004,5855	Brennerkoaxkabel 16mm² 3,18m	1	Stk
43,0004,5856	Brennerkoaxkabel 16mm² 4,18m	1	Stk
43,0004,5725	Brennerkoaxkabel 16²FSC 2,885m	1	Stk
42,0404,0192	Bronzeseele 1,6/0,32m	1	Stk
42,0404,0453	Bronzeseele 2,7x1,0x40mm	1	Stk

MTG 2100S /FSC/3,0m/45° (4,035,990)

Artikelnr.	Bezeichnung	Menge	Einheit
40,0002,0044,005	CrNi-Seele blank 0,8 / 5m	1	Stk
40,0002,0044,015	CrNi-Seele blank 0,8 / 15m	1	Stk
40,0002,0044,050	CrNi-Seele blank 0,8 / 50m	1	Stk
40,0002,0045,005	CrNi-Seele blank 1,0 / 5m	1	Stk
40,0002,0045,015	CrNi-Seele blank 1,0 / 15m	1	Stk
40,0002,0045,050	CrNi-Seele blank 1,0 / 50m	1	Stk
40,0002,0046,005	CrNi-Seele blank 1,2 / 5m	1	Stk
40,0002,0046,015	CrNi-Seele blank 1,2 / 15m	1	Stk
40,0002,0046,050	CrNi-Seele blank 1,2 / 50m	1	Stk
40,0002,0047,005	CrNi-Seele blank 1,6 / 5m	1	Stk
40,0002,0047,015	CrNi-Seele blank 1,6 / 15m	1	Stk
40,0002,0047,050	CrNi-Seele blank 1,6 / 50m	1	Stk
42,0001,4912	Düsenstock M6/SW13/ø14,5x39 MS	1	Stk
42,0001,4915	Fixierhülse ø20/ø22x19	1	Stk
42,0001,4055	Gasdüse zyl ø18/ø22x58 CT	1	Stk
42,0001,4083	Gasdüse ø10/ø22x54 CT	1	Stk
42,0001,4084	Gasdüse ø10/ø22x58 CT	1	Stk
44,0350,4128	Gasdüse ø12xø20x59	1	Stk
42,0001,4477	Gasdüse ø13/ø22x56 CT	1	Stk
42,0001,4498	Gasdüse ø13/ø22x56 CT/C	1	Stk
42,0001,4065	Gasdüse ø13/ø22x58 CT	1	Stk
42,0001,4493	Gasdüse ø15/ø22x58 CT	1	Stk
42,0405,1350	Gehäuse FSC-G/koax/Knicksch.	1	Stk
40,0001,0529,010	Graphitseele 0,8(4,7/1,2) 10m	1	Stk
40,0001,0529,030	Graphitseele 0,8(4,7/1,2) 30m	1	Stk
40,0001,0529,100	Graphitseele 0,8(4,7/1,2) 100m	1	Stk
40,0001,0530,010	Graphitseele 1,0(4,7/1,5) 10m	1	Stk
40,0001,0530,030	Graphitseele 1,0(4,7/1,5) 30m	1	Stk
40,0001,0530,100	Graphitseele 1,0(4,7/1,5) 100m	1	Stk
40,0001,0531,010	Graphitseele 1,2(4,7/1,8) 10m	1	Stk
40,0001,0531,030	Graphitseele 1,2(4,7/1,8) 30m	1	Stk
40,0001,0531,100	Graphitseele 1,2(4,7/1,8) 100m	1	Stk
40,0001,0532,010	Graphitseele 1,6(4,7/2,4) 10m	1	Stk
40,0001,0532,030	Graphitseele 1,6(4,7/2,4) 30m	1	Stk

MTG 2100S /FSC/3,0m/45° (4,035,990)

Artikelnr.	Bezeichnung	Menge	Einheit
40,0001,0532,100	Graphitseele 1,6(4,7/2,4) 100m	1	Stk
40,0001,0533,010	Graphitseele 2,0(4,7/3,0) 10m	1	Stk
40,0001,0533,030	Graphitseele 2,0(4,7/3,0) 30m	1	Stk
40,0001,0533,100	Graphitseele 2,0(4,7/3,0) 100m	1	Stk
32,0405,0360	Griffschale W5 R/L	1	Stk
42,0100,1496	Isolierring ø12/ø16,9x12	1	Stk
42,0407,0100	KABELBINDER 150	1	Stk
42,0405,2252	Knicksch. MTG 2100 S	1	Stk
44,0350,5550	Kombiseele G /0,8/2,0m	1	Stk
44,0350,5513	Kombiseele G /0,8/3,8m	1	Stk
44,0350,5518	Kombiseele G /0,8/4,8m	1	Stk
44,0350,5551	Kombiseele G /1,0/2,0m	1	Stk
44,0350,5514	Kombiseele G /1,0/3,8m	1	Stk
44,0350,5519	Kombiseele G /1,0/4,8m	1	Stk
44,0350,5552	Kombiseele G /1,2/2,0m	1	Stk
44,0350,5515	Kombiseele G /1,2/3,8m	1	Stk
44,0350,5520	Kombiseele G /1,2/4,8m	1	Stk
44,0350,5553	Kombiseele G /1,6/2,0m	1	Stk
44,0350,5516	Kombiseele G /1,6/3,8m	1	Stk
44,0350,5521	Kombiseele G /1,6/4,8m	1	Stk
44,0350,5554	Kombiseele G /2,0/2,0m	1	Stk
44,0350,5517	Kombiseele G /2,0/3,8m	1	Stk
44,0350,5522	Kombiseele G /2,0/4,8m	1	Stk
44,0350,3400	Kombiseele G Al /0,8/2,0m	1	Stk
44,0350,3404	Kombiseele G Al /0,8/3,8m	1	Stk
44,0350,3408	Kombiseele G Al /0,8/4,8m	1	Stk
44,0350,3401	Kombiseele G Al /1,0/2,0m	1	Stk
44,0350,3405	Kombiseele G Al /1,0/3,8m	1	Stk
44,0350,3409	Kombiseele G Al /1,0/4,8m	1	Stk
44,0350,3402	Kombiseele G Al /1,2/2,0m	1	Stk
44,0350,3406	Kombiseele G Al /1,2/3,8m	1	Stk
44,0350,3410	Kombiseele G Al /1,2/4,8m	1	Stk
44,0350,3403	Kombiseele G Al /1,6/2,0m	1	Stk
44,0350,3407	Kombiseele G Al /1,6/3,8m	1	Stk

MTG 2100S /FSC/3,0m/45° (4,035,990)

Artikelnr.	Bezeichnung	Menge	Einheit
44,0350,3411	Kombiseele G Al /1,6/4,8m	1	Stk
44,0350,3618	Kombiseele G Al /2,0/2,0m	1	Stk
44,0350,3619	Kombiseele G Al /2,0/3,8m	1	Stk
44,0350,3620	Kombiseele G Al /2,0/4,8m	1	Stk
44,0350,3388	Kombiseele W Al /0,8/2,0m	1	Stk
44,0350,3392	Kombiseele W Al /0,8/3,8m	1	Stk
44,0350,3396	Kombiseele W Al /0,8/4,8m	1	Stk
44,0350,3389	Kombiseele W Al /1,0/2,0m	1	Stk
44,0350,3393	Kombiseele W Al /1,0/3,8m	1	Stk
44,0350,3397	Kombiseele W Al /1,0/4,8m	1	Stk
44,0350,3390	Kombiseele W Al /1,2/2,0m	1	Stk
44,0350,3394	Kombiseele W Al /1,2/3,8m	1	Stk
44,0350,3398	Kombiseele W Al /1,2/4,8m	1	Stk
44,0350,3391	Kombiseele W Al /1,6/2,0m	1	Stk
44,0350,3395	Kombiseele W Al /1,6/3,8m	1	Stk
44,0350,3399	Kombiseele W Al /1,6/4,8m	1	Stk
44,0350,3615	Kombiseele W Al /2,0/2,0m	1	Stk
44,0350,3616	Kombiseele W Al /2,0/3,8m	1	Stk
44,0350,3617	Kombiseele W Al /2,0/4,8m	1	Stk
42,0001,6537,10	Kontaktr. 0,8/M8x1,5/ø10x32 Al	1	ve
42,0001,7028,10	Kontaktr.0,9/M8x1,5/ø10x32/SQ	1	ve
42,0001,4750,10	Kontaktr. 1,0/M8x1,5/ø10x32 Al	1	ve
42,0001,7029,10	Kontaktr.1,0/M8x1,5/ø10x32/SQ	1	ve
42,0001,4751,10	Kontaktr. 1,2/M8x1,5/ø10x32 Al	1	ve
42,0001,7030,10	Kontaktr.1,2/M8x1,5/ø10x32/SQ	1	ve
42,0001,4752,10	Kontaktr.1,6/M8x1,5/ø10x32 Al	1	ve
42,0001,4928	Kontaktrohr 0,6/M6/8x24mm	1	Stk
42,0001,6524,10	Kontaktrohr 0,7/M6/8x24mm	1	ve
42,0001,6482,10	Kontaktrohr 0,7/M8x1,5/ø10x32	1	ve
42,0001,4461,10	Kontaktrohr 0,8/M6/ø8x24	1	ve
42,0001,6525,10	Kontaktrohr 0,8/M6/ø8x24 Al	1	ve
42,0001,6464,10	Kontaktrohr 0,8/M8x1,5/ø10x32	1	ve
42,0001,4462,10	Kontaktrohr 0,9/M6/ø8x24	1	ve
42,0001,7025,10	Kontaktrohr 0,9/M6/ø8x24/SQ	1	ve

MTG 2100S /FSC/3,0m/45° (4,035,990)

Artikelnr.	Bezeichnung	Menge	Einheit
42,0001,6465,10	Kontaktrohr 0,9/M8x1,5/ø10x32	1	ve
42,0001,4463,10	Kontaktrohr 1,0/M6/ø8x24	1	ve
42,0001,6526,10	Kontaktrohr 1,0/M6/ø8x24 Al	1	ve
42,0001,7026,10	Kontaktrohr 1,0/M6/ø8x24/SQ	1	ve
42,0001,6466,10	Kontaktrohr 1,0/M8x1,5/ø10x32	1	ve
42,0001,6527,10	Kontaktrohr 1,1/M6/ø8x24	1	ve
42,0001,6483,10	Kontaktrohr 1,1/M8x1,5/ø10x32	1	ve
42,0001,4464,10	Kontaktrohr 1,2/M6/ø8x24	1	ve
42,0001,6528,10	Kontaktrohr 1,2/M6/ø8x24 Al	1	ve
42,0001,7027,10	Kontaktrohr 1,2/M6/ø8x24/SQ	1	ve
42,0001,6467,10	Kontaktrohr 1,2/M8x1,5/ø10x32	1	ve
42,0001,6529,10	Kontaktrohr 1,3/M6/ø8x24	1	ve
42,0001,6484,10	Kontaktrohr 1,3/M8x1,5/ø10x32	1	ve
42,0001,4465,10	Kontaktrohr 1,4/M6/ø8x24	1	ve
42,0001,6468,10	Kontaktrohr 1,4/M8x1,5/ø10x32	1	ve
42,0001,6522,10	Kontaktrohr 1,5/M6/ø8x24	1	ve
42,0001,6485,10	Kontaktrohr 1,5/M8x1,5/ø10x32	1	ve
42,0001,4466,10	Kontaktrohr 1,6/M6/ø8x24	1	ve
42,0001,6523,10	Kontaktrohr 1,6/M6/ø8x24 Al	1	ve
42,0001,6469,10	Kontaktrohr 1,6/M8x1,5/ø10x32	1	ve
42,0001,6470,10	Kontaktrohr 1,8/M8x1,5/ø10x32	1	ve
42,0001,6471,10	Kontaktrohr 2,0/M8x1,5/ø10x32	1	ve
42,0001,6472,10	Kontaktrohr 2,4/M8x1,5/ø10x32	1	ve
42,0001,4642,10	Kontaktrohr 2,8/M8x1,5/ø10x32	1	ve
44,0350,4123	MTG 2100S /45°/L132/H68	1	Stk
42,0201,3216	Multitool TB wear parts	1	Stk
42,0402,0258	O-Ring 4x1,2mm FKM	1	Stk
42,0401,0936	Schraube PT 2,5X12 T8 Delta sw	3	Stk
44,0350,3314	Spannnippel 0,8 Al / CuSi	1	Stk
44,0350,3315	Spannnippel 0,8 Fe / CrNi	1	Stk
44,0350,3317	Spannnippel 0,9 / 1,0	1	Stk
44,0350,3318	Spannnippel 1,2	1	Stk
44,0350,3320	Spannnippel 1,4/1,6	1	Stk
44,0350,3321	Spannnippel 2,0 Al	1	Stk

MTG 2100S /FSC/3,0m/45° (4,035,990)

Artikelnr.	Bezeichnung	Menge	Einheit
44,0350,4245	Spannnippel 2,4 Al	1	Stk
42,0001,4589	Spannnippel 2,8 SSFCW	1	Stk
40,0002,0040,005	Stahlseele blank 0,8 / 5m	1	Stk
40,0002,0040,015	Stahlseele blank 0,8 / 15m	1	Stk
40,0002,0040,050	Stahlseele blank 0,8 / 50m	1	Stk
40,0002,0041,005	Stahlseele blank 1,0 / 5m	1	Stk
40,0002,0041,015	Stahlseele blank 1,0 / 15m	1	Stk
40,0002,0041,050	Stahlseele blank 1,0 / 50m	1	Stk
40,0002,0042,005	Stahlseele blank 1,2 / 5m	1	Stk
40,0002,0042,015	Stahlseele blank 1,2 / 15m	1	Stk
40,0002,0042,050	Stahlseele blank 1,2 / 50m	1	Stk
40,0002,0043,005	Stahlseele blank 1,6 / 5m	1	Stk
40,0002,0043,015	Stahlseele blank 1,6 / 15m	1	Stk
40,0002,0043,050	Stahlseele blank 1,6 / 50m	1	Stk
40,0002,0052,005	Stahlseele C 0,8 / 5 m	1	Stk
40,0002,0052,015	Stahlseele C 0,8 / 15 m	1	Stk
40,0002,0052,050	Stahlseele C 0,8 / 50 m	1	Stk
40,0002,0053,005	Stahlseele C 1,0 / 5 m	1	Stk
40,0002,0053,015	Stahlseele C 1,0 / 15 m	1	Stk
40,0002,0053,050	Stahlseele C 1,0 / 50 m	1	Stk
40,0002,0054,005	Stahlseele C 1,2 / 5 m	1	Stk
40,0002,0054,015	Stahlseele C 1,2 / 15 m	1	Stk
40,0002,0054,050	Stahlseele C 1,2 / 50 m	1	Stk
40,0002,0055,005	Stahlseele C 1,6 / 5 m	1	Stk
40,0002,0055,015	Stahlseele C 1,6 / 15 m	1	Stk
40,0002,0055,050	Stahlseele C 1,6 / 50 m	1	Stk
43,0002,0522	Taster BT1 Single Action	1	Stk
42,0100,1370	Verbindungsst. uni. zu Seele	1	Stk
42,0405,1021	VERSCHLUSSRING FÜR GRIFFSCH.W5	1	Stk
42,0405,1349	Zentrala. FSC-G man.MTG 2100 S	1	Stk