

MTW 400d /F++/3,5m/45°

4,035,951,000


MTW 400d /F++/3,5m/45° (4,035,951,000)

MTW / MHP W ML


TAB. B

44,0350,3436 - 3,15m (10.33ft)	MTW 250d
44,0350,3437 - 4,15m (13.61ft)	& MTW 400d
44,0350,3438 - 3,15m (10.33ft)	MTW 500d / MHP 500d
44,0350,3439 - 4,15m (13.61ft)	
44,0350,3563 - 3,15m (10.33ft)	MTW 700d / MHP 700d
44,0350,3564 - 4,15m (13.61ft)	


TYPE STANDARD
TYPE UP/DOWN
TYPE JOBBMASTER




TYPE STANDARD




TYPE UP/DOWN




TYPE JOBBMASTER











MTW 400d /F++/3,5m/45° (4,035,951,000)

MTW 400i



TAB. 1 CuCrZr		Ø mm	Ø inch	Part No.
		0,6	0,023	42,0001,4928
		0,7	0,027	42,0001,6524,10
		0,8	0,030	42,0001,4461,10
		0,9	0,035	42,0001,4462,10
		1,0	0,040	42,0001,4463,10
		1,1	0,043	42,0001,6527,10
		1,2	0,045	42,0001,4464,10
		1,3	0,051	42,0001,6529,10
		1,4	0,052	42,0001,4465,10
		1,5	0,059	42,0001,6522,10
		1,6	0,062	42,0001,4466,10
		0,7	0,027	42,0001,6482,10
		0,8	0,030	42,0001,6464,10
		0,9	0,035	42,0001,6465,10
		1,0	0,040	42,0001,6466,10
		1,1	0,043	42,0001,6483,10
		1,2	0,045	42,0001,6467,10
		1,3	0,051	42,0001,6484,10
		1,4	0,052	42,0001,6468,10
		1,5	0,059	42,0001,6485,10
		1,6	0,062	42,0001,6469,10
		1,8	0,071	42,0001,6470,10
		2,0	0,078	42,0001,6471,10
Al 		0,8	0,030	42,0001,6525,10
		1,0	0,040	42,0001,6526,10
		1,2	0,045	42,0001,6528,10
		1,6	0,062	42,0001,6523,10
Al 		0,8	0,030	42,0001,6537,10
		1,0	0,040	42,0001,4750,10
		1,2	0,045	42,0001,4751,10
		1,6	0,062	42,0001,4752,10

TAB. 1 E-Cu		Ø mm	Ø inch	Part No.
		0,9	0,035	42,0001,7025,10
		1,0	0,040	42,0001,7026,10
		1,2	0,045	42,0001,7027,10
		0,9	0,035	42,0001,7028,10
		1,0	0,040	42,0001,7029,10
		1,2	0,045	42,0001,7030,10

MTW 400d /F++/3,5m/45° (4,035,951,000)

				d1		d2		d3		L		Part No.		
				mm	inch	mm	inch	mm	inch	mm	inch			
MTW 250i	MTG 250i	M20x2		8	0.31	22	0.86	10,4	0.41	58	2.28	42,0001,6664		standard MTW 250i Braze
				10	0.39	22	0.86	13,0	0.51	54	2.13	42,0001,4083		
				13	0.51	22	0.86	16,1	0.63	54	2.13	42,0001,4799		
				13	0.51	22	0.86	16,1	0.63	56	2.20	42,0001,4477		standard MTB 250i G/W R
				10	0.39	22	0.86	13,0	0.51	58	2.28	42,0001,4084		
				13	0.51	22	0.86	16,1	0.63	56	2.20	42,0001,4498	AI	
				13	0.51	22	0.86	16,1	0.63	58	2.28	42,0001,4065		standard MTG/MTW 250i
				15	0.59	22	0.86	18,3	0.72	58	2.28	42,0001,4493		
				18	0.71	22	0.86	22	0.87	58	2.28	42,0001,4055		
				13	0.51	25	0.98	16,4	0.64	59	2.32	42,0001,4085		
MTW 400i/500i	MTG 320i/400i	M23x2		15	0.59	25	0.98	18,6	0.73	59	2.32	42,0001,4048		
				13	0.51	25	0.98	16,4	0.64	61	2.40	42,0001,4086		standard MTB 320i G R
				15	0.59	25	0.98	18,1	0.71	61	2.40	42,0001,4474		standard MTB 400i W R
				15	0.59	27	1.06	20,2	0.80	61	2.40	42,0001,4789		MTB 400i W R, heavy duty
				17	0.71	25	0.98	20,8	0.82	61	2.40	42,0001,4476		standard MTB 500i W R
				13	0.51	25	0.98	16,4	0.64	61	2.40	42,0001,4497	AI	
				13	0.51	25	0.98	16,4	0.64	63	2.48	42,0001,4080		standard MTG 320i
				15	0.59	25	0.98	18,6	0.73	61	2.40	42,0001,4496	AI	
				15	0.59	25	0.98	18,6	0.73	63	2.48	42,0001,4051		standard MTW 400i
				17	0.71	25	0.98	20,8	0.82	61	2.40	42,0001,4494	AI	
				17	0.71	25	0.98	20,8	0.82	63	2.48	42,0001,4050		standard MTW500i,330i W R long
				17	0.71	27	1.06	20,8	0.82	63	2.48	42,0001,4216		MTW 500i, heavy duty
				21	0.82	25	0.98	25,0	0.98	63	2.48	42,0001,4054		
				15	0.59	25	0.98	18,6	0.73	68	2.68	42,0001,4052		
				17	0.71	25	0.98	20,8	0.82	68	2.68	42,0001,4049		
				13	0.51	25	0.98	16,4	0.64	71	2.80	42,0001,4087		
				15	0.59	25	0.98	18,6	0.73	71	2.80	42,0001,4788		
				13	0.51	25	0.98	16,4	0.64	73	2.87	42,0001,4088		
				15	0.59	25	0.98	18,6	0.73	73	2.87	42,0001,4475		standard MTB 400i G R
				15	0.59	27	1.06	18,6	0.73	73	2.87	42,0001,4790		MTB 400i G R, heavy duty
MTB W 400i R	MTB G 320i R	500i R		15	0.59	25	0.98	18,6	0.73	73	2.87	42,0001,4495	AI	
				15	0.59	25	0.98	18,6	0.73	75	2.95	42,0001,4045		standard MTG 400i
				17	0.71	25	0.98	20,8	0.82	75	2.95	42,0001,4043		
				21	0.82	25	0.98	25,0	0.98	75	2.95	42,0001,4053		
				15	0.59	25	0.98	18,6	0.73	80	3.15	42,0001,4047		


				d1		d2		d3		L		Part No.		
				mm	inch	mm	inch	mm	inch	mm	inch			
MTB W400i W R H	M23x2			15	0.59	ø25	0.98	18,6	0.73	61	2.40	44,0350,3935		standard MTB 400i W R H
MTB W500i W R H				17	0.66	ø25	0.98	20,8	0.82	61	2.40	44,0350,3936		standard MTB 500i W R H

				d1		d2		d3		L		Part No.		
				mm	inch	mm	inch	mm	inch	mm	inch			
①	MTB 700i			17	0.66	ø29	1.10	22	0.86	71	2.79	44,0350,3966		Standard MTW 700i/750i
②				17	0.66	ø29	1.10	22	0.86	16	0.63	42,0001,4257		Standard MTW 700i/750i
①	MTW 750i			17	0.66	ø29	1.10	22	0.86	76	3.00	44,0350,3942		HD
②				17	0.66	ø29	1.10	22	0.86	21	0.83	42,0001,4670		HD
①				17	0.66	ø29	1.10	22	0.86	68,5	2.70	44,0350,4079		Standard MTB 700i W R
②				17	0.66	ø29	1.10	22	0.86	13,5	0.53	42,0001,4868		Standard MTB 700i W R
①				13	0.51	ø29	1.10	22	0.86	69	2.72	44,0350,0226		Laser Hybrid
②				13	0.51	ø29	1.10	22	0.86	14	0.55	42,0001,0142		Laser Hybrid

TAB. 6

Technical drawing of a tapered roller bearing. The diagram shows a side view of the bearing with the following dimensions labeled: d1 (inner diameter), d2 (outer diameter), d3 (pitch diameter), and L (length). The bearing is shown with a tapered roller and a cage.

		d1		d2		d3		L		Part No.		
		mm	inch	mm	inch	mm	inch	mm	inch			
MTB G 330i R	MTB W 330i R	M23x2										
		13	0.51	ø25	0.98	16	0.63	37	1.46	42,0001,4533		not possible at MTB 330i G R H
		13	0.51	ø25	0.98	16	0.63	41	1.61	42,0001,4487		standard MTB 330i W R / G ML
		13	0.51	ø25	0.98	16	0.63	39,5	1.61	42,0001,4534	AI	
		13	0.51	ø25	0.98	16	0.63	39,5	1.56	42,0001,4902		standard MTB 330i G R G R H
		15	0.59	ø25	0.98	18	0.72	39,5	1.56	42,0001,5023		

TAB. 7												
												
		d1		d2		d3		L		Part No.		
		mm	inch	mm	inch	mm	inch	mm	inch			
MTB W 330i W R H M23x2		13	0.51	ø25	0.98	16	0.63	41	1.61	42.0001.4486		standard MTB 330i W R H

TAB. 8 narrow gap													
		d1		d2		d3		L		Part No.			
		mm	inch	mm	inch	mm	inch	mm	inch				
MTB W 330i R	M23x2	13	0.51	ø25	0.98	16	0.63	56	2.21	42,0001,4745			
MTB G 330i R		13	0.51	ø25	0.98	16	0.63	50	1.97	42,0001,6772			

TAB. 9 											
	d1		d2		d3		L		Part No.		
MTB G 330i R long	mm inch		mm inch		mm inch		mm inch				
	13	0.51	ø27	1.06	18	0.72	53	2.09	42,0001,4858		standard MTB 330i G R
	15	0.59	ø27	1.06	18	0.72	53	2.09	42,0001,4857		
	15	0.59	ø27	1.06	18	0.72	57	2.09	42,0001,4856		

TAB. 10



d1		d2		d3		L		Part No.		
mm	inch	mm	inch	mm	inch	mm	inch			
15	0.59	ø27	1.06	19	0.75	67	2.64	44,0350,2020		
17	0.67	ø27	1.06	21	0.83	67	2.64	44,0350,2021		
15	0.59	ø27	1.06	19	0.75	74	2.91	44,0350,1991		
17	0.67	ø27	1.06	21	0.83	74	3.91	44,0350,1995		
15	0.59	ø27	1.06	19	0.75	80,5	3.17	44,0350,1987		
15	0.59	ø27	1.06	19	0.75	82,5	3.25	44,0350,1988		
17	0.67	ø27	1.06	21	0.83	83,5	3.29	44,0350,3179		
18	0.71	ø27	1.06	22	0.89	87,5	3.44	44,0350,3180		standard MTG 550i


MTG 550i


M25x3

TAB. 11											
											
		d1		d2		d3		L		Part No.	
		mm	inch	mm	inch	mm	inch	mm	inch		
MTB 400/500i W R MTB 320/400i G R	M23x2	13	0.51	ø25	0.98	16	0.63	62,5	2.46	42,0001,4917	standard MTB 320i G / 400/500i W
		10	0.39	ø25	0.98	16	0.63	68,0	2.68	42,0001,6715	
		13	0.51	ø25	0.98	16	0.63	68,0	2.68	42,0001,6716	
		13	0.51	ø25	0.98	16	0.63	74,5	2.93	42,0001,4918	standard MTB 400i G

TAB. 15											
											
		d1		d2		d3		L		Part No.	
		mm	inch	mm	inch	mm	inch	mm	inch		
MTW 500i	plug	17	0.66	ø27	1.06	22,2	0.87	85	3.34	44,0350,2036	standard MTB 500i W

Tab. 3






material			d1		d2		Part No. L		Part No. L		Part No. L	
	Ø mm	Ø inch	mm	inch	mm	inch	5m	16.4feet	15m	49.2feet	50m	160feet
Steel liner	0,8	.030	1,4	.055	4,4	.176	40,0002,0040,005		40,0002,0040,015		40,0002,0040,050	
Steel liner	0,9-1,0	.035/.040	1,6	.062	4,8	.189	40,0002,0041,005		40,0002,0041,015		40,0002,0041,050	
Steel liner	1,2	.045	1,9	.074	4,9	.192	40,0002,0042,005		40,0002,0042,015		40,0002,0042,050	
Steel liner	1,4-1,6	.052/.062	2,5	.098	4,9	.192	40,0002,0043,005		40,0002,0043,015		40,0002,0043,050	
CrNi liner	0,8	.030	1,4	.055	4,4	.176	40,0002,0044,005		40,0002,0044,015		40,0002,0044,050	
CrNi liner	0,9-1,0	.035/.040	1,6	.062	4,8	.189	40,0002,0045,005		40,0002,0045,015		40,0002,0045,050	
CrNi liner	1,2	.045	1,9	.074	4,9	.192	40,0002,0046,005		40,0002,0046,015		40,0002,0046,050	
CrNi liner	1,4-1,6	.052/.062	2,5	.098	4,9	.192	40,0002,0047,005		40,0002,0047,015		40,0002,0047,050	
Steel liner coated	0,8	.030	1,4	.055	4,4	.176	40,0002,0052,005		40,0002,0052,015		40,0002,0052,050	
Steel liner coated	0,9-1,0	.035/.040	1,6	.062	4,8	.189	40,0002,0053,005		40,0002,0053,015		40,0002,0053,050	
Steel liner coated	1,2	.045	1,9	.074	4,9	.192	40,0002,0054,005		40,0002,0054,015		40,0002,0054,050	
Steel liner coated	1,4-1,6	.052/.062	2,5	.098	4,9	.192	40,0002,0055,005		40,0002,0055,015		40,0002,0055,050	

Tab. 3


combi liner W AL


combi liner G AL

combi inner liner G





		L		d1		d2		combi liner W AL	combi liner G AL	combi inner liner G
Ø mm	Ø inch	m	feet	mm	inch	mm	inch	Part No.	Part No.	Part No.
0,8	.030	2,0	6.5	1,2	.059	4,7	.185	44,0350,3388	44,0350,3400	44,0350,5550
0,8	.030	3,8	12.4	1,2	.059	4,7	.185	44,0350,3392	44,0350,3404	44,0350,5513
0,8	.030	4,8	15.7	1,2	.059	4,7	.185	44,0350,3396	44,0350,3408	44,0350,5518
0,9-1,0	.035/.040	2,0	6.5	1,5	.062	4,7	.185	44,0350,3389	44,0350,3401	44,0350,5551
0,9-1,0	.035/.040	3,8	12.4	1,5	.062	4,7	.185	44,0350,3393	44,0350,3405	44,0350,5514
0,9-1,0	.035/.040	4,8	15.7	1,5	.062	4,7	.185	44,0350,3397	44,0350,3409	44,0350,5519
1,2	.045	2,0	6.5	1,8	0.74	4,7	.185	44,0350,3390	44,0350,3402	44,0350,5552
1,2	.045	3,8	12.4	1,8	0.74	4,7	.185	44,0350,3394	44,0350,3406	44,0350,5515
1,2	.045	4,8	15.7	1,8	0.74	4,7	.185	44,0350,3398	44,0350,3410	44,0350,5520
1,4-1,6	.052/.062	2,0	6.5	2,4	.098	4,7	.185	44,0350,3391	44,0350,3403	44,0350,5553
1,4-1,6	.052/.062	3,8	12.4	2,4	.098	4,7	.185	44,0350,3395	44,0350,3407	44,0350,5516
1,4-1,6	.052/.062	4,8	15.7	2,4	.098	4,7	.185	44,0350,3399	44,0350,3411	44,0350,5521
2,0	.045	2,0	6.5	1,2	.059	4,7	.185	44,0350,3615	44,0350,3618	44,0350,5554
2,0	.045	3,8	12.4	3,0	.118	4,7	.185	44,0350,3616	44,0350,3619	44,0350,5517
2,0	.045	4,8	15.7	3,0	.118	4,7	.185	44,0350,3617	44,0350,3620	44,0350,5522


Tab. 3.1


material			d1		d2		Part No. L	Part No. L	Part No. L
	Ø mm	Ø inch	mm	inch	mm	inch	10m 32.8feet	30m 98feet	100m 328feet
Graphit	0,8	.030	1,2	.047	4,7	.185	40,0001,0529,010	40,0001,0529,030	40,0001,0529,100
Graphit	0,9 - 1,0	.035-.040	1,5	.059	4,7	.185	40,0001,0530,010	40,0001,0530,030	40,0001,0530,100
Graphit	1,2	.045	1,8	.070	4,7	.185	40,0001,0531,010	40,0001,0531,030	40,0001,0531,100
Graphit	1,4 - 1,6	.052-1/16	2,4	.094	4,7	.185	40,0001,0532,010	40,0001,0532,030	40,0001,0532,100
Graphit	0,8	5/64	3,0	.118	4,7	.185	40,0001,0533,010	40,0001,0533,030	40,0001,0533,100



Tab. 7

Fe / CrNi


		Fe		Part No.			Fe		Part No.
		Ø mm	Ø inch				Ø mm	Ø inch	
		0,8	.030	42,0001,5833			0,8	.030	44,0350,3769
		1,0	.040	42,0001,4512			1,0	.040	44,0350,3770
		1,2	.045	42,0001,4512			1,2	.045	44,0350,3771
		1,6	1/16	42,0001,3583			1,6	1/16	44,0350,3772

Euro		Fe		Part No.	colour
		Ø mm	Ø inch		
		0,8	.030	44,0350,3703	grey
		1,0	.040	44,0350,3704	blue
		1,2	.045	44,0350,3705	red
		1,6	1/16	44,0350,3706	black

Al




		Al		Part No.			Al		Part No.
		Ø mm	Ø inch				Ø mm	Ø inch	
		0,8	.030	42,0001,3583			0,8	.030	42,0100,1120 -white
		1,0	.040	42,0001,3583			0,9	.035	42,0100,1119 -blue
		1,2	.045	42,0001,3583			1,0	.040	
		1,6	1/16	42,0001,3583			1,2	.045	42,0100,1003 -red
							1,6	1/16	42,0100,1008 -black

Euro





MTW 400d /F++/3,5m/45° (4,035,951,000)

Basic kit 250i / 320i / 400i / 500i / 700i	Ø mm	Ø inch	m	feet	Fe MTG / MTW Part No.	CrNi MTG / MTW Part No.	Alu MTW Part No.	CuSi MTW Part No.	Alu/CuSi MTG Part No.
	0,8	.030	5,0	11,5	44,0350,5117*	44,0350,5158*	44,0350,5135*		44,0350,5144*
	0,9	.035	5,0	14,8	44,0350,5118*	44,0350,5159*	44,0350,5136*		44,0350,5145*
	1,0	.040	5,0	11,5	44,0350,5119*	44,0350,5160*	44,0350,5137*		44,0350,5146*
	1,2	.047	5,0	14,8	44,0350,5120*	44,0350,5161*	44,0350,5138*		44,0350,5147*
	1,4	.052	5,0	11,5	44,0350,5121*	44,0350,5162*	44,0350,5139*		44,0350,5148*
	1,6	.062	5,0	14,8	44,0350,5122*	44,0350,5163*	44,0350,5140*		44,0350,5149*

*		
F++ Part No. + ,000 44,0350,xxxx,000 	E Part No. + ,001 44,0350,xxxx,001 	FSC Part No. 44,0350,xxxx 

TOOLS



MTW 400d /F++/3,5m/45° (4,035,951,000)

Artikelnr.	Bezeichnung	Menge	Einheit
42,0405,1196	Abdeckfenster W5 JM SMD	1	Stk
42,0405,1197	Abdeckfenster W5 U/D SMD	1	Stk
42,0405,0576	Adaptergehäuse Euro ZA	1	Stk
44,0350,3269	Anschlusssteil kpl. MTB W ML	1	Stk
42,0100,1369	Auslaufstück zu Seele MAG02	1	Stk
44,0450,1436	Ausziehwerkz. CPC +35mm verläng.	1	Stk
44,0350,5144	BK Al ø0,8 /G CuSi ø0,8 G/W/5m	1	Stk
44,0350,5135	BK Al ø0,8 /W/5m	1	Stk
44,0350,5145	BK Al ø0,9 /G CuSi ø0,9 G/W/5m	1	Stk
44,0350,5136	BK Al ø0,9 /W/5m	1	Stk
44,0350,5146	BK Al ø1,0 /G CuSi ø1,0 G/W/5m	1	Stk
44,0350,5137	BK Al ø1,0 /W/5m	1	Stk
44,0350,5147	BK Al ø1,2 /G CuSi ø1,2 G/W/5m	1	Stk
44,0350,5138	BK Al ø1,2 /W/5m	1	Stk
44,0350,5148	BK Al ø1,4 /G CuSi ø1,4 G/W/5m	1	Stk
44,0350,5139	BK Al ø1,4 /W/5m	1	Stk
44,0350,5149	BK Al ø1,6 /G CuSi ø1,6 G/W/5m	1	Stk
44,0350,5140	BK Al ø1,6 /W/5m	1	Stk
44,0350,5158	BK CrNi ø0,8 /G/W/5m	1	Stk
44,0350,5159	BK CrNi ø0,9 /G/W/5m	1	Stk
44,0350,5160	BK CrNi ø1,0 /G/W/5m	1	Stk
44,0350,5161	BK CrNi ø1,2 /G/W/5m	1	Stk
44,0350,5162	BK CrNi ø1,4 /G/W/5m	1	Stk
44,0350,5163	BK CrNi ø1,6 /G/W/5m	1	Stk
44,0350,5117	BK Fe ø0,8 /G/W/5m	1	Stk
44,0350,5118	BK Fe ø0,9 /G/W/5m	1	Stk
44,0350,5119	BK Fe ø1,0 /G/W/5m	1	Stk
44,0350,5120	BK Fe ø1,2 /G/W/5m	1	Stk
44,0350,5121	BK Fe ø1,4 /G/W/5m	1	Stk
44,0350,5122	BK Fe ø1,6 /G/W/5m	1	Stk
40,0001,0230	Bougierschlauch 3mm/m.G.	1	m
42,0405,0655	Brennergehäuse int. DFS Feder	1	ve
42,0404,0192	Bronzeseele 1,6/0,32m	1	Stk
42,0404,0453	Bronzeseele 2,7x1,0x40mm	1	Stk

MTW 400d /F++/3,5m/45° (4,035,951,000)

Artikelnr.	Bezeichnung	Menge	Einheit
43,0003,0485	BUCHSENKONTAKT C 1 CPC	1	Stk
42,0001,3912,10	Contec-Shell 10pcs MD	1	ve
42,0001,3912,100	Contec-Shell 100pcs MD	1	ve
40,0002,0044,005	CrNi-Seele blank 0,8 / 5m	1	Stk
40,0002,0044,015	CrNi-Seele blank 0,8 / 15m	1	Stk
40,0002,0044,050	CrNi-Seele blank 0,8 / 50m	1	Stk
40,0002,0045,005	CrNi-Seele blank 1,0 / 5m	1	Stk
40,0002,0045,015	CrNi-Seele blank 1,0 / 15m	1	Stk
40,0002,0045,050	CrNi-Seele blank 1,0 / 50m	1	Stk
40,0002,0046,005	CrNi-Seele blank 1,2 / 5m	1	Stk
40,0002,0046,015	CrNi-Seele blank 1,2 / 15m	1	Stk
40,0002,0046,050	CrNi-Seele blank 1,2 / 50m	1	Stk
40,0002,0047,005	CrNi-Seele blank 1,6 / 5m	1	Stk
40,0002,0047,015	CrNi-Seele blank 1,6 / 15m	1	Stk
40,0002,0047,050	CrNi-Seele blank 1,6 / 50m	1	Stk
42,0405,1029	DISPLAYSCHUTZ W5 JOBMASTER	1	Stk
45,0200,0826	Dr.Schlüssel Überwurfmutter BY	1	Stk
44,0350,3440	Drahtf.Schl. 5,7x1,15 3,25m	1	Stk
44,0350,3441	Drahtf.Schl. 5,7x1,15 4,25m	1	Stk
42,0411,9040	Drehmomentschl. 4-20Nm	1	Stk
44,0350,3426	Düsenstock Contec MD MTW500i	1	Stk
42,0001,4919	Düsenstock M6/SW10x30 CU	1	Stk
42,0001,4651	Düsenstock M8x1,5/SW10x26,5 CU	1	Stk
42,0001,4037	Düsenstock M8x1,5/SW13x26,5 CU	1	Stk
42,0100,1120	Ein/Auslaufdüse ø0,8 grau	1	Stk
42,0100,1119	Ein/Auslaufdüse ø1,0 blau	1	Stk
42,0100,1003	Ein/Auslaufdüse ø1,2 rot	1	Stk
42,0100,1008	Ein/Auslaufdüse ø1,6 schwarz	1	Stk
42,0001,4716	Einlaufdüse f. Graphitseele ø5	1	Stk
44,0350,3769	Einlaufdüse Gasbl./0,8 kompl.	1	Stk
44,0350,3770	Einlaufdüse Gasbl./1,0 kompl.	1	Stk
44,0350,3771	Einlaufdüse Gasbl./1,2 kompl.	1	Stk
44,0350,3772	Einlaufdüse Gasbl./1,6 kompl.	1	Stk
40,0009,0044	Fett O-Ring transparent	1	Stk

MTW 400d /F++/3,5m/45° (4,035,951,000)

Artikelnr.	Bezeichnung	Menge	Einheit
42,0401,0886	Furchschr KST 3x12 DeltaPT	3	Stk
42,0001,6715	Gasdüse Engspalt Ø10/Ø25x68 CT	1	Stk
42,0001,4917	Gasdüse Engspalt Ø13/Ø25x62,5	1	Stk
42,0001,6716	Gasdüse Engspalt Ø13/Ø25x68 CT	1	Stk
42,0001,4918	Gasdüse Engspalt Ø13/Ø25x74,5	1	Stk
42,0001,6772	Gasdüse Engspalt ø13/ø25x50 CT	1	Stk
42,0001,4745	Gasdüse Engspalt ø13/ø25x56 CT	1	Stk
42,0001,4868	Gasdüsenmundstück Ø17/Ø29x26,5	1	Stk
42,0001,4257	Gasdüsenmundstück Ø17/Ø29x29	1	Stk
42,0001,0142	Gasdüsenmundstück ø13/ø29x	1	Stk
42,0001,4670	Gasdüsenmundstück ø17/29x34 HD	1	Stk
44,0350,4079	Gasdüse W 700i Ø17/Ø29,5x68,5	1	Stk
44,0350,0226	Gasdüse W 700i ø13,2/ø29,5x69	1	Stk
44,0350,3966	Gasdüse W 700i ø17/ø29,5x71	1	Stk
44,0350,3942	Gasdüse W 700i ø17/ø29,5x76 HD	1	Stk
42,0001,4055	Gasdüse zyl ø18/ø22x58 CT	1	Stk
42,0001,4054	Gasdüse zyl ø21,1/ø25x63 CT	1	Stk
42,0001,4053	Gasdüse zyl ø21,1/ø25x75 CT	1	Stk
44,0350,3935	Gasdüse Ø15/Ø25x61 CT/H	1	Stk
44,0350,3936	Gasdüse Ø17/Ø25x61 CT/H	1	Stk
42,0001,4216	Gasdüse Ø17/Ø27x63 CT HD	1	Stk
42,0001,6664	Gasdüse ø8/ø22x57 CT	1	Stk
42,0001,4083	Gasdüse ø10/ø22x54 CT	1	Stk
42,0001,4084	Gasdüse ø10/ø22x58 CT	1	Stk
42,0001,4858	Gasdüse ø13/Ø27x53 CT	1	Stk
42,0001,4799	Gasdüse ø13/ø22x54 CT	1	Stk
42,0001,4477	Gasdüse ø13/ø22x56 CT	1	Stk
42,0001,4498	Gasdüse ø13/ø22x56 CT/C	1	Stk
42,0001,4065	Gasdüse ø13/ø22x58 CT	1	Stk
42,0001,4533	Gasdüse ø13/ø25x37 CT	1	Stk
42,0001,4902	Gasdüse ø13/ø25x39,5 CT	1	Stk
42,0001,4534	Gasdüse ø13/ø25x39,5 CT/C	1	Stk
42,0001,4487	Gasdüse ø13/ø25x41 CT	1	Stk
42,0001,4486	Gasdüse ø13/ø25x41 CT/H	1	Stk

MTW 400d /F++/3,5m/45° (4,035,951,000)

Artikelnr.	Bezeichnung	Menge	Einheit
42,0001,4085	Gasdüse ø13/ø25x59 CT	1	Stk
42,0001,4086	Gasdüse ø13/ø25x61 CT	1	Stk
42,0001,4497	Gasdüse ø13/ø25x61 CT/C	1	Stk
42,0001,4080	Gasdüse ø13/ø25x63 CT	1	Stk
42,0001,4087	Gasdüse ø13/ø25x71 CT	1	Stk
42,0001,4088	Gasdüse ø13/ø25x73 CT	1	Stk
42,0001,4857	Gasdüse ø15/ø27x53 CT	1	Stk
42,0001,4856	Gasdüse ø15/ø27x57 CT	1	Stk
42,0001,4493	Gasdüse ø15/ø22x58 CT	1	Stk
42,0001,5023	Gasdüse ø15/ø25x39,5 CT	1	Stk
42,0001,4048	Gasdüse ø15/ø25x59 CT	1	Stk
42,0001,4474	Gasdüse ø15/ø25x61 CT	1	Stk
42,0001,4496	Gasdüse ø15/ø25x61 CT/C	1	Stk
42,0001,4051	Gasdüse ø15/ø25x63 CT	1	Stk
42,0001,4052	Gasdüse ø15/ø25x68 CT	1	Stk
42,0001,4788	Gasdüse ø15/ø25x71 CT	1	Stk
42,0001,4475	Gasdüse ø15/ø25x73 CT	1	Stk
42,0001,4495	Gasdüse ø15/ø25x73 CT/C	1	Stk
42,0001,4045	Gasdüse ø15/ø25x75 CT	1	Stk
42,0001,4047	Gasdüse ø15/ø25x80 CT	1	Stk
42,0001,4789	Gasdüse ø15/ø27x61 CT HD	1	Stk
44,0350,2020	Gasdüse ø15/ø27x67 CT	1	Stk
42,0001,4790	Gasdüse ø15/ø27x73 CT HD	1	Stk
44,0350,1991	Gasdüse ø15/ø27x74 CT	1	Stk
44,0350,1987	Gasdüse ø15/ø27x80,5 CT	1	Stk
44,0350,1988	Gasdüse ø15/ø27x82,5 CT	1	Stk
42,0001,4476	Gasdüse ø17/ø25x61 CT	1	Stk
42,0001,4494	Gasdüse ø17/ø25x61 CT/C	1	Stk
42,0001,4050	Gasdüse ø17/ø25x63 CT	1	Stk
42,0001,4049	Gasdüse ø17/ø25x68 CT	1	Stk
42,0001,4043	Gasdüse ø17/ø25x75 CT	1	Stk
44,0350,2021	Gasdüse ø17/ø27x67 CT	1	Stk
44,0350,1995	Gasdüse ø17/ø27x74 CT	1	Stk
44,0350,3179	Gasdüse ø17/ø27x83,5 CT	1	Stk

MTW 400d /F++/3,5m/45° (4,035,951,000)

Artikelnr.	Bezeichnung	Menge	Einheit
44,0350,2036	Gasdüse ø17/ø27x85	1	Stk
44,0350,3180	Gasdüse ø18/ø27x87,5 CT	1	Stk
42,0001,6208	Gaszapfen FSC-W	1	Stk
40,0001,0529,010	Graphitseele 0,8(4,7/1,2) 10m	1	Stk
40,0001,0529,030	Graphitseele 0,8(4,7/1,2) 30m	1	Stk
40,0001,0529,100	Graphitseele 0,8(4,7/1,2) 100m	1	Stk
40,0001,0530,010	Graphitseele 1,0(4,7/1,5) 10m	1	Stk
40,0001,0530,030	Graphitseele 1,0(4,7/1,5) 30m	1	Stk
40,0001,0530,100	Graphitseele 1,0(4,7/1,5) 100m	1	Stk
40,0001,0531,010	Graphitseele 1,2(4,7/1,8) 10m	1	Stk
40,0001,0531,030	Graphitseele 1,2(4,7/1,8) 30m	1	Stk
40,0001,0531,100	Graphitseele 1,2(4,7/1,8) 100m	1	Stk
40,0001,0532,010	Graphitseele 1,6(4,7/2,4) 10m	1	Stk
40,0001,0532,030	Graphitseele 1,6(4,7/2,4) 30m	1	Stk
40,0001,0532,100	Graphitseele 1,6(4,7/2,4) 100m	1	Stk
40,0001,0533,010	Graphitseele 2,0(4,7/3,0) 10m	1	Stk
40,0001,0533,030	Graphitseele 2,0(4,7/3,0) 30m	1	Stk
40,0001,0533,100	Graphitseele 2,0(4,7/3,0) 100m	1	Stk
32,0405,0360	Griffschale W5 R/L	1	Stk
32,0405,0358	Griffschale W5 UP/DOWN R/L	1	Stk
42,0405,0753	Hitzeschutzschild PA6 ø18mm	1	Stk
42,0100,1329	Isolierring W ø20,8/14*7,3	1	Stk
42,0100,1371	Isolierring Ø20,8/Ø14x8,5	1	Stk
42,0100,1497	Isolierring ø20,7/ø14x15	1	Stk
42,0407,0100	KABELBINDER 150	1	Stk
42,0407,0245	Klemme 1Ohr 7,0/ø5,8-7,9	1	Stk
42,0407,0284	Klemme 1Ohr 9,0/ø7,3-9,0	3	Stk
42,0404,0387	Knickschutzfeder Ø41/45x140	1	Stk
42,0402,1005	KNICKSCHUTZ W5	1	Stk
44,0350,5550	Kombiseele G /0,8/2,0m	1	Stk
44,0350,5513	Kombiseele G /0,8/3,8m	1	Stk
44,0350,5518	Kombiseele G /0,8/4,8m	1	Stk
44,0350,5551	Kombiseele G /1,0/2,0m	1	Stk
44,0350,5514	Kombiseele G /1,0/3,8m	1	Stk

MTW 400d /F++/3,5m/45° (4,035,951,000)

Artikelnr.	Bezeichnung	Menge	Einheit
44,0350,5519	Kombiseele G /1,0/4,8m	1	Stk
44,0350,5552	Kombiseele G /1,2/2,0m	1	Stk
44,0350,5515	Kombiseele G /1,2/3,8m	1	Stk
44,0350,5520	Kombiseele G /1,2/4,8m	1	Stk
44,0350,5553	Kombiseele G /1,6/2,0m	1	Stk
44,0350,5516	Kombiseele G /1,6/3,8m	1	Stk
44,0350,5521	Kombiseele G /1,6/4,8m	1	Stk
44,0350,5554	Kombiseele G /2,0/2,0m	1	Stk
44,0350,5517	Kombiseele G /2,0/3,8m	1	Stk
44,0350,5522	Kombiseele G /2,0/4,8m	1	Stk
44,0350,3400	Kombiseele G Al /0,8/2,0m	1	Stk
44,0350,3404	Kombiseele G Al /0,8/3,8m	1	Stk
44,0350,3408	Kombiseele G Al /0,8/4,8m	1	Stk
44,0350,3401	Kombiseele G Al /1,0/2,0m	1	Stk
44,0350,3405	Kombiseele G Al /1,0/3,8m	1	Stk
44,0350,3409	Kombiseele G Al /1,0/4,8m	1	Stk
44,0350,3402	Kombiseele G Al /1,2/2,0m	1	Stk
44,0350,3406	Kombiseele G Al /1,2/3,8m	1	Stk
44,0350,3410	Kombiseele G Al /1,2/4,8m	1	Stk
44,0350,3403	Kombiseele G Al /1,6/2,0m	1	Stk
44,0350,3407	Kombiseele G Al /1,6/3,8m	1	Stk
44,0350,3411	Kombiseele G Al /1,6/4,8m	1	Stk
44,0350,3618	Kombiseele G Al /2,0/2,0m	1	Stk
44,0350,3619	Kombiseele G Al /2,0/3,8m	1	Stk
44,0350,3620	Kombiseele G Al /2,0/4,8m	1	Stk
44,0350,3388	Kombiseele W Al /0,8/2,0m	1	Stk
44,0350,3392	Kombiseele W Al /0,8/3,8m	1	Stk
44,0350,3396	Kombiseele W Al /0,8/4,8m	1	Stk
44,0350,3389	Kombiseele W Al /1,0/2,0m	1	Stk
44,0350,3393	Kombiseele W Al /1,0/3,8m	1	Stk
44,0350,3397	Kombiseele W Al /1,0/4,8m	1	Stk
44,0350,3390	Kombiseele W Al /1,2/2,0m	1	Stk
44,0350,3394	Kombiseele W Al /1,2/3,8m	1	Stk
44,0350,3398	Kombiseele W Al /1,2/4,8m	1	Stk

MTW 400d /F++/3,5m/45° (4,035,951,000)

Artikelnr.	Bezeichnung	Menge	Einheit
44,0350,3391	Kombiseele W Al /1,6/2,0m	1	Stk
44,0350,3395	Kombiseele W Al /1,6/3,8m	1	Stk
44,0350,3399	Kombiseele W Al /1,6/4,8m	1	Stk
44,0350,3615	Kombiseele W Al /2,0/2,0m	1	Stk
44,0350,3616	Kombiseele W Al /2,0/3,8m	1	Stk
44,0350,3617	Kombiseele W Al /2,0/4,8m	1	Stk
42,0001,6537,10	Kontaktr. 0,8/M8x1,5/ø10x32 Al	1	ve
42,0001,7028,10	Kontaktr.0,9/M8x1,5/ø10x32/SQ	1	ve
42,0001,4750,10	Kontaktr. 1,0/M8x1,5/ø10x32 Al	1	ve
42,0001,7029,10	Kontaktr.1,0/M8x1,5/ø10x32/SQ	1	ve
42,0001,4751,10	Kontaktr. 1,2/M8x1,5/ø10x32 Al	1	ve
42,0001,7030,10	Kontaktr.1,2/M8x1,5/ø10x32/SQ	1	ve
42,0001,4752,10	Kontaktr.1,6/M8x1,5/ø10x32 Al	1	ve
42,0001,4928	Kontaktrohr 0,6/M6/8x24mm	1	Stk
42,0001,6524,10	Kontaktrohr 0,7/M6/8x24mm	1	ve
42,0001,6482,10	Kontaktrohr 0,7/M8x1,5/ø10x32	1	ve
42,0001,4461,10	Kontaktrohr 0,8/M6/ø8x24	1	ve
42,0001,6525,10	Kontaktrohr 0,8/M6/ø8x24 Al	1	ve
42,0001,6464,10	Kontaktrohr 0,8/M8x1,5/ø10x32	1	ve
42,0001,4462,10	Kontaktrohr 0,9/M6/ø8x24	1	ve
42,0001,7025,10	Kontaktrohr 0,9/M6/ø8x24/SQ	1	ve
42,0001,6465,10	Kontaktrohr 0,9/M8x1,5/ø10x32	1	ve
42,0001,4463,10	Kontaktrohr 1,0/M6/ø8x24	1	ve
42,0001,6526,10	Kontaktrohr 1,0/M6/ø8x24 Al	1	ve
42,0001,7026,10	Kontaktrohr 1,0/M6/ø8x24/SQ	1	ve
42,0001,6466,10	Kontaktrohr 1,0/M8x1,5/ø10x32	1	ve
42,0001,6527,10	Kontaktrohr 1,1/M6/ø8x24	1	ve
42,0001,6483,10	Kontaktrohr 1,1/M8x1,5/ø10x32	1	ve
42,0001,4464,10	Kontaktrohr 1,2/M6/ø8x24	1	ve
42,0001,6528,10	Kontaktrohr 1,2/M6/ø8x24 Al	1	ve
42,0001,7027,10	Kontaktrohr 1,2/M6/ø8x24/SQ	1	ve
42,0001,6467,10	Kontaktrohr 1,2/M8x1,5/ø10x32	1	ve
42,0001,6529,10	Kontaktrohr 1,3/M6/ø8x24	1	ve
42,0001,6484,10	Kontaktrohr 1,3/M8x1,5/ø10x32	1	ve

MTW 400d /F++/3,5m/45° (4,035,951,000)

Artikelnr.	Bezeichnung	Menge	Einheit
42,0001,4465,10	Kontaktrohr 1,4/M6/ø8x24	1	ve
42,0001,6468,10	Kontaktrohr 1,4/M8x1,5/ø10x32	1	ve
42,0001,6522,10	Kontaktrohr 1,5/M6/ø8x24	1	ve
42,0001,6485,10	Kontaktrohr 1,5/M8x1,5/ø10x32	1	ve
42,0001,4466,10	Kontaktrohr 1,6/M6/ø8x24	1	ve
42,0001,6523,10	Kontaktrohr 1,6/M6/ø8x24 Al	1	ve
42,0001,6469,10	Kontaktrohr 1,6/M8x1,5/ø10x32	1	ve
42,0001,6470,10	Kontaktrohr 1,8/M8x1,5/ø10x32	1	ve
42,0001,6471,10	Kontaktrohr 2,0/M8x1,5/ø10x32	1	ve
42,0001,6472,10	Kontaktrohr 2,4/M8x1,5/ø10x32	1	ve
42,0001,4642,10	Kontaktrohr 2,8/M8x1,5/ø10x32	1	ve
44,0350,3272	MTW 400i/45°/L153/H86	1	Stk
42,0201,3216	Multitool TB wear parts	1	Stk
42,0402,0258	O-Ring 4x1,2mm FKM	1	Stk
42,0402,0317	O-Ring Iø20x1,3 FKM	1	Stk
42,0402,0305	O-Ring Iø21x1,5 FKM	1	Stk
42,0402,0304	O-Ring Iø25x1,5 FKM	1	Stk
42,0402,0286	O-Ring Ø7,5x1,5mm NBR70	1	Stk
4,070,900,Z	PRINT JM3T Geprüft	1	Stk
4,070,629,Z	PRINT UPDO1A Geprüft	1	Stk
44,0450,1938	Rollgabel-Einsteckwerkzeug	1	Stk
40,0001,0524	Schlauch PE 6,0x1,1mm	3,22	m
40,0001,0310	Schlauch VINNY 5x1.5 schwarz	3,55	m
40,0001,0310	Schlauch VINNY 5x1.5 schwarz	0,45	m
42,0401,0936	Schraube PT 2,5X12 T8 Delta sw	3	Stk
44,0350,1804	SCHUTZSCHL. 26x1,5 3,5M W5	1	Stk
44,0350,1805	SCHUTZSCHL. 26x1,5 4,5M W5	1	Stk
42,0401,0220	Senkschraube DIN 965A M4x8	1	Stk
42,0001,4717	Spannm. Euro Kunststoffseele	1	Stk
42,0001,6336	Spannmutter Contec/SW11x19,5	1	Stk
42,0400,1024	Spannmutter f. Düse M5x17	1	Stk
44,0350,3703	Spannnippel 0,8/E	1	Stk
44,0350,3704	Spannnippel 1,0/E	1	Stk
44,0350,3705	Spannnippel 1,2/E	1	Stk

MTW 400d /F++/3,5m/45° (4,035,951,000)

Artikelnr.	Bezeichnung	Menge	Einheit
44,0350,3706	Spannnippel 1,6/E	1	Stk
42,0001,4512	Spannstück Seele AØ4,6 - Ø4,8	1	Stk
42,0001,5833	Spannstück Seele AØ4,1-4,3	1	Stk
42,0001,3583	Spannstück Seele AØ4,7-4,9	1	Stk
42,0001,4718	Spannz.Euro Kunstst.Seele ø4,7	1	Stk
42,0405,0854	Spritzerschutz Ø10/Ø20,8x24mm	1	Stk
42,0100,0591	SpritzerschutzØ10/Ø20,8x24mmHD	1	Stk
42,0100,1156	Spritzerschutz ø14,5/ø18x21,3	1	Stk
40,0002,0040,005	Stahlseele blank 0,8 / 5m	1	Stk
40,0002,0040,015	Stahlseele blank 0,8 / 15m	1	Stk
40,0002,0040,050	Stahlseele blank 0,8 / 50m	1	Stk
40,0002,0041,005	Stahlseele blank 1,0 / 5m	1	Stk
40,0002,0041,015	Stahlseele blank 1,0 / 15m	1	Stk
40,0002,0041,050	Stahlseele blank 1,0 / 50m	1	Stk
40,0002,0042,005	Stahlseele blank 1,2 / 5m	1	Stk
40,0002,0042,015	Stahlseele blank 1,2 / 15m	1	Stk
40,0002,0042,050	Stahlseele blank 1,2 / 50m	1	Stk
40,0002,0043,005	Stahlseele blank 1,6 / 5m	1	Stk
40,0002,0043,015	Stahlseele blank 1,6 / 15m	1	Stk
40,0002,0043,050	Stahlseele blank 1,6 / 50m	1	Stk
40,0002,0052,005	Stahlseele C 0,8 / 5 m	1	Stk
40,0002,0052,015	Stahlseele C 0,8 / 15 m	1	Stk
40,0002,0052,050	Stahlseele C 0,8 / 50 m	1	Stk
40,0002,0053,005	Stahlseele C 1,0 / 5 m	1	Stk
40,0002,0053,015	Stahlseele C 1,0 / 15 m	1	Stk
40,0002,0053,050	Stahlseele C 1,0 / 50 m	1	Stk
40,0002,0054,005	Stahlseele C 1,2 / 5 m	1	Stk
40,0002,0054,015	Stahlseele C 1,2 / 15 m	1	Stk
40,0002,0054,050	Stahlseele C 1,2 / 50 m	1	Stk
40,0002,0055,005	Stahlseele C 1,6 / 5 m	1	Stk
40,0002,0055,015	Stahlseele C 1,6 / 15 m	1	Stk
40,0002,0055,050	Stahlseele C 1,6 / 50 m	1	Stk
42,0405,0685	Steckersockel FSC	1	Stk
42,0001,1506	STECKNIPPEL D=5/ D=9x32mm	2	Stk

MTW 400d /F++/3,5m/45° (4,035,951,000)

Artikelnr.	Bezeichnung	Menge	Einheit
43,0004,5378	STEUERL. 2x1 3,27M	1	Stk
43,0004,5379	STEUERL. 2x1 4,27M	1	Stk
43,0004,1844	STEUERL. 6x0,25 JOBM. 3,5M	1	Stk
43,0004,1845	STEUERL. 6x0,25 JOBM. 4,5M	1	Stk
43,0004,1875	STEUERL. 6x0,25 U/D 3,5M	1	Stk
43,0004,1876	STEUERL. 6x0,25 U/D 4,5M	1	Stk
43,0004,5295	Steuerleitung 2x0,75 CPC	1	Stk
43,0003,0486	STIFTKONTAKT C 1 CPC	1	Stk
44,0350,3436	Stromk. w 10/3,15m	1	Stk
44,0350,3437	Stromk. w 10/4,15m	1	Stk
44,0350,3438	Stromk. w 16/3,15m	1	Stk
44,0350,3439	Stromk. w 16/4,15m	1	Stk
44,0350,3563	Stromk. w 25/3,15m	1	Stk
44,0350,3564	Stromk. w 25/4,15m	1	Stk
43,0002,0522	Taster BT1 Single Action	1	Stk
32,0402,1008	TASTER JOBMASTER W5	1	Stk
32,0402,1006	TASTER UP/DOWN W5	1	Stk
42,0405,0561	Überwurfmutter M33x2	1	Stk
42,0405,0560	Überwurfmutter M40x1,5 20x18°	1	Stk
42,0100,1370	Verbindungsst. uni. zu Seele	1	Stk
42,0405,0548	Verschlusskappe f. Stecknippel	1	Stk
42,0405,1021	VERSCHLUSSRING FÜR GRIFFSCH.W5	1	Stk
44,0350,3736	ZA F++ - TPSi	1	Stk
44,0350,3751	Zentrala. Euro - W man. TPSi	1	Stk
44,0350,3245	Zentrala. FSC-W man TPSi	1	Stk
42,0407,0438	Zylinderstift DIN6325 2m6x18mm	1	Stk
42,0407,0638	Zylinderstift ø2x14mm 6325 C	1	Stk