

TTB 160A G ML /70°/L50

44,0350,5448

SCREWABLE
GAS
TTP 80P G ML

44,0350,5466
44,0350,5466,630
44,0350,0525
44,0350,0525,630
44,0350,5467
44,0350,5467,630

TTP 160P G ML

44,0350,5452
44,0350,5452,630
44,0350,4407
44,0350,4407,630
44,0350,5453,630
44,0350,5454,630
44,0350,5455
44,0350,5455,630

TTP 220P G ML

44,0350,5461
44,0350,5461,630
44,0350,4409
44,0350,4409,630
44,0350,5462,630
44,0350,5463,630
44,0350,5464
44,0350,5464,630

TTP 260P G ML

44,0350,5465

SCREWABLE
WATER
TTP 180P W ML

44,0350,5469
44,0350,5469,630
44,0350,0526
44,0350,0526,630
44,0350,5470
44,0350,5470,630

TTP 300P W ML

44,0350,5475
44,0350,4412
44,0350,4412,630
44,0350,5476,630
44,0350,5477,630
44,0350,5478
44,0350,5478,630

TTP 400P W ML

44,0350,5484
44,0350,4414
44,0350,4414,630
44,0350,5485,630
44,0350,5486,630
44,0350,5487
44,0350,5487,630

TTP 500P W ML

44,0350,4416
44,0350,4416,630

PLUGABLE
GAS
TTP 160A G ML

44,0350,5448
44,0350,5448,630
44,0350,4406
44,0350,4406,630
44,0350,5449,630
44,0350,5450,630
44,0350,5451
44,0350,5451,630

TTP 220A G ML

44,0350,5457
44,0350,5457,630
44,0350,4408
44,0350,4408,630
44,0350,5458,630
44,0350,5459,630
44,0350,5460
44,0350,5460,630

TTP 260A G ML

44,0350,4410
44,0350,4410,630

PLUGABLE
WATER
TTP 300A W ML

44,0350,5471
44,0350,4411
44,0350,4411,630
44,0350,5472,630
44,0350,5473,630
44,0350,5474
44,0350,5474,630

TTP 400A W ML

44,0350,5480
44,0350,5480,630
44,0350,4413
44,0350,4413,630
44,0350,5481,630
44,0350,5482,630
44,0350,5483
44,0350,5483,630

TTP 500A W ML

44,0350,4415
44,0350,4415,630


TTB 160A G ML /70°/L50 (44,0350,5448)

**TTB 160A G
STANDARD**

TAB electrode

Ømm	Øinch	Part No. electrode WC20	Part No. electrode WP	Part No. electrode WS2	Part No. electrode GP
1,0	.039	42,0411,4012			41,0010,0247
1,6	.063	42,0411,4001	42,0411,4008	42,0411,0161	41,0010,0246
2,0	.078	42,0411,4004	42,0411,0214	42,0411,0215	41,0010,0059
2,4	.094	42,0411,4002 x)	42,0411,4005	42,0411,0162	41,0010,0245
3,2	.126	42,0411,4003	42,0411,4006	42,0411,0163	41,0010,0244

X) standard equipment




TTB 160A G ML /70°/L50 (44,0350,5448)

**TTB 160A G
S + F**

X) standard equipment

TAB electrode

Ømm	Øinch	Part No. electrode WC20	Part No. electrode WP	Part No. electrode WS2	Part No. electrode GP
1,0	.039	42,0411,4012			41,0010,0247
1,6	.063	42,0411,4001	42,0411,4008	42,0411,0161	41,0010,0246
2,0	.078	42,0411,4004	42,0411,0214	42,0411,0215	41,0010,0059
2,4	.094	42,0411,4002 x)	42,0411,4005	42,0411,0162	41,0010,0245
3,2	.126	42,0411,4003	42,0411,4006	42,0411,0163	41,0010,0244





TTB 160A G

x) standard equipment

37	GAS LENSE	Electrode Ø		Part No.
		Ømm	Øinch	
		1,0	.039	44,0350,1500
		1,6	.063	44,0350,1501
		2,4	.094	44,0350,1460
		3,2	.126	44,0350,1461

38	CLAMPING NUT	Electrode Ø		Part No.
		Ømm	Øinch	
		1,0	.039	42,0001,0692
		1,6	.063	42,0001,0693
		2,4	.094	42,0001,0694 x)
		3,2	.126	42,0001,0695
		4,0	.157	42,0001,0696

39	COLLET	Electrode Ø		Part No.
		Ømm	Øinch	
		1,0	.039	42,0001,1148
		1,6	.063	42,0001,1149
		2,4	.094	42,0001,1150 x)
		3,2	.126	42,0001,1151

40					
GAS NOZZLE CERAMIC PLUGABLE					
L=33mm / 1.299inch					
	d3		d4		Part No.
	mm	inch	mm	inch	
	6,5	.256	24,5	.965	42,0300,0820
	8,0	.315	24,5	.965	42,0300,0821
	9,5	.374	24,5	.965	42,0300,0822
	11,0	.433	24,5	.965	42,0300,0823
L=22mm / 0.866inch					
	d3		d4		Part No.
	mm	inch	mm	inch	
	6,5	.256	24,5	.965	42,0300,0816
	8,0	.315	24,0	.945	42,0300,0817
	9,5	.374	24,0	.945	42,0300,0818
	11,0	.433	24,0	.945	42,0300,0819

TTB 160A G ML /70°/L50 (44,0350,5448)

Artikelnr.	Bezeichnung	Menge	Einheit
42,0300,3206	Abdeckkappe 12,5x20-rot	1	Stk
44,0350,0865	Brennerhals TTB 160 S / 220 S	1	Stk
44,0350,0338	Brennerkappe kurz L11 A	1	Stk
44,0350,0336	Brennerkappe lang L153 A	1	Stk
44,0350,0337	Brennerkappe mittel L64 A	1	Stk
42,1500,0400	Druckfeder Ø14,8x25 d=2,0	1	Stk
42,0300,0816	Gasdüse ker Ø6,5/Ø21x22	1	Stk
42,0300,0820	Gasdüse ker Ø6,5/Ø21x33	1	Stk
42,0300,0817	Gasdüse ker Ø8/Ø21x22	1	Stk
42,0300,0821	Gasdüse ker Ø8/Ø21x33	1	Stk
42,0300,0818	Gasdüse ker Ø9,5/Ø21x22	1	Stk
42,0300,0822	Gasdüse ker Ø9,5/Ø21x33	1	Stk
42,0300,0819	Gasdüse ker Ø11/Ø21x22	1	Stk
42,0300,0823	Gasdüse ker Ø11/Ø21x33	1	Stk
44,0350,1500	Gaslinse 1,0/Ø12x11	1	Stk
44,0350,1501	Gaslinse 1,6/Ø12x11	1	Stk
44,0350,1460	Gaslinse 2,4/Ø12x11	1	Stk
44,0350,1461	Gaslinse 3,2/Ø12x11	1	Stk
42,1200,0640	Gleitscheibe Knickgelenk-Bren.	1	Stk
42,0402,0348	Normatec-FKM-NT-80,7/75_9x2mm	1	Stk
42,0201,2368	Schlüssel Brennerkappe/SW6	1	Stk
42,0001,1148	Spannhülse 1,0/Ø5,3x12,7	1	Stk
42,0001,1149	Spannhülse 1,6/Ø5,3x12,7	1	Stk
42,0001,1150	Spannhülse 2,4/Ø5,3x12,7	1	Stk
42,0001,1151	Spannhülse 3,2/Ø5,3x12,7	1	Stk
42,0001,0692	Spannmutter 1,0/SW10x10,7	1	Stk
42,0001,0693	Spannmutter 1,6/SW10x10,7	1	Stk
42,0001,0694	Spannmutter 2,4/SW10x10,7	1	Stk
42,0001,0695	Spannmutter 3,2/SW10x10,7	1	Stk
42,0001,0696	Spannmutter 4,0/SW10x10,7	1	Stk
44,0350,5466	TTB 80P G ML/70°/L50	1	Stk
44,0350,0525	TTB 80P G ML /70°/L65	1	Stk
44,0350,5467	TTB 80P G ML/70°/L150	1	Stk
44,0350,5466,630	TTB 80P G ML OVT/70°/L50	1	Stk

TTB 160A G ML /70°/L50 (44,0350,5448)

Artikelnr.	Bezeichnung	Menge	Einheit
44,0350,0525,630	TTB 80P G ML OVT/70°/L65	1	Stk
44,0350,5467,630	TTB 80P G ML OVT/70°/L150	1	Stk
44,0350,5451	TTB 160A G F ML /70°/L65	1	Stk
44,0350,5451,630	TTB 160A G F ML OVT /70°/L65	1	Stk
44,0350,5448	TTB 160A G ML /70°/L50	1	Stk
44,0350,4406	TTB 160A G ML/70°/L65	1	Stk
44,0350,5448,630	TTB 160A G ML OVT/70°/L50	1	Stk
44,0350,4406,630	TTB 160A G ML OVT/70°/L65	1	Stk
44,0350,5449,630	TTB 160A G ML OVT/70°/L150	1	Stk
44,0350,5450,630	TTB 160A G ML OVT/70°/L300	1	Stk
44,0350,5455	TTB 160P G F ML /70°/L65	1	Stk
44,0350,5455,630	TTB 160P G F ML OVT/70°/L65	1	Stk
44,0350,5452	TTB 160P G ML /70°/L50	1	Stk
44,0350,4407	TTB 160P G ML/70°/L65	1	Stk
44,0350,4407,630	TTB 160P G ML OVT/70°/L65	1	Stk
44,0350,5453,630	TTB 160P G ML OVT/70°/L150	1	Stk
44,0350,5454,630	TTB 160P G ML OVT/70°/L300	1	Stk
44,0350,5469	TTB 180P W ML /70°/L50	1	Stk
44,0350,0526	TTB 180P W ML /70°/L65	1	Stk
44,0350,5470	TTB 180P W ML /70°/L150	1	Stk
44,0350,0526,630	TTB 180P W ML OVT/70°/L65	1	Stk
44,0350,5460	TTB 220A G F ML /70°/L65	1	Stk
44,0350,5460,630	TTB 220A G F ML OVT/70°/L65	1	Stk
44,0350,5457	TTB 220A G ML /70°/L50	1	Stk
44,0350,4408	TTB 220A G ML/70°/L65	1	Stk
44,0350,4408,630	TTB 220A G ML OVT/70°/L65	1	Stk
44,0350,5458,630	TTB 220A G ML OVT/70°/L150	1	Stk
44,0350,5459,630	TTB 220A G ML OVT/70°/L300	1	Stk
44,0350,5464	TTB 220P G F ML /70°/L65	1	Stk
44,0350,5464,630	TTB 220P G F ML OVT/70°/L65	1	Stk
44,0350,5461	TTB 220P G ML /70°/L50	1	Stk
44,0350,4409	TTB 220P G ML/70°/L65	1	Stk
44,0350,4409,630	TTB 220P G ML OVT/70°/L65	1	Stk
44,0350,5462,630	TTB 220P G ML OVT/70°/L150	1	Stk

TTB 160A G ML /70°/L50 (44,0350,5448)

Artikelnr.	Bezeichnung	Menge	Einheit
44,0350,5463,630	TTB 220P G ML OVT/70°/L300	1	Stk
44,0350,4410	TTB 260A G ML/70°/L65	1	Stk
44,0350,4410,630	TTB 260A G ML OVT/70°/L65	1	Stk
44,0350,5465	TTB 260P G ML /70°/L65	1	Stk
44,0350,5474	TTB 300A F W ML /70°/L65	1	Stk
44,0350,5474,630	TTB 300A F W ML OVT/70°/L65	1	Stk
44,0350,5471	TTB 300A W ML /70°/L50	1	Stk
44,0350,4411,630	TTB 300A W ML OVT/70°/L65	1	Stk
44,0350,5472,630	TTB 300A W ML OVT/70°/L150	1	Stk
44,0350,5473,630	TTB 300A W ML OVT/70°/L300	1	Stk
44,0350,5478	TTB 300P F W ML /70°/L65	1	Stk
44,0350,5478,630	TTB 300P F W ML OVT/70°/L65	1	Stk
44,0350,5475	TTB 300P W ML /70°/L50	1	Stk
44,0350,4412	TTB 300P W ML/70°/L65	1	Stk
44,0350,4412,630	TTB 300P W ML OVT/70°/L65	1	Stk
44,0350,5476,630	TTB 300P W ML OVT/70°/L150	1	Stk
44,0350,5477,630	TTB 300P W ML OVT/70°/L300	1	Stk
44,0350,5483	TTB 400A F W ML /70°/L65	1	Stk
44,0350,5483,630	TTB 400A F W ML OVT/70°/L65	1	Stk
44,0350,5480	TTB 400A W ML /70°/L50	1	Stk
44,0350,4413	TTB 400A W ML/70°/L65	1	Stk
44,0350,4413,630	TTB 400A W ML OVT/70°/L65	1	Stk
44,0350,5481,630	TTB 400A W ML OVT/70°/L150	1	Stk
44,0350,5482,630	TTB 400A W ML OVT/70°/L300	1	Stk
44,0350,5487	TTB 400P F W ML /70°/L65	1	Stk
44,0350,5487,630	TTB 400P F W ML OVT/70°/L65	1	Stk
44,0350,5484	TTB 400P W ML /70°/L50	1	Stk
44,0350,4414	TTB 400P W ML/70°/L65	1	Stk
44,0350,4414,630	TTB 400P W ML OVT/70°/L65	1	Stk
44,0350,5485,630	TTB 400P W ML OVT/70°/L150	1	Stk
44,0350,5486,630	TTB 400P W ML OVT/70°/L300	1	Stk
44,0350,4415	TTB 500A W ML/70°/L65	1	Stk
44,0350,4415,630	TTB 500A W ML OVT/70°/L65	1	Stk
44,0350,4416	TTB 500P W ML/70°/L65	1	Stk

TTB 160A G ML /70°/L50 (44,0350,5448)

Artikelnr.	Bezeichnung	Menge	Einheit
44,0350,4416,630	TTB 500P W ML OVT/70°/L65	1	Stk
42,0411,4004	Wolframel. WC20/ø2,0*175	1	Stk
42,0411,0214	Wolframel. WP/ø2,0x175	1	Stk
42,0411,0215	Wolframel. WS2-2,0x175mm	1	Stk
42,0411,4008	Wolframelektrode W/ø1,6x175	1	Stk
42,0411,4005	Wolframelektrode W/ø2,4x175	1	Stk
42,0411,4006	Wolframelektrode W/ø3,2x175	1	Stk
42,0411,4012	Wolframelektrode WC20/ø1,0x175	1	Stk
42,0411,4001	Wolframelektrode WC20/ø1,6x175	1	Stk
42,0411,4002	Wolframelektrode WC20/ø2,4x175	1	Stk
42,0411,4003	Wolframelektrode WC20/ø3,2x175	1	Stk
42,0411,0161	Wolframelektrode WS2-1,6x175mm	1	Stk
42,0411,0162	Wolframelektrode WS2-2,4x175mm	1	Stk
42,0411,0163	Wolframelektrode WS2-3,2x175mm	1	Stk