

TTB 220A G ML/70°/L65

44,0350,4408

SCREWABLE
GAS
TTP 80P G ML

44,0350,5466
44,0350,5466,630
44,0350,0525
44,0350,0525,630
44,0350,5467
44,0350,5467,630

TTP 160P G ML

44,0350,5452
44,0350,5452,630
44,0350,4407
44,0350,4407,630
44,0350,5453,630
44,0350,5454,630
44,0350,5455
44,0350,5455,630

TTP 220P G ML

44,0350,5461
44,0350,5461,630
44,0350,4409
44,0350,4409,630
44,0350,5462,630
44,0350,5463,630
44,0350,5464
44,0350,5464,630

TTP 260P G ML

44,0350,5465

SCREWABLE
WATER
TTP 180P W ML

44,0350,5469
44,0350,5469,630
44,0350,0526
44,0350,0526,630
44,0350,5470
44,0350,5470,630

TTP 300P W ML

44,0350,5475
44,0350,4412
44,0350,4412,630
44,0350,5476,630
44,0350,5477,630
44,0350,5478
44,0350,5478,630

TTP 400P W ML

44,0350,5484
44,0350,4414
44,0350,4414,630
44,0350,5485,630
44,0350,5486,630
44,0350,5487
44,0350,5487,630

TTP 500P W ML

44,0350,4416
44,0350,4416,630

PLUGABLE
GAS
TTP 160A G ML

44,0350,5448
44,0350,5448,630
44,0350,4406
44,0350,4406,630
44,0350,5449,630
44,0350,5450,630
44,0350,5451
44,0350,5451,630

TTP 220A G ML

44,0350,5457
44,0350,5457,630
44,0350,4408
44,0350,4408,630
44,0350,5458,630
44,0350,5459,630
44,0350,5460
44,0350,5460,630

TTP 260A G ML

44,0350,4410
44,0350,4410,630

PLUGABLE
WATER
TTP 300A W ML

44,0350,5471
44,0350,4411
44,0350,4411,630
44,0350,5472,630
44,0350,5473,630
44,0350,5474
44,0350,5474,630

TTP 400A W ML


44,0350,5480
44,0350,5480,630
44,0350,4413
44,0350,4413,630
44,0350,5481,630
44,0350,5482,630
44,0350,5483
44,0350,5483,630

TTP 500A W ML

44,0350,4415
44,0350,4415,630

TAB electrode		Part No. electrode WC20	Part No. electrode WP	Part No. electrode WS2
Ømm	Øinch			
1,0	.039	42,0411,4012		
1,6	.063	42,0411,4001	42,0411,4008	
2,4	.094	42,0411,4002 x)	42,0411,4005	
3,2	.126	42,0411,4003	42,0411,4006	
4,0	.157	42,0411,4013	42,0411,4007	
4,8	.189	42,0411,4014	42,0411,4009	

X) standard equipment



x) standard equipment

44

GAS NOZZLE CERAMIC SCREWABLE

L=33mm / 1.299inch

d5		d6		Part No.
mm	inch	mm	inch	
22	.866	25,5	1.004	42,0001,1409

L=33mm / 1.299inch

d5		d6		Part No.
mm	inch	mm	inch	
22	.866	25,5	1.004	42,0001,1410

L=42mm / 1.654inch

d5		d6		Part No.
mm	inch	mm	inch	
22	.866	25,5	1.004	42,0001,1408

37 GAS LENSE		Electrode Ø		Part No.
		Ømm	Øinch	
		1,0	.039	44,0350,1500
		1,6	.063	44,0350,1501
		2,4	.094	44,0350,1460
		3,2	.126	44,0350,1461

38 CLAMPING NUT		Electrode Ø		Part No.
		Ømm	Øinch	
		1,0	.039	42,0001,0692
		1,6	.063	42,0001,0693
		2,4	.094	42,0001,0694)
		3,2	.126	42,0001,0695
		4,0	.157	42,0001,0696

41 COLLET		Electrode Ø		Part No.
		Ømm	Øinch	
		1,0	.039	42,0001,0697
		1,6	.063	42,0001,0698
		2,4	.094	42,0001,0699)
		3,2	.126	42,0001,0700
		4,0	.157	42,0001,0701

45

GAS NOZZLE CERAMIC PLUGABLE

L=44mm / 1.732inch

d3

mm

inch

d4

mm

inch

Part No.

6,35

.250

20,8

.819

42,0300,0672

8,0

.315

20,8

.819

42,0300,0461

9,5

.374

20,8

.819

42,0300,0462

11,1

.437

20,8

.819

42,0300,0463

12,7

.500

20,8

.819

42,0300,0464

14,3

.563

20,8

.819

42,0300,0465

16,0

.630

20,8

.819

42,0300,0466

18,0

.709

20,8

.819

42,0300,0467

L=63mm / 2.480inch

d3

mm

inch

d4

mm

inch

Part No.

6,35

.250

20,8

.819

42,0300,1120

8,0

.315

20,8

.819

42,0300,1121

9,5

.374

20,8

.819

42,0300,1122

11,1

.437

20,8

.819

42,0300,1123

42 WEAR SLEEVE
42,0001,0208

43 INSULATION SLEEVE
42,0100,0176

TTB 220A G ML/70°/L65 (44,0350,4408)

Artikelnr.	Bezeichnung	Menge	Einheit
42,0300,3206	Abdeckkappe 12,5x20-rot	1	Stk
44,0350,0171	Brennerkappe kurz L19,5 A	1	Stk
44,0350,0170	Brennerkappe lang L100 A	1	Stk
42,0300,1120	Gasdüse ker Ø6,5/Ø17,5x64	1	Stk
42,0300,0672	Gasdüse ker Ø6,5/Ø21x44	1	Stk
42,0300,1121	Gasdüse ker Ø8/Ø17,5x64	1	Stk
42,0300,0461	Gasdüse ker Ø8/Ø21x44	1	Stk
42,0300,1122	Gasdüse ker Ø9,5/Ø17,5x64	1	Stk
42,0300,0462	Gasdüse ker Ø9,5/Ø21x44	1	Stk
42,0300,1123	Gasdüse ker Ø11,1/20,8Øx63	1	Stk
42,0300,0463	Gasdüse ker Ø11/Ø21x44	1	Stk
42,0300,0464	Gasdüse ker Ø13/Ø21x44	1	Stk
42,0300,0465	Gasdüse ker Ø14/Ø21x44	1	Stk
42,0300,0466	Gasdüse ker Ø16/Ø21x44	1	Stk
42,0300,0467	Gasdüse ker Ø18/Ø21x44	1	Stk
44,0350,1500	Gaslinse 1,0/Ø12x11	1	Stk
44,0350,1501	Gaslinse 1,6/Ø12x11	1	Stk
44,0350,1460	Gaslinse 2,4/Ø12x11	1	Stk
44,0350,1461	Gaslinse 3,2/Ø12x11	1	Stk
42,0100,0176	Isöhülse AL18 PKT-Aufsatz	1	Stk
42,0001,1409	Punktiergasdüse Ø22/Ø25,5x33	1	Stk
42,0001,1410	Punktiergasdüse Ø22/Ø25,5x33	1	Stk
42,0001,1408	Punktiergasdüse Ø22/Ø25,5x42	1	Stk
42,0001,0697	Spannhülse 1,0/Ø6,2x59	1	Stk
42,0001,0698	Spannhülse 1,6/Ø6,2x59	1	Stk
42,0001,0699	Spannhülse 2,4/Ø6,2x59	1	Stk
42,0001,0700	Spannhülse 3,2/Ø6,2x59	1	Stk
42,0001,0701	Spannhülse 4,0/Ø6,2x59	1	Stk
42,0001,0692	Spannmutter 1,0/SW10x10,7	1	Stk
42,0001,0693	Spannmutter 1,6/SW10x10,7	1	Stk
42,0001,0694	Spannmutter 2,4/SW10x10,7	1	Stk
42,0001,0695	Spannmutter 3,2/SW10x10,7	1	Stk
42,0001,0696	Spannmutter 4,0/SW10x10,7	1	Stk
44,0350,5466	TTB 80P G ML/70°/L50	1	Stk

TTB 220A G ML/70°/L65 (44,0350,4408)

Artikelnr.	Bezeichnung	Menge	Einheit
44,0350,0525	TTB 80P G ML /70°/L65	1	Stk
44,0350,5467	TTB 80P G ML/70°/L150	1	Stk
44,0350,5466,630	TTB 80P G ML OVT/70°/L50	1	Stk
44,0350,0525,630	TTB 80P G ML OVT/70°/L65	1	Stk
44,0350,5467,630	TTB 80P G ML OVT/70°/L150	1	Stk
44,0350,5451	TTB 160A G F ML /70°/L65	1	Stk
44,0350,5451,630	TTB 160A G F ML OVT /70°/L65	1	Stk
44,0350,5448	TTB 160A G ML /70°/L50	1	Stk
44,0350,4406	TTB 160A G ML/70°/L65	1	Stk
44,0350,5448,630	TTB 160A G ML OVT/70°/L50	1	Stk
44,0350,4406,630	TTB 160A G ML OVT/70°/L65	1	Stk
44,0350,5449,630	TTB 160A G ML OVT/70°/L150	1	Stk
44,0350,5450,630	TTB 160A G ML OVT/70°/L300	1	Stk
44,0350,5455	TTB 160P G F ML /70°/L65	1	Stk
44,0350,5455,630	TTB 160P G F ML OVT/70°/L65	1	Stk
44,0350,5452	TTB 160P G ML /70°/L50	1	Stk
44,0350,4407	TTB 160P G ML/70°/L65	1	Stk
44,0350,4407,630	TTB 160P G ML OVT/70°/L65	1	Stk
44,0350,5453,630	TTB 160P G ML OVT/70°/L150	1	Stk
44,0350,5454,630	TTB 160P G ML OVT/70°/L300	1	Stk
44,0350,5469	TTB 180P W ML /70°/L50	1	Stk
44,0350,0526	TTB 180P W ML /70°/L65	1	Stk
44,0350,5470	TTB 180P W ML /70°/L150	1	Stk
44,0350,0526,630	TTB 180P W ML OVT/70°/L65	1	Stk
44,0350,5460	TTB 220A G F ML /70°/L65	1	Stk
44,0350,5460,630	TTB 220A G F ML OVT/70°/L65	1	Stk
44,0350,5457	TTB 220A G ML /70°/L50	1	Stk
44,0350,4408	TTB 220A G ML/70°/L65	1	Stk
44,0350,4408,630	TTB 220A G ML OVT/70°/L65	1	Stk
44,0350,5458,630	TTB 220A G ML OVT/70°/L150	1	Stk
44,0350,5459,630	TTB 220A G ML OVT/70°/L300	1	Stk
44,0350,5464	TTB 220P G F ML /70°/L65	1	Stk
44,0350,5464,630	TTB 220P G F ML OVT/70°/L65	1	Stk
44,0350,5461	TTB 220P G ML /70°/L50	1	Stk

TTB 220A G ML/70°/L65 (44,0350,4408)

Artikelnr.	Bezeichnung	Menge	Einheit
44,0350,4409	TTB 220P G ML/70°/L65	1	Stk
44,0350,4409,630	TTB 220P G ML OVT/70°/L65	1	Stk
44,0350,5462,630	TTB 220P G ML OVT/70°/L150	1	Stk
44,0350,5463,630	TTB 220P G ML OVT/70°/L300	1	Stk
44,0350,4410	TTB 260A G ML/70°/L65	1	Stk
44,0350,4410,630	TTB 260A G ML OVT/70°/L65	1	Stk
44,0350,5465	TTB 260P G ML /70°/L65	1	Stk
44,0350,5474	TTB 300A F W ML /70°/L65	1	Stk
44,0350,5474,630	TTB 300A F W ML OVT/70°/L65	1	Stk
44,0350,5471	TTB 300A W ML /70°/L50	1	Stk
44,0350,4411,630	TTB 300A W ML OVT/70°/L65	1	Stk
44,0350,5472,630	TTB 300A W ML OVT/70°/L150	1	Stk
44,0350,5473,630	TTB 300A W ML OVT/70°/L300	1	Stk
44,0350,5478	TTB 300P F W ML /70°/L65	1	Stk
44,0350,5478,630	TTB 300P F W ML OVT/70°/L65	1	Stk
44,0350,5475	TTB 300P W ML /70°/L50	1	Stk
44,0350,4412	TTB 300P W ML/70°/L65	1	Stk
44,0350,4412,630	TTB 300P W ML OVT/70°/L65	1	Stk
44,0350,5476,630	TTB 300P W ML OVT/70°/L150	1	Stk
44,0350,5477,630	TTB 300P W ML OVT/70°/L300	1	Stk
44,0350,5483	TTB 400A F W ML /70°/L65	1	Stk
44,0350,5483,630	TTB 400A F W ML OVT/70°/L65	1	Stk
44,0350,5480	TTB 400A W ML /70°/L50	1	Stk
44,0350,4413	TTB 400A W ML/70°/L65	1	Stk
44,0350,4413,630	TTB 400A W ML OVT/70°/L65	1	Stk
44,0350,5481,630	TTB 400A W ML OVT/70°/L150	1	Stk
44,0350,5482,630	TTB 400A W ML OVT/70°/L300	1	Stk
44,0350,5487	TTB 400P F W ML /70°/L65	1	Stk
44,0350,5487,630	TTB 400P F W ML OVT/70°/L65	1	Stk
44,0350,5484	TTB 400P W ML /70°/L50	1	Stk
44,0350,4414	TTB 400P W ML/70°/L65	1	Stk
44,0350,4414,630	TTB 400P W ML OVT/70°/L65	1	Stk
44,0350,5485,630	TTB 400P W ML OVT/70°/L150	1	Stk
44,0350,5486,630	TTB 400P W ML OVT/70°/L300	1	Stk

TTB 220A G ML/70°/L65 (44,0350,4408)

Artikelnr.	Bezeichnung	Menge	Einheit
44,0350,4415	TTB 500A W ML/70°/L65	1	Stk
44,0350,4415,630	TTB 500A W ML OVT/70°/L65	1	Stk
44,0350,4416	TTB 500P W ML/70°/L65	1	Stk
44,0350,4416,630	TTB 500P W ML OVT/70°/L65	1	Stk
42,0411,4008	Wolframelektrode W/ø1,6x175	1	Stk
42,0411,4005	Wolframelektrode W/ø2,4x175	1	Stk
42,0411,4006	Wolframelektrode W/ø3,2x175	1	Stk
42,0411,4007	Wolframelektrode W/ø4,0x175	1	Stk
42,0411,4009	Wolframelektrode W/ø4,8x175	1	Stk
42,0411,4012	Wolframelektrode WC20/ø1,0x175	1	Stk
42,0411,4001	Wolframelektrode WC20/ø1,6x175	1	Stk
42,0411,4002	Wolframelektrode WC20/ø2,4x175	1	Stk
42,0411,4003	Wolframelektrode WC20/ø3,2x175	1	Stk
42,0411,4013	Wolframelektrode WC20/ø4,0x175	1	Stk
42,0411,4014	Wolframelektrode WC20/ø4,8x175	1	Stk