



MTB 500i ML /W/0°/L213


44,0350,3170


Standard



MTB 500i ML W	L		H		Standard
	mm	inch	mm	inch	
0°	213	8.385	0	0.0	44,0350,3170
15°	210	8.268	27	1.063	44,0350,3171
15°	310	12.205	27	1.063	44,0350,4193
15°	410	16.142	27	1.063	44,0350,4194
15°	610	24.016	27	1.063	44,0350,4195
30°	199	7.835	56	2.205	44,0350,3172
30°	299	11.772	56	2.205	44,0350,4196
30°	399	15.709	56	2.205	44,0350,4197
30°	599	23.583	56	2.205	44,0350,4198
45°	180	7.087	87	3.425	44,0350,3173
45°	280	11.024	87	3.425	44,0350,4199
45°	380	14.961	87	3.425	44,0350,4200
45°	580	22.835	87	3.425	44,0350,4201
60°	154	6.063	116	4.567	44,0350,4202

MTB 500i ML /W/O°/L213 (44,0350,3170)



TAB. 1 CuCrZr		Ø mm	Ø inch	Part No.
		0,6	0,023	42,0001,4928
		0,7	0,027	42,0001,6524,10
		0,8	0,030	42,0001,4461,10
		0,9	0,035	42,0001,4462,10
		1,0	0,040	42,0001,4463,10
		1,1	0,043	42,0001,6527,10
		1,2	0,045	42,0001,4464,10
		1,3	0,051	42,0001,6529,10
		1,4	0,052	42,0001,4465,10
		1,5	0,059	42,0001,6522,10
		1,6	0,062	42,0001,4466,10
		0,7	0,027	42,0001,6482,10
		0,8	0,030	42,0001,6464,10
		0,9	0,035	42,0001,6465,10
		1,0	0,040	42,0001,6466,10
		1,1	0,043	42,0001,6483,10
		1,2	0,045	42,0001,6467,10
		1,3	0,051	42,0001,6484,10
		1,4	0,052	42,0001,6468,10
		1,5	0,059	42,0001,6485,10
		1,6	0,062	42,0001,6469,10
		1,8	0,071	42,0001,6470,10
		2,0	0,078	42,0001,6471,10
Al 		0,8	0,030	42,0001,6525,10
		1,0	0,040	42,0001,6526,10
		1,2	0,045	42,0001,6528,10
		1,6	0,062	42,0001,6523,10
Al 		0,8	0,030	42,0001,6537,10
		1,0	0,040	42,0001,4750,10
		1,2	0,045	42,0001,4751,10
		1,6	0,062	42,0001,4752,10

TAB. 1 E-Cu		Ø mm	Ø inch	Part No.
		0,9	0,035	42,0001,7025,10
		1,0	0,040	42,0001,7026,10
		1,2	0,045	42,0001,7027,10
		0,9	0,035	42,0001,7028,10
		1,0	0,040	42,0001,7029,10
		1,2	0,045	42,0001,7030,10

MTB 500i ML /W/O°/L213 (44,0350,3170)

TAB. 2													
				d1		d2		d3		L		Part No.	
				mm	inch	mm	inch	mm	inch	mm	inch		
MTW 250i MTB W 250i R	MTG 250i MTB G 250i R	M20x2	8	0.31	22	0.86	10,4	0.41	58	2.28	42,0001,6664		standard MTW 250i Braze
			10	0.39	22	0.86	13,0	0.51	54	2.13	42,0001,4083		
			13	0.51	22	0.86	16,1	0.63	54	2.13	42,0001,4799		
			13	0.51	22	0.86	16,1	0.63	56	2.20	42,0001,4477		standard MTB 250i G/W R
			10	0.39	22	0.86	13,0	0.51	58	2.28	42,0001,4084		
			13	0.51	22	0.86	16,1	0.63	56	2.20	42,0001,4498	AI	
			13	0.51	22	0.86	16,1	0.63	58	2.28	42,0001,4065		standard MTG/MTW 250i
			15	0.59	22	0.86	18,3	0.72	58	2.28	42,0001,4493		
			18	0.71	22	0.86	22	0.87	58	2.28	42,0001,4055		
			13	0.51	25	0.98	16,4	0.64	59	2.32	42,0001,4085		
MTW 400i/500i MTB W 400i R 500i R	MTG 320i/400i MTB G 320i R 400i R	M23x2	15	0.59	25	0.98	18,6	0.73	59	2.32	42,0001,4048		
			13	0.51	25	0.98	16,4	0.64	61	2.40	42,0001,4086		standard MTB 320i G R
			15	0.59	25	0.98	18,1	0.71	61	2.40	42,0001,4474		standard MTB 400i W R
			15	0.59	27	1.06	20,2	0.80	61	2.40	42,0001,4789		MTB 400i W R, heavy duty
			17	0.71	25	0.98	20,8	0.82	61	2.40	42,0001,4476		standard MTB 500i W R
			13	0.51	25	0.98	16,4	0.64	61	2.40	42,0001,4497	AI	
			13	0.51	25	0.98	16,4	0.64	63	2.48	42,0001,4080		standard MTG 320i
			15	0.59	25	0.98	18,6	0.73	61	2.40	42,0001,4496	AI	
			15	0.59	25	0.98	18,6	0.73	63	2.48	42,0001,4051		standard MTW 400i
			17	0.71	25	0.98	20,8	0.82	61	2.40	42,0001,4494	AI	
			17	0.71	25	0.98	20,8	0.82	63	2.48	42,0001,4050		standard MTW500i,330i W R long
			17	0.71	27	1.06	20,8	0.82	63	2.48	42,0001,4216		MTW 500i, heavy duty
			21	0.82	25	0.98	25,0	0.98	63	2.48	42,0001,4054		
			15	0.59	25	0.98	18,6	0.73	68	2.68	42,0001,4052		
			17	0.71	25	0.98	20,8	0.82	68	2.68	42,0001,4049		
			13	0.51	25	0.98	16,4	0.64	71	2.80	42,0001,4087		
			15	0.59	25	0.98	18,6	0.73	71	2.80	42,0001,4788		
			13	0.51	25	0.98	16,4	0.64	73	2.87	42,0001,4088		
			15	0.59	25	0.98	18,6	0.73	73	2.87	42,0001,4475		standard MTB 400i G R
			15	0.59	27	1.06	18,6	0.73	73	2.87	42,0001,4790		MTB 400i G R, heavy duty
			15	0.59	25	0.98	18,6	0.73	73	2.87	42,0001,4495	AI	
			15	0.59	25	0.98	18,6	0.73	75	2.95	42,0001,4045		standard MTG 400i
			17	0.71	25	0.98	20,8	0.82	75	2.95	42,0001,4043		
			21	0.82	25	0.98	25,0	0.98	75	2.95	42,0001,4053		
			15	0.59	25	0.98	18,6	0.73	80	3.15	42,0001,4047		

TAB. 12													
				d1		d2		d3		L		Part No.	
				mm	inch	mm	inch	mm	inch	mm	inch		
MTB W400i W R H	MTB W500i W R H	M23x2		15	0.59	ø25	0.98	18,6	0.73	61	2.40	44,0350,3935	standard MTB 400i W R H
				17	0.66	ø25	0.98	20,8	0.82	61	2.40	44,0350,3936	standard MTB 500i W R H

TAB. 5													
				d1		d2		d3		L		Part No.	
				mm	inch	mm	inch	mm	inch	mm	inch		
①				17	0.66	ø29	1.10	22	0.86	71	2,79	44,0350,3966	Standard MTW 700i/750i
②				17	0.66	ø29	1.10	22	0.86	16	0.63	42,0001,4257	Standard MTW 700i/750i
①				17	0.66	ø29	1.10	22	0.86	76	3.00	44,0350,3942	HD
②				17	0.66	ø29	1.10	22	0.86	21	0.83	42,0001,4670	HD
①				17	0.66	ø29	1.10	22	0.86	68,5	2.70	44,0350,4079	Standard MTB 700i W R
②				17	0.66	ø29	1.10	22	0.86	13,5	0.53	42,0001,4868	Standard MTB 700i W R
①				13	0.51	ø29	1.10	22	0.86	69	2.72	44,0350,0226	Laser Hybrid
②				13	0.51	ø29	1.10	22	0.86	14	0.55	42,0001,0142	Laser Hybrid

MTB 500i ML /W/O°/L213 (44,0350,3170)

TAB. 6											
		d1		d2		d3		L		Part No.	
		mm	inch	mm	inch	mm	inch	mm	inch		
MTB G 330i R	MTB W 330i R	13	0.51	ø25	0.98	16	0.63	37	1.46	42,0001,4533	
		13	0.51	ø25	0.98	16	0.63	41	1.61	42,0001,4487	
		13	0.51	ø25	0.98	16	0.63	39,5	1.61	42,0001,4534	AI
		13	0.51	ø25	0.98	16	0.63	39,5	1.56	42,0001,4902	
		15	0.59	ø25	0.98	18	0.72	39,5	1.56	42,0001,5023	

TAB. 7											
		d1		d2		d3		L		Part No.	
		mm	inch	mm	inch	mm	inch	mm	inch		
MTB W 330i W R H	M23x2	13	0.51	ø25	0.98	16	0.63	41	1.61	42,0001,4486	standard MTB 330i W R H

TAB. 8 narrow gap											
		d1		d2		d3		L		Part No.	
		mm	inch	mm	inch	mm	inch	mm	inch		
MTB W 330i R	MTB G 330i R	13	0.51	ø25	0.98	16	0.63	56	2.21	42,0001,4745	
		13	0.51	ø25	0.98	16	0.63	50	1.97	42,0001,6772	



TAB. 9											
		d1		d2		d3		L		Part No.	
		mm	inch	mm	inch	mm	inch	mm	inch		
MTB G 330i R long	M23x2	13	0.51	ø27	1.06	18	0.72	53	2.09	42,0001,4858	standard MTB 330i G R
		15	0.59	ø27	1.06	18	0.72	53	2.09	42,0001,4857	
		15	0.59	ø27	1.06	18	0.72	57	2.09	42,0001,4856	

TAB. 10											
		d1		d2		d3		L		Part No.	
		mm	inch	mm	inch	mm	inch	mm	inch		
MTG 550i	M25x3	15	0.59	ø27	1.06	19	0.75	67	2.64	44,0350,2020	
		17	0.67	ø27	1.06	21	0.83	67	2.64	44,0350,2021	
		15	0.59	ø27	1.06	19	0.75	74	2.91	44,0350,1991	
		17	0.67	ø27	1.06	21	0.83	74	3.91	44,0350,1995	
		15	0.59	ø27	1.06	19	0.75	80,5	3.17	44,0350,1987	
		15	0.59	ø27	1.06	19	0.75	82,5	3.25	44,0350,1988	
		17	0.67	ø27	1.06	21	0.83	83,5	3.29	44,0350,3179	
		18	0.71	ø27	1.06	22	0.89	87,5	3.44	44,0350,3180	standard MTG 550i

TAB. 11											
		d1		d2		d3		L		Part No.	
		mm	inch	mm	inch	mm	inch	mm	inch		
MTB 400/500i W R	MTB 320/400i G R	13	0.51	ø25	0.98	16	0.63	62,5	2.46	42,0001,4917	standard MTB 320i G / 400/500i W
		10	0.39	ø25	0.98	16	0.63	68,0	2.68	42,0001,6715	
		13	0.51	ø25	0.98	16	0.63	68,0	2.68	42,0001,6716	
		13	0.51	ø25	0.98	16	0.63	74,5	2.93	42,0001,4918	standard MTB 400i G

TAB. 15											
		d1		d2		d3		L		Part No.	
		mm	inch	mm	inch	mm	inch	mm	inch		
MTW 500i	plug	17	0.66	ø27	1.06	22,2	0.87	85	3.34	44,0350,2036	standard MTB 500i W

TOOLS



MTB 500i ML /W/O°/L213 (44,0350,3170)

Artikelnr.	Bezeichnung	Menge	Einheit
44,0450,1436	Ausziehwkzgc CPC +35mm verläng.	1	Stk
42,0001,3912,10	Contec-Shell 10pcs MD	1	ve
42,0001,3912,100	Contec-Shell 100pcs MD	1	ve
45,0200,0826	Dr.Schlüssel Überwurfmutter BY	1	Stk
42,0411,9040	Drehmomentschl. 4-20Nm	1	Stk
44,0350,3426	Düsenstock Contec MD MTW500i	1	Stk
42,0001,4919	Düsenstock M6/SW10x30 CU	1	Stk
42,0001,4651	Düsenstock M8x1,5/SW10x26,5 CU	1	Stk
42,0001,4037	Düsenstock M8x1,5/SW13x26,5 CU	1	Stk
40,0009,0044	Fett O-Ring transparent	1	Stk
42,0001,6715	Gasdüse Engspalt Ø10/Ø25x68 CT	1	Stk
42,0001,4917	Gasdüse Engspalt Ø13/Ø25x62,5	1	Stk
42,0001,6716	Gasdüse Engspalt Ø13/Ø25x68 CT	1	Stk
42,0001,4918	Gasdüse Engspalt Ø13/Ø25x74,5	1	Stk
42,0001,6772	Gasdüse Engspalt ø13/ø25x50 CT	1	Stk
42,0001,4745	Gasdüse Engspalt ø13/ø25x56 CT	1	Stk
42,0001,4868	Gasdüsenmundstück Ø17/Ø29x26,5	1	Stk
42,0001,4257	Gasdüsenmundstück Ø17/Ø29x29	1	Stk
42,0001,0142	Gasdüsenmundstück ø13/ø29x	1	Stk
42,0001,4670	Gasdüsenmundstück ø17/29x34 HD	1	Stk
44,0350,4079	Gasdüse W 700i Ø17/Ø29,5x68,5	1	Stk
44,0350,0226	Gasdüse W 700i ø13,2/ø29,5x69	1	Stk
44,0350,3966	Gasdüse W 700i ø17/ø29,5x71	1	Stk
44,0350,3942	Gasdüse W 700i ø17/ø29,5x76 HD	1	Stk
42,0001,4055	Gasdüse zyl ø18/ø22x58 CT	1	Stk
42,0001,4054	Gasdüse zyl ø21,1/ø25x63 CT	1	Stk
42,0001,4053	Gasdüse zyl ø21,1/ø25x75 CT	1	Stk
44,0350,3935	Gasdüse Ø15/Ø25x61 CT/H	1	Stk
44,0350,3936	Gasdüse Ø17/Ø25x61 CT/H	1	Stk
42,0001,4216	Gasdüse Ø17/Ø27x63 CT HD	1	Stk
42,0001,6664	Gasdüse ø8/ø22x57 CT	1	Stk
42,0001,4083	Gasdüse ø10/ø22x54 CT	1	Stk
42,0001,4084	Gasdüse ø10/ø22x58 CT	1	Stk
42,0001,4858	Gasdüse ø13/Ø27x53 CT	1	Stk

MTB 500i ML /W/O°/L213 (44,0350,3170)

Artikelnr.	Bezeichnung	Menge	Einheit
42,0001,4799	Gasdüse ø13/ø22x54 CT	1	Stk
42,0001,4477	Gasdüse ø13/ø22x56 CT	1	Stk
42,0001,4498	Gasdüse ø13/ø22x56 CT/C	1	Stk
42,0001,4065	Gasdüse ø13/ø22x58 CT	1	Stk
42,0001,4533	Gasdüse ø13/ø25x37 CT	1	Stk
42,0001,4902	Gasdüse ø13/ø25x39,5 CT	1	Stk
42,0001,4534	Gasdüse ø13/ø25x39,5 CT/C	1	Stk
42,0001,4487	Gasdüse ø13/ø25x41 CT	1	Stk
42,0001,4486	Gasdüse ø13/ø25x41 CT/H	1	Stk
42,0001,4085	Gasdüse ø13/ø25x59 CT	1	Stk
42,0001,4086	Gasdüse ø13/ø25x61 CT	1	Stk
42,0001,4497	Gasdüse ø13/ø25x61 CT/C	1	Stk
42,0001,4080	Gasdüse ø13/ø25x63 CT	1	Stk
42,0001,4087	Gasdüse ø13/ø25x71 CT	1	Stk
42,0001,4088	Gasdüse ø13/ø25x73 CT	1	Stk
42,0001,4857	Gasdüse ø15/ø27x53 CT	1	Stk
42,0001,4856	Gasdüse ø15/ø27x57 CT	1	Stk
42,0001,4493	Gasdüse ø15/ø22x58 CT	1	Stk
42,0001,5023	Gasdüse ø15/ø25x39,5 CT	1	Stk
42,0001,4048	Gasdüse ø15/ø25x59 CT	1	Stk
42,0001,4474	Gasdüse ø15/ø25x61 CT	1	Stk
42,0001,4496	Gasdüse ø15/ø25x61 CT/C	1	Stk
42,0001,4051	Gasdüse ø15/ø25x63 CT	1	Stk
42,0001,4052	Gasdüse ø15/ø25x68 CT	1	Stk
42,0001,4788	Gasdüse ø15/ø25x71 CT	1	Stk
42,0001,4475	Gasdüse ø15/ø25x73 CT	1	Stk
42,0001,4495	Gasdüse ø15/ø25x73 CT/C	1	Stk
42,0001,4045	Gasdüse ø15/ø25x75 CT	1	Stk
42,0001,4047	Gasdüse ø15/ø25x80 CT	1	Stk
42,0001,4789	Gasdüse ø15/ø27x61 CT HD	1	Stk
44,0350,2020	Gasdüse ø15/ø27x67 CT	1	Stk
42,0001,4790	Gasdüse ø15/ø27x73 CT HD	1	Stk
44,0350,1991	Gasdüse ø15/ø27x74 CT	1	Stk
44,0350,1987	Gasdüse ø15/ø27x80,5 CT	1	Stk

MTB 500i ML /W/O°/L213 (44,0350,3170)

Artikelnr.	Bezeichnung	Menge	Einheit
44,0350,1988	Gasdüse ø15/ø27x82,5 CT	1	Stk
42,0001,4476	Gasdüse ø17/ø25x61 CT	1	Stk
42,0001,4494	Gasdüse ø17/ø25x61 CT/C	1	Stk
42,0001,4050	Gasdüse ø17/ø25x63 CT	1	Stk
42,0001,4049	Gasdüse ø17/ø25x68 CT	1	Stk
42,0001,4043	Gasdüse ø17/ø25x75 CT	1	Stk
44,0350,2021	Gasdüse ø17/ø27x67 CT	1	Stk
44,0350,1995	Gasdüse ø17/ø27x74 CT	1	Stk
44,0350,3179	Gasdüse ø17/ø27x83,5 CT	1	Stk
44,0350,2036	Gasdüse ø17/ø27x85	1	Stk
44,0350,3180	Gasdüse ø18/ø27x87,5 CT	1	Stk
42,0405,0753	Hitzeschutzschild PA6 ø18mm	1	Stk
42,0100,1328	Isolierr. W 500i ø20/13,1x4	1	Stk
42,0100,1329	Isolierring W ø20,8/14*7,3	1	Stk
42,0100,0534	Isolierring Ø17,9/Ø12x7mm	1	Stk
42,0100,1371	Isolierring Ø20,8/Ø14x8,5	1	Stk
42,0100,1497	Isolierring ø20,7/ø14x15	1	Stk
42,0001,6537,10	Kontaktr. 0,8/M8x1,5/ø10x32 Al	1	ve
42,0001,7028,10	Kontaktr.0,9/M8x1,5/ø10x32/SQ	1	ve
42,0001,4750,10	Kontaktr. 1,0/M8x1,5/ø10x32 Al	1	ve
42,0001,7029,10	Kontaktr.1,0/M8x1,5/ø10x32/SQ	1	ve
42,0001,4751,10	Kontaktr. 1,2/M8x1,5/ø10x32 Al	1	ve
42,0001,7030,10	Kontaktr.1,2/M8x1,5/ø10x32/SQ	1	ve
42,0001,4752,10	Kontaktr.1,6/M8x1,5/ø10x32 Al	1	ve
42,0001,4928	Kontaktrohr 0,6/M6/8x24mm	1	Stk
42,0001,6524,10	Kontaktrohr 0,7/M6/8x24mm	1	ve
42,0001,6482,10	Kontaktrohr 0,7/M8x1,5/ø10x32	1	ve
42,0001,4461,10	Kontaktrohr 0,8/M6/ø8x24	1	ve
42,0001,6525,10	Kontaktrohr 0,8/M6/ø8x24 Al	1	ve
42,0001,6464,10	Kontaktrohr 0,8/M8x1,5/ø10x32	1	ve
42,0001,4462,10	Kontaktrohr 0,9/M6/ø8x24	1	ve
42,0001,7025,10	Kontaktrohr 0,9/M6/ø8x24/SQ	1	ve
42,0001,6465,10	Kontaktrohr 0,9/M8x1,5/ø10x32	1	ve
42,0001,4463,10	Kontaktrohr 1,0/M6/ø8x24	1	ve

MTB 500i ML /W/0°/L213 (44,0350,3170)

Artikelnr.	Bezeichnung	Menge	Einheit
42,0001,6526,10	Kontaktrohr 1,0/M6/ø8x24 Al	1	ve
42,0001,7026,10	Kontaktrohr 1,0/M6/ø8x24/SQ	1	ve
42,0001,6466,10	Kontaktrohr 1,0/M8x1,5/ø10x32	1	ve
42,0001,6527,10	Kontaktrohr 1,1/M6/ø8x24	1	ve
42,0001,6483,10	Kontaktrohr 1,1/M8x1,5/ø10x32	1	ve
42,0001,4464,10	Kontaktrohr 1,2/M6/ø8x24	1	ve
42,0001,6528,10	Kontaktrohr 1,2/M6/ø8x24 Al	1	ve
42,0001,7027,10	Kontaktrohr 1,2/M6/ø8x24/SQ	1	ve
42,0001,6467,10	Kontaktrohr 1,2/M8x1,5/ø10x32	1	ve
42,0001,6529,10	Kontaktrohr 1,3/M6/ø8x24	1	ve
42,0001,6484,10	Kontaktrohr 1,3/M8x1,5/ø10x32	1	ve
42,0001,4465,10	Kontaktrohr 1,4/M6/ø8x24	1	ve
42,0001,6468,10	Kontaktrohr 1,4/M8x1,5/ø10x32	1	ve
42,0001,6522,10	Kontaktrohr 1,5/M6/ø8x24	1	ve
42,0001,6485,10	Kontaktrohr 1,5/M8x1,5/ø10x32	1	ve
42,0001,4466,10	Kontaktrohr 1,6/M6/ø8x24	1	ve
42,0001,6523,10	Kontaktrohr 1,6/M6/ø8x24 Al	1	ve
42,0001,6469,10	Kontaktrohr 1,6/M8x1,5/ø10x32	1	ve
42,0001,6470,10	Kontaktrohr 1,8/M8x1,5/ø10x32	1	ve
42,0001,6471,10	Kontaktrohr 2,0/M8x1,5/ø10x32	1	ve
42,0001,6472,10	Kontaktrohr 2,4/M8x1,5/ø10x32	1	ve
42,0001,4642,10	Kontaktrohr 2,8/M8x1,5/ø10x32	1	ve
44,0350,3170	MTB 500i ML /W/0°/L213	1	Stk
44,0350,4193	MTB 500i ML /W/15°/L310/H27	1	Stk
44,0350,4194	MTB 500i ML /W/15°/L410/H27	1	Stk
44,0350,4195	MTB 500i ML /W/15°/L610/H27	1	Stk
44,0350,4196	MTB 500i ML /W/30°/L299/H56	1	Stk
44,0350,4197	MTB 500i ML /W/30°/L399/H56	1	Stk
44,0350,4198	MTB 500i ML /W/30°/L599/H56	1	Stk
44,0350,4199	MTB 500i ML /W/45°/L280/H87	1	Stk
44,0350,4200	MTB 500i ML /W/45°/L380/H87	1	Stk
44,0350,4201	MTB 500i ML /W/45°/L580/H87	1	Stk
44,0350,4202	MTB 500i ML /W/60°/L154/H115	1	Stk
44,0350,3171	MTB 500i W ML /15°/L209/H27	1	Stk

MTB 500i ML /W/O°/L213 (44,0350,3170)

Artikelnr.	Bezeichnung	Menge	Einheit
44,0350,3172	MTB 500i W ML /30°/L199/H56	1	Stk
44,0350,3173	MTB 500i W ML /45°/L180/H87	1	Stk
42,0201,3216	Multitool TB wear parts	1	Stk
42,0402,0317	O-Ring lø20x1,3 FKM	1	Stk
42,0402,0305	O-Ring lø21x1,5 FKM	1	Stk
42,0402,0304	O-Ring lø25x1,5 FKM	1	Stk
42,0402,0285	O-Ring Ø12x3mm FKM70	1	Stk
44,0450,1938	Rollgabel-Einsteckwerkzeug	1	Stk
42,0001,6336	Spannmutter Contec/SW11x19,5	1	Stk
42,0405,0854	Spritzerschutz Ø10/Ø20,8x24mm	1	Stk
42,0100,0591	SpritzerschutzØ10/Ø20,8x24mmHD	1	Stk
42,0100,1156	Spritzerschutz ø14,5/ø18x21,3	1	Stk